



AGENDA

FNQ Regional Roads and Transport Group

Meeting No. 90

9.00am to 10.30am
Friday 11 September 2026

Online

Please join the meeting from your computer, tablet or smartphone using the link below.

Microsoft Teams [Need help?](#)

[Join the meeting now](#)

Meeting ID: 415 704 738 392 7

Passcode: ou2T6Qh2

Dial in by phone

[+61 2 8320 9229,,335872725#](#) Australia, Sydney

[Find a local number](#)

Phone conference ID: 335 872 725#

1. WELCOME

2. APOLOGIES

A list of apologies will be tabled at the meeting.

3. CONFIRMATION OF PREVIOUS MINUTES

3.1 Minutes of Meeting No.89 held on 2 July 2026

Pages 4 - 17

4. BUSINESS ARISING FROM PREVIOUS MEETING

4.1 Action items from RRTG Board Meeting No. 89 – 2 July 2026

Action Item No.	ACTION	Responsible Person(s)	Status
557.3	Douglas Shire Council to provide TMR with details of roads where washouts have been identified as a concern for further investigation. (updated)	Douglas Shire Council	
565.1	FNQROC to arrange a meeting with TMR Regional Manager to discuss concerns regarding the intended outcomes of the updated Regional Road Investment Strategy (RRIS) and the scope of the project.	FNQROC	Complete – meeting scheduled for 16 September 2026

5. NOTING OF TECHNICAL COMMITTEE MINUTES & RECOMMENDED MOTIONS

5.1 Minutes of Technical Committee Meeting No. 146 – 12 August 2026 & 17 August 2026

Pages 18 – 28

Recommended Motions

Item No 5 That the RRTG endorse the updated 2026-27 – 2029-30 works program.

Pages 20 - 22 and Appendix A

Item No 8 That the RRTG approve the FNQ Road Treatment Good Practice Guides and recommend their endorsement by the FNQROC Board.

Pages 26 – 27 and Appendix B – R19 – FNQ Road Treatment Best Practice Guides

For Noting

Item No 11

Pages 26 - 27

LRRS Network Assessment – Update

6. PROGRAM UPDATE TMR

- TMR Update

Darryl Jones, District Director (Far North), DTMR

7. ROADS AND TRANSPORT ALLIANCE UPDATE

- Roads and Transport Alliance Update.

Natalee Jennings, Manager, Local Government Partnerships, DTMR

8. LGAQ UPDATE

- LGAQ Update

Jarrod Hellmuth, LGAQ representative

9. 2026 LGAQ ANNUAL CONFERENCE – ROADS AND TRANSPORT FORUM

10. JOINT PURCHASING AND RESOURCE SHARING

- If any issues

All

11. ROAD SAFETY

- If any issues

All

12. GENERAL BUSINESS

13. NEXT TECHNICAL COMMITTEE MEETING NO. 147

- Thursday 16 October 2026, Cairns Regional Council

14. NEXT FNQ RRTG MEEETING NO. 90

- Thursday 5 November 2026, Cairns Regional Council

15. MEETING CLOSE

Minutes of the 89th FNQROC Regional Roads and Transport Group

Meeting No	89
Meeting Name	FNQ Regional Roads and Transport Group
Date	2 July 2026
Time	9:00am
Venue	Civic Reception Room, Cairns Regional Council, Spence Street, Cairns

REPRESENTATIVES

Name	Organisation
Cr Matthew Tickner (Deputy Chair)	Cairns Regional Council
Cr Teresa Millwood, Mayor	Cassowary Coast Regional Council (online)
Cr Robyn Holmes, Mayor	Cook Shire Council
Cr Trevor Pickering, Mayor	Croydon Shire Council
Cr Lisa Scomazzon, Mayor	Douglas Shire Council
Cr Barry Hughes	Etheridge Shire Council (online)
Cr Mladen Bosnic	Mareeba Shire Council
Cr Annette Haydon	Tablelands Regional Council
Cr Daryl Sexton, Mayor	Yarrabah Aboriginal Shire Council
Ms Lisa Bennet	Dept of Transport and Main Roads
Amanda Hancock (Coordinator)	FNQROC

OBSERVERS

Name	Organisation
Andrew Graffen	Cassowary Coast Regional Council (online)
Brian Joiner	Cook Shire Council
Jacqui Creswell	Croydon Shire Council
Scott Osman	Douglas Shire Council

Louise Knol	Etheridge Shire Council (online)
Michael Miller	Yarrabah Aboriginal Shire Council
Brendon Clancy	Dept of Transport & Main Roads (online)
Natalee Jennings	Dept of Transport & Main Roads
Michael Ringer	Dept of Transport & Main Roads
Darlene Irvine	FNQROC

APOLOGIES

Name	Organisation
Mark Wuth	Cairns Regional Council
Peter Franks	Mareeba Shire Council
Cr Alistair Gibson	Wujal Wual Aboriginal Shire Council
Peter O'May	Wujal Wujal Aboriginal Shire Council
Jarrold Hellmuth	LGAQ

561. INTRODUCTION

The meeting commenced at 9:00am.

Cr Tickner, Cairns Regional Council welcomed all attendees to the RRTG meeting and advised that, as Cr Hughes was attending online, he would be chairing the meeting.

562. CONFIRMATION OF PREVIOUS MINUTES

Minutes of Meeting No. 88 held on 7 May 2026

Motion

"That the minutes of the 88th FNQ Regional Roads and Transport Group Meeting held on 7 May 2026 are confirmed."

MOVED: Cr Trevor Pickering

SECOND: Cr Lisa Scomazzon

CARRIED

563.BUSINESS ARISING FROM PREVIOUS MEETING

Item No.	ACTION	Responsible Person(s)	Status
530	RRTG TC to progress advocacy for State funding for Asset Condition Assessments on Local Government LRRS roads.	Amanda Hancock, FNQROC	Ongoing
TMR have confirmed the following: <i>The current contract arrangement related to assessments on the state-controlled road network only. The condition assessments for that network, while local governments are responsible for managing and assessing their own road networks. TMR does not provide funding for local government network condition or asset assessments.</i> FNQROC have therefore approached NTRO directly, and NTRO has indicated a willingness to work with councils on this initiative. NTRO is scheduled to undertake assessments of the State-controlled network in August. Details of the LRRS network have been provided to NTRO to obtain pricing for a similar assessment and once the scope and methodology have been agreed they will provide pricing for the RRTG TC to consider further.			
557.1	TMR to meet with Cassowary Coast Regional Council to discuss works on Mourilyan Harbour Road.	Darryl Jones, TMR	Complete
Cassowary Coast advised that a meeting had taken place which has provided more clarity and requested more early engagement on similar works would be beneficial to all parties.			
557.2	TMR to respond to the request for the consultation on Disability Parking, previously targeted at specific councils including Cairns Regional Council, to be distributed to all FNQ RRTG member councils.	Tanya Lindenberg, TMR	Complete
557.3	Douglas Shire Council to provide TMR with details of roads where vegetation management has been identified as a concern for further investigation.	Mayor Scomazzon, Douglas Shire Council	Outstanding
Douglas Shire advised that the wording for this action was incorrect and that the query had been related to wash-outs as opposed to vegetation which had been raised by Cassowary Coast Regional Council. Wording to be updated.			
557.4	Croydon Shire Council to write to TMR to request a review and potential variation of the maintenance arrangements for the Gulf Development Road under their RMPC maintenance contract.	Mayor Pickering, Croydon Shire Council	Complete
557.5	TMR to check and advise Cassowary Coast Regional Council if increased traffic volumes on Murdering Point Road by Silica Resources Australia (SRA) have triggered additional maintenance contributions.	Darryl Jones, TMR	Complete
Cassowary Coast Regional Council advised that the material is potentially now being transported via rail.			
557.6	Existing RRTG meetings to be extended by 30 minutes commencing at 9:00am and concluding at 10:30am.	Amanda Hancock, FNQROC	Complete

564. NOTING OF TECHNICAL COMMITTEE MINUTES & RECOMMENDED MOTIONS

564.1 Minutes of Technical Committee Meeting No. 145 – 12 June 2026

Since the meeting, Cassowary Coast Regional Council had advised of an underspend of \$37,758 on their 2025-26 Ettu Bay project. The TIDS funding for this project has therefore been reduced by this amount and the available funds allocated to El-Arish Mission Beach Road project which remains underfunded and the highest priority banked project. This will ensure full expenditure of all available funding.

Motion

“That the RRTG endorse the updated 2025/26 – 2028/29 Works Program (#7596796) as attached in Appendix A proposed by the RRTG TC at their meeting of 12 June 2026 and as amended on 29 June 2026.”

MOVED: Cr Mladen Bosnic

SECOND: Cr Daryl Sexton

CARRIED

It was additionally noted that at the last RRTG Technical Committee meeting, Mr Travis Mitchell, Cairns Regional Council had been elected Chair of the RRTG TC and Mr Kael Whitnell, Mareeba Shire Council had been appointed Deputy Chair of the RRTG TC following the departure of Mr Khubaib Khan, Cook Shire Council. Cr Tickner thanked Mr Khubaib Khan for his service to the committee.

565. PROGRAM UPDATE – MS LISA BENNET, ACTING DISTRICT DIRECTOR, NORTH QUEENSLAND, TMR

TMR provided an update on the progress on recovery work across the Far North District as follows:

Disaster Recovery Funding Arrangements (DRFA)

Kuranda Range Road:

- 25 sites from TC jasper completed
- 10 sites from February 2025 event
 - 3 sites completed
- Majority of works to be completed in 2026, with more complex works that require additional time to be completed by mid-2027

Captain Cook Highway:

- Ellis Beach to Wangetti south
 - Drilling and installation of anchors for debris flow barriers is progressing
 - Pavement repairs to start soon. Night works may be required.
- Rex Lookout to Turtle Creek Beach
 - Stabilisation works including retaining structures has started
- Pebbly Beach:
 - Day works under single-lane traffic control in place.
- Palmerston Highway:
 - This project has been completed, and two-traffic has been reinstated.
- Gillies Range Road:
 - Works on six upslope and downslope sites is underway
 - Site 4 has been completed and two-way traffic reinstated

- Mossman – Mount Molloy Road:
 - Slope stabilisation works continuing at two sites
- Mossman – Daintree Road:
 - Gabion baskets being installed for the remaining section of retaining wall
 - Single-lane traffic control is in place.

Bruce Highway Targeted Safety Program (BHTCP)

Projects currently underway:

- Bruce Highway (Ingham – Innisfail), various locations, pavement strengthening
- Bruce Highway (Innisfail – Cairns), various locations, pavement strengthening
- Bruce Highway (Ingham – Innisfail), Dean Road to Tully High School, wide centre line treatment, completion scheduled for mid-2027
- Bruce Highway (Ingham – Innisfail), Aldridge Road to Poppi Road, wide centre line treatment, completion scheduled for late 2026

Projects with construction scheduled to start later this year:

- Bruce Highway (Ingham – Innisfail), Mourilyan Harbour Road, upgrade intersection
- Bruce Highway (Ingham – Innisfail), Bowder Creek to Damper Creek, wide centre line treatment
- Bruce Highway (Ingham – Innisfail), Tully – Mission Beach Road, upgrade intersection

The following tenders have been released earlier this year/will be released in 2026-27:

- Bruce Highway (Innisfail – Cairns), Anderson Road (Aloomba Turn Off), upgrade intersection, design
- Bruce Highway (Innisfail – Cairns), Babinda to Deeral, planning and design for wide centre line treatment and upgrade intersections
- Bruce Highway (Innisfail – Cairns), Eubenangee to Josephine Creek, planning and design for wide centre line treatment and upgrade intersections
- Bruce Highway (Innisfail – Cairns), Fishery Falls to Behana Creek, planning and design for wide centre line treatment and upgrade intersections
- Bruce Highway (Innisfail – Cairns), Mill Road and Thompson Road, upgrade intersection, design
- Bruce Highway (Innisfail – Cairns), Mill Road to Swallow Road, upgrade intersections, design
- Bruce Highway (Ingham – Innisfail), Poppi Road to Moresby River, planning, design and construct wide centre line treatment and upgrade bridges
- Bruce Highway (Ingham – Innisfail), Liverpool Creek to Aldridge Road, wide centre line treatment, construction
- Bruce Highway (Ingham – Innisfail), Nicholson Road to Five Mile Creek, wide centre line treatment, construction
- Bruce Highway (Ingham – Innisfail), Boogan Road to Mourilyan, wide centre line treatment, construction
- Bruce Highway (Ingham – Innisfail), Silkwood to Spanos Road, wide centre line treatment, construction
- Bruce Highway (Innisfail – Cairns), Babinda to Deeral, wide centre line treatment and upgrade intersections, construction
- Bruce Highway (Innisfail – Cairns), Fishery Falls to Behana Creek, wide centre line treatment and upgrade intersections, construction

To keep traffic moving safely and reliably during construction, our aim is to maintain two-lane, two-way flow wherever possible.

Budget

The Queensland State Budget was handed down on Tuesday 23 June 2026.

The Budget included commitments for:

- Cairns Western Arterial Road duplication, Stage 1 (Lake Placid Road to Captain Cook Highway)
- Barron River bridge replacement
- Kuranda Range Road safety and resilience upgrades
- Disaster Recovery Funding Arrangement projects on Captain Cook Highway, Gillies Range Road, Kuranda Range Road, Peninsula Developmental Road, Mossman – Mt Molloy Road, Mossman – Daintree Road, Gregory Developmental Road, Topaz Road, Pine Creek – Yarrabah Road, Bruce Highway
- Cape York Region Package Stages 2 and 3
- Intersection and safety improvements at various locations
- Kennedy Developmental Road sealing and upgrade flood ways (The Lynd to Hughenden)
- Budget items are reflected in the new QTIP for 2026-27 to 2029-30.
- QTRIP items may be marked as 'funding allocation' rather than a specific figure. This ensures a competitive tendering environment.

Regional Road Investment Strategy (RRIS)

TMR does not support the RRTG undertaking a Regional Road Investment Strategy.

A RRIS includes roads under TMR jurisdiction. TMR is best placed to undertake planning on our network.

Following discussion, it was agreed that a meeting would be convened to further discuss the matter, as councils do not intend to undertake planning on TMR roads and that the project was about understanding how the network does, and will work, tenure blind so that investment is focused in the right areas.

Action Item 565.1 FNQROC to arrange a meeting with TMR Regional Manager to discuss concerns regarding the intended outcomes of the updated Regional Road Investment Strategy (RRIS) and the scope of the project.

566. ROADS AND TRANSPORT ALLIANCE UPDATE – NATALEE JENNINGS, MANAGER (LOCAL GOVERNMENT PARTNERSHIPS), POLICY, PLANNING & INVESTMENT, DTMR

Transport and Infrastructure Development Scheme (TIDS) Funding

- Statewide RTA TIDS expenditure is being finalised for the 2025-26 financial year. Expecting a fully expended program.
- May end of month expenditure report is available on your RRTG SharePoint page and has been emailed out.
- Final TIDS expenditure report for 2025-26 will be provided in due course. If you have any questions about the report, please reach out to the LGP team.

Statewide Capability Development Fund

- In 2025-26, FNQ RRTG utilised SCDF funding for three training courses.
- In 2026-27, \$600,000 in TIDS funding will again be available through the SCDF to support capability improvement projects aligned with the Alliance's vision and the needs of local government and RRTGs.

- All RRTG members are encouraged to identify and pursue training or capability-building opportunities with applications for funding now being accepted for next financial year. Application form and guidelines are available on the RTA SharePoint page.:

Aboriginal and Torres Strait Islander TIDS

- Each year, TMR invites eligible councils to submit applications for an annual state-wide funding allocation for Aboriginal and Torres Strait Islander TIDS.
- The 2026-27 projects have been awarded and the Councils notified.
- Anticipated that 2027-28 submissions will be sought in late 2026.

Annual Progress Report

- Project stories and photos for the next edition of the RTA Annual Progress Report are due by Friday, 10 July 2026.
- Please submit your RRTGs stories and before and after photos through your SharePoint page.

Queensland Crash Data – Local Government Road – Data to 30 September 2025

- Latest reports for crash data on local government roads were emailed out on 17 June 2026. Report files also available on your RRTG SharePoint site, under the Crash Data button.
- The two reports, Emerging Crash Locations and Ranking of Midblock and Intersections, are produced by TMR's Safer Roads team and contain data to 30 September 2025.
- Councils are asked to investigate the highest ranked sites to determine road infrastructure related factors that may have contributed to the increase in crash rate and identify potential mitigation treatments.
- Funding for treatments can be sought from the Black Spot program or other road safety grants that may arise.
- If you need to share these files with council colleagues, please download the reports and share through your internal channels.

TMR Funding Programs

- Nominations for the **Australian Government's Black Spot Program 2027-28 to 2028-29 development round** are now open.
- For this year's Black Spot Development round, funding is being primarily provided for the 2027-28 to 2028-29 two-year period. However, funding can also be provided for 2029-30 for locations where complexity / time required to construct requires three years to complete.

Update to LGP Contact Information

- Team has transitioned from the Roads and Transport Alliance Project Team (RTA/RTAPT) to the Local Government Partnerships (LGP) team.
- New team email address is LGPteam@tmr.qld.gov.au. Please use this address for all future correspondence, application submissions and meeting invitations.
- Previous emails (roads.alliance.communications@tmr.qld.gov.au, rta@tmr.qld.gov.au and RRTGForms@tmr.qld.gov.au) will be progressively phased out.

568. JOINT PURCHASING & RESOURCE SHARING

Nil.

569.ROAD SAFETY

Nil.

570.GENERAL BUSINESS

TMR acknowledged the recent assistance by the RRTG TC in response to their queries in relation to Guardian.

TMR was asked:

- To confirm the timeframe for completing its review of rest areas on the Bruce Highway.
TMR advised that the draft strategy had not yet been finalised; however, its completion is considered imminent. Once finalised, the strategy will be publicly released.
- If they have a position on Quaid Road.
TMR advised that was currently no position. There is currently insufficient data on the current condition of the road. Whilst there have been some investigations on the merit of the road, it has not formally progressed.

552. NEXT TECHNICAL COMMITTEE MEETING NO. 146

Wednesday 12 August 2026, (Cassowary Coast Regional Council)

553. NEXT FNQ RRTG MEETING NO. 90

Friday 11 September 2026 (Online)

There being no further business, the Chair declared the meeting closed at:

Minutes prepared by FNQOC Regional Strategic Infrastructure Coordinator

AGREED ACTION ITEMS OVERLEAF

AGREED ACTION ITEMS 2 July 2026

Action Item No.	ACTION	Responsible Person(s)
557.3	Douglas Shire Council to provide TMR with details of roads where washouts have been identified as a concern for further investigation. (updated)	Douglas Shire Council
565.1	FNQROC to arrange a meeting with TMR Regional Manager to discuss concerns regarding the intended outcomes of the updated Regional Road Investment Strategy (RRIS) and the scope of the project.	FNQROC

Appendix A – RRTG Recommended Works Program 29 June 2026

Unconfirmed

Works Program Report

RRTG TC Recommended Works Program 29 June 2026

Project No.	TMR Number	Council	Road Name	Chainsage (km)	Description	Latest Note	Current Status	Combined Score	Total Project Costs	Prior T105	2025-2026 T105	2026-2027 T105	2027-2028 T105	2028-2029 T105	2029-2030 T105
272		Calms Regional Council	Abbott Street	Start: 1.2 End: 1.4	Footpath construction (2.0m wide) - 120m length (two sections)	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$50,000						
288	3858616	Calms Regional Council	Abbott Street	Start: End: 0.23	Renew 230m length of footpath, full width, at frontages of 3-61 Abbott St Cairns City to current CBO footpath standards. Works to include up to 170m of K&C renewal.	Additional funding of \$65183 allocated as available in 26/27	Approved by Exec Committee	5.50	\$500,000				\$250,000		
287	3858616	Calms Regional Council	Abbott Street	Start: 0.56 End: 0.635	Renew 70m length of footpath, full width, at frontages of 54-62 Abbott St to current CBO footpath standards. Works to include 70m of existing K&C renewal	Project will not be fully expended by EOY. Reduction in T105 funding for 2526 to ensure it can be claimed this year. Balance moved to 26/27 should funding become available.	Approved by Exec Committee	5.50	\$450,000		\$100,000		\$0		
289		Calms Regional Council	Hussey Road	Start: End:	Pavement rehabilitation and shape correction of Hussey Road from causeway to quarry entrance (quarry road)	\$28,000 funding removed in 26/27 as over allocated and lowest combined score	Approved by Exec Committee	5.00	\$56,000						
280	3858616	Calms Regional Council	Hussey Road	Start: 0.25 End: 1.06	Pavement rehabilitation and shape improvement of Hussey Road (quarry road)	Additional \$500 allocated as funding available	Approved by Exec Committee	9.00	\$678,000				\$339,000		
273	3858616	Calms Regional Council	Lake Street	Start: 1.56 End: 2.23	Lighting Upgrade - Category V3 along Lake Street from Charles St to Upward St to improve safety for motorists, cyclists and pedestrians	Spoke to Travis as money currently available for allocation and this project is underfunded however Travis needs to review this project and the other Lake Street project in 26/27 to see if they will proceed and if so funding requirements. Doesn't wish to take any further funding at this stage.	Approved by Exec Committee	10.00	\$1,200,000				\$450,669		
279	3858616	Calms Regional Council	Lake Street	Start: 3.66 End: 3.98	Lighting upgrade to V3 along Lake Street from Moffat St to Rutherford St to improve safety for motorists, cyclists and pedestrians.	Reviewed following transfer from old PPT. Funding updated to \$150,000 T105, \$150,000 council as per PPT	Approved by Exec Committee	9.00	\$300,000				\$150,000		
278	2709035	Calms Regional Council	Lake Street	Start: 1.08 End: 1.56	Lighting upgrade to Cat V3 along Lake Street from Horvace St to Upward St to improve safety for motorists, cyclists and pedestrians	Project deferred due to Ergon delays.	Approved by Exec Committee	9.00	\$700,000			\$0			
283		Calms Regional Council	Lake Street	Start: 3.66 End: 3.98	(Old 580) LED lighting upgrade to Cat V3 along Lake Street from Moffat St to Rutherford St to improve safety for motorists, cyclists and pedestrians	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$500,000						
285		Calms Regional Council	Lake Street	Start: 3 End: 3.26	(Old 540) LED lighting Upgrade to Cat V3 along Lake St from Lily St to Smith St to improve safety for motorists, cyclists and pedestrians	Currently unfunded.	Awaiting Approval by Exec Committee	5.50	\$300,000						
284		Calms Regional Council	Lake Street	Start: 2.62 End: 3	(Old 599) LED lighting Upgrade to lighting Cat V3 along Lake St from McKenzie St to Smith St to improve safety for motorists, cyclists and pedestrians	Status changed to awaiting approval from Tech Committee as deferred for at last on year. Currently unfunded.	Awaiting Approval by Exec Committee	5.50	\$360,000						
274		Calms Regional Council	Lake Street	Start: 2.23 End: 2.53	Lighting Upgrade to V3 along Lake Street from Charles St to McKenzie St to improve safety for motorists, cyclists and pedestrians.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded but project cost showing as zero following the transfer which is incorrect. Project cost \$950,000 - \$475,000 required (increased from incorrect \$425,000 in the old PPT).	Awaiting Approval by Exec Committee	9.00	\$950,000						
275	3858616	Calms Regional Council	Lake Street	Start: 3.26 End: 3.63	Lighting upgrade to Cat V3 along Lake Street from Lily St to Rutherford St to improve safety for motorists, cyclists and pedestrians.	Spoke to Travis as money currently available for allocation and this project is underfunded however Travis needs to review this project and the other Lake Street project in 26/27 to see if they will proceed and if so funding requirements. Doesn't wish to take any further funding at this stage.	Approved by Exec Committee	9.00	\$1,000,000				\$250,000		
276		Calms Regional Council	Lake Street	Start: 2.62 End: 3	Lighting upgrade to Cat V3 along Lake Street from McKenzie St to Smith St to improve safety for motorists, cyclists and pedestrians	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	9.00	\$780,000						
282		Calms Regional Council	Mariland Road	Start: 2.95 End: 3.23	Pavement Rehabilitation from quarry entrance to Petersen Road	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	9.00	\$806,000						
277	271005	Calms Regional Council	Redlynch Intake Road	Start: End:	Lighting upgrade to Category V LED along Redlynch Intake Road at various intersections. These include the intersection with Arthur Lyons Drive, The Rocks Road, Crystal Cascades Horse Park Entrance Road, Runnymede Avenue and Mary Parker Drive. The project is to improve safety for motorists, cyclists and pedestrians.	CRC confirmed underfunded less than originally anticipated - \$4793	Construction in Progress	5.50	\$200,414	\$100,207					
440	1953653	Calms Regional Council	TMR Management Fee	Start: End:		Annual funding reduced from \$6,082,559 to \$6,076,124 from 26/27 onwards as a result of TMRs review of the data used to calculate the T105 allocation. 2.5% fee therefore reduced from \$152,064 to \$151,903.	Awaiting to Start	0.00	\$759,837	\$152,064	\$152,064	\$151,903	\$151,903	\$151,903	
337		Cassowary Coast Regional Council	Bryant Street	Start: End:	Replace 1500x1400 cast in situ RC with 2100x1500 RCBC including headwalls, wingwalls and aprons. Culvert No. 9	Funding in 26/27 removed due to over allocation - lowest combined score.	Approved by Exec Committee	5.00	\$380,000						
630		Cassowary Coast Regional Council	Butler Street	Start: 0.62 End: 0.66	The Butler Street/Bryant Street intersection is an existing cross intersection located within the township of Tully, which is located between Inwood and Carwell. Upgrade the existing ungravelled 'X' arrangement to a single lane roundabout for improved safety. The outcome of the project is a new intersection configuration i.e. single roundabout, that safety accommodates all users i.e. motorists, pedestrians and cyclists.	Project submitted to the program and allocated full funding as highest priority project and funding available in 26/29	Approved by Exec Committee	34.01	\$3,050,000				\$1,525,000		
556	3820066	Cassowary Coast Regional Council	Butler Street	Start: 0.31 End: 0.46	Design and construction of intersection upgrade + asphalt overlay at the intersection of Butler and Still Street	Project to be completed in 26/27 - design underway. Funding allocated as available.	Approved by Exec Committee	24.00	\$370,000			\$173,726			
356	3820066	Cassowary Coast Regional Council	El Arish - Mission Beach Road	Start: 15.75 End: 16	TMR Road Renew pavement, K&C, pathways and stormwater	Email received from Luke CRCRC confirming \$37,758 underfunded on Dry Bay Bridge project which is available for reallocation. \$37,758 allocated in 25/26 as available and this project remains underfunded and top of banked project priority list. See attached email.	Construction in Progress	33.50	\$4,277,396	\$219,144	\$343,680				
299	3820066	Cassowary Coast Regional Council	Etty Bay Bridge	Start: 3.86 End: 3.88	Non LRIS - Replace existing single lane timber bridge with a 2-lane culvert arrangement.	Email received from Luke, CRCRC confirming EOY underfunded. Total project cost by EOY will be \$1,259,484 so they will only be claiming \$629,742 T105 resulting in \$37,758 to be reallocated. See attached email. Funding updated.	Awaiting to Start	19.48	\$1,259,484			\$629,742			
317	3820066	Cassowary Coast Regional Council	Flying Fish Point Road	Start: 3.75 End: 3.78	Replace line for like, with 1050 Class 2 RRI RPC with headwalls, wingwalls and aprons. Culvert No. 10	Luke advised that the project has been completed with a total project cost of \$109,825 which is higher than anticipated. The project was original put in the system 5-7 years ago and has been impacted by construction inflation. They are therefore looking for an additional \$13,562 in T105 funding should it become available. Project costs updated.	Approved by Exec Committee	5.00	\$109,825			\$21,350			
320	3820066	Cassowary Coast Regional Council	Flying Fish Point Road	Start: 0.266 End: 0.27	Replace existing 1/1850x1850 with 1/2400x1800 RCBC with headwalls, wingwalls and aprons. Alternatively, culvert to be repaired with a lining/bunnelling system or a similar product. Requires further investigation/modelling. Culvert No. 3	430	Approved by Exec Committee	5.00	\$210,000			\$105,000			
341	3820066	Cassowary Coast Regional Council	Kennedy Creek Road	Start: 7.49 End: 7.493	Replace like for like 2/1200 RCP Class 2 RRI RPC with headwalls, wingwalls and aprons. Culvert No. 29	454	Approved by Exec Committee	15.00	\$66,000			\$33,000			
296		Cassowary Coast Regional Council	McGowan Drive	Start: End: 0.6	Non LRIS - Renew kerb and channel, footpath, drainage and construct new shared path, pavement reconstruction (asphalt surfacing)	Project treatments changed and material costs increased project costs significantly increased. Funding of \$120113 allocated - 50% of available of non-LRIS funding available as shared with Island Point Road - same priority score	Approved by Exec Committee	20.52	\$6,930,000				\$320,113		\$0
339		Cassowary Coast Regional Council	Mount Coom Road	Start: End:	Non LRIS Line existing 1/1800 RCPs with interflow liner or similar. Install new headwall, replace existing footpath (to be investigated during detailed design)	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$125,000						
558		Cassowary Coast Regional Council	Mourilyan Road	Start: 1.45 End: 2.45	Pavement rehabilitation design and construction on Mourilyan Road from Jubilee Bridge roundabout to Heavey Street intersection (0.1440 to 2.440m).	Funding of \$13,358 allocated following removal of non LRIS project due to over allocation of non LRIS funding.	Approved by Exec Committee	15.00	\$731,250				\$365,625		
352		Cassowary Coast Regional Council	Mundoo Road	Start: 1.76 End: 1.7618	Replace like for like 1/900 Class 3 RRI RPCs with headwalls, wingwalls and aprons. Culvert No. 4	\$57,707 allocated as funding available.	Approved by Exec Committee	15.00	\$115,414				\$57,707		
301		Cassowary Coast Regional Council	Murray St	Start: 1.23 End: 1.26	Non LRIS Replace existing major culvert with concrete bridge including pedestrian bridge, service relocation and approach works	CRCRC aiming to complete this year. Potential banked project for 25/26.	Awaiting Approval by Exec Committee	16.00	\$1,420,000						
345		Cassowary Coast Regional Council	Nerada Road	Start: 2.39 End: 2.3909	Non LRIS Replace existing 1/900 with 900x750 RCBC including headwalls, wingwalls and aprons. Culvert No. 13	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$42,000						

291	Casowary Coast Regional Council	North Davidson Road	Start: 24.13 End: 24.13105	Non LRBS Replace like for like with 1050 RCP Pipe class 2 RRI with headwalls, wingwalls and aprons. Culvert No. 48	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$45,000						
334	Casowary Coast Regional Council	North Davidson Road	Start: 11.21 End: 11.22	Non LRBS Replace 3/750 RCPs with 3/240x122 RCBCs with headwalls, wingwalls and aprons. Lift Road by approx 300mm. Culvert No. 19	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$260,000						
304	Casowary Coast Regional Council	Owen St	Start: 0.46 End: 0.67	Non LRBS - Renewal of Pavement and surfacing, storm water upgrades and renewal of footpaths.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$2,390,000						
321	Casowary Coast Regional Council	Pullum Road	Start: 1.442 End: 3.45	Non LRBS - Bore Ch replaced existing armo pipes with 3/600 RCP pipe class 2, headwalls, wingwalls and aprons. Culvert No. 47	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$212,000						
344	Casowary Coast Regional Council	Pullum Road	Start: 6.37 End: 6.3718	Non LRBS - Replace like for like with 2/750 Class 2 RRI RCP including headwalls, wingwalls and aprons. Culvert No. 35	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$27,000						
347	3802066	Casowary Coast Regional Council	Tully Gorge Road	Start: 33.536 End: 33.54	Replace existing 600 RCP with new 750 Class 2 RRI RCP including headwalls, wingwalls and aprons. Culvert No. 112	Chainage updated as requested by TMR	Approved by Exec Committee	5.00	\$90,000	\$45,000				
355	3802066	Casowary Coast Regional Council	Tully Gorge Road	Start: 36.42 End: 36.43	Line existing 2400 armo with tunneline structural lining system or similar. Culvert No. 128	471	Approved by Exec Committee	5.00	\$130,000		\$65,000			
348	3802066	Casowary Coast Regional Council	Tully Gorge Road	Start: 33.597 End: 33.6	Culvert No. 113	Chainage updated as requested by TMR	Assessed by Exec Committee	5.00	\$80,000	\$40,000				
298	Casowary Coast Regional Council	Tully Mission Beach Road	Start: 20.08 End: 21.012	Non LRBS Construct shared path including modifications to existing road, earthworks, drainage and kerb and channel	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	12.00	\$1,709,000						
327	Casowary Coast Regional Council	Wall Road	Start: 0.55 End: 0.5527	Non LRBS Replace like for like with 3/600 RCP Class 3 RRI with headwalls wingwalls and aprons. Culvert No. 1	Project costs increased as advised by Luke, CCRC - see email attached.	Awaiting Approval by Exec Committee	5.00	\$220,774						
328	Casowary Coast Regional Council	Wall Road	Start: 0.22 End: 0.2209	Non LRBS Replace like for like with 3/600 RCD Class 3 RRI with headwalls, wingwalls and aprons. Culvert No. 2	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.00	\$90,000						
353	Casowary Coast Regional Council	Warmbulbin Road	Start: 7.57 End: 7.5718	Non LRBS Replace like for like, 1/900 Class 3 RRI RCPs with headwalls, wingwalls and aprons. Culvert No. 43	Project costs increased as advised by Luke, CCRC - see email attached.	Awaiting Approval by Exec Committee	5.00	\$341,568						
186	Cook Shire Council	Adelaide Street & Sherrin Esplanade	Start: 0.447 End: 1.6	Non LRBS Upgrade formation and width & seal (incl. shared path/bike path on road).	Reviewed following transfer from old PPT. Project currently unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	10.51	\$1,339,526						
455	Cook Shire Council	Bradbury Street, Marton	Start: End: 0.3	Upgrade and seal approx. 300m section of road in Marton including drainage improvements. Works to include grading the road, compact fill, trim and chip seal.	Notes on old PPT indicate that Khubaib is planning to resubmit the project for rerepresentation as significant for CSC. Currently undergoing detailed design. Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	10.50	\$400,000						
370	3802146	Cook Shire Council	Charles Street	Start: 0.234 End: 0.434	Non LRBS. Form and seal road shoulders, resal road, install new kerb and channel, realign and construct new footpath and line marking.	Project costs less than anticipated due to change in design and materials costs.	Construction in Progress	11.00	\$250,000	\$125,000				
480	Cook Shire Council	Charles Street, Cooktown	Start: 0.65 End: 1.05	Upgrade to seal and improve drainage.	Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	11.50	\$400,000						
456	Cook Shire Council	Clay Close	Start: End: 0.35	Upgrade to seal approx. 430m section of road including existing turn around area. Works to include grading compacting fill, trimming and chip sealing and drainage.	Project reviewed and MCA adjusted	Awaiting Approval by Exec Committee	11.54	\$450,000						
364	3802146	Cook Shire Council	Finch Bay Road	Start: 0.795 End: 0.815	Non LRBS. Concrete existing causeway and installation of RCP	Funding moved forward from 27/28 as available. Total project costs to be reviewed by CSC.	Approved by Exec Committee	19.50	\$105,000	\$52,500				
458	Cook Shire Council	Finch Bay Road	Start: 0.27 End: 1.1	Upgrade to seal including drainage. Road requires maintenance yearly to repair damage from runoff and localised flooding.	Funding allocated as available.	Approved by Exec Committee	29.73	\$750,000			\$875,000			
459	Cook Shire Council	Flinders Street, Cooktown	Start: End: 0.6	Upgrade Flinders Street, including full width seal, connection of the two sides, drainage line marking/signage and stairs access to Charlotte Street.	Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	11.50	\$2,500,000						
362	Cook Shire Council	Furneaux Street	Start: 0.209 End: 0.374	Non LRBS. Upgrade to Seal, 3.4.5m South & 9.10.5m North side.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	0.00	\$283,066						
475	Cook Shire Council	Grassy Hill Street Lighting	Start: End: 1.1	Install new street lights along Grassy Hill Road	Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	14.50	\$500,000						
460	Cook Shire Council	Hannam Street, Cooktown	Start: End: 0.475	Upgrade to seal Hannam Street including addressing drainage issues. Hannam street to be the only road to the MT Cook car park and currently requires yearly maintenance.	Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	11.50	\$400,000						
472	Cook Shire Council	Heles Street, Cooktown	Start: End: 0.9	Installation of K&C and shoulder sealing. Year 1: Between Boundary St. and Howard St. Year 2: Between Howard St. and Hogg St. Year 3: Between Hogg and Furneaux St.	Project reviewed and MCA scores adjusted	Awaiting Approval by Exec Committee	6.50	\$1,000,000						
470	Cook Shire Council	Hill Street, Cooktown	Start: End: 0.125	Resal the 125 m long section of Hill St. including new K&C and drainage upgrades.	Traffic data updated todirect entry	Awaiting Approval by Exec Committee	10.51	\$280,000						
187	3903086	Cook Shire Council	Home Rule Road	Start: End: 3.3	Stabilisation and seal, upgrade of shallow services.	CSC advised project spend less than expected for 25/26 - \$58,120 to reallocated in 25/26. Project costs moved to 26/27.	Approved by Exec Committee	20.50	\$1,500,000	\$81,333	\$66,179	\$544,368		
464	Cook Shire Council	Hutchinson Street	Start: 0.45 End: 0.9	Upgrade and Seal Hutchinson St. (about 500 m) including addressing drainage problems.	Status changed to 'Awaiting approval by Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	11.64	\$400,000						
468	Cook Shire Council	Hutchinson Street, Cooktown, CH 0 m to 450 m, resal	Start: End: 0.45	Resealing of about 500 m long section.	Status changed to 'Awaiting approval by Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	6.00	\$40,000						
467	Cook Shire Council	Ida St., Cooktown, Parkinson St. to Malanda St., upgrade to seal	Start: 0.79 End: 1.1	Upgrade the road to Bitumen seal, replace a old culvert crossing and improve the drainage.	Status changed to 'Approved to awaiting approval from Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	11.57	\$550,000						
477	Cook Shire Council	Ida Street, Marton	Start: End: 0.25	Upgrade to seal including drainage	Status changed to 'Awaiting approval from Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	10.52	\$460,000						
479	Cook Shire Council	Ida Street Resal, Cooktown	Start: End: 0.8	Resealing of Ida Street section from CH 0 to 800 m.	Status changed to 'Awaiting approval by Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	0.00	\$200,000						
476	Cook Shire Council	Leswell Creek Crossing, Shiptons Flat Road	Start: 2.55 End: 2.6	Upgrade the crossing that gets completed washed out every flooding season by installing large culverts and causeway.	Status changed to 'Awaiting approval from Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	15.50	\$1,200,000						
478	Cook Shire Council	Mungumby Road, Rosslevie	Start: End: 3.6	Upgrade to seal including creek crossings	Status changed to 'Awaiting approval by Tech Committee' as requested by Khubaib.	Awaiting Approval by Exec Committee	15.51	\$3,000,000						
365	Cook Shire Council	Portland Roads Road	Start: 0.242 End: 0.2422	Packer Creek Bridge 1. Bridge upgrade works inc strengthening existing steel girders, installation of additional new girders, replacement of bridge decking and kerbs. Raise approach levels to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	501	Approved by Exec Committee	19.50	\$255,000			\$127,500			
367	Cook Shire Council	Portland Roads Road	Start: 0.201 End: 0.2016	Weymouth Bridge. Bridge upgrade works inc strengthening of bridge decking and kerbs. Raise approach levels to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	503	Approved by Exec Committee	19.50	\$175,000			\$87,500			
368	Cook Shire Council	Portland Roads Road	Start: 0.185 End: 0.1857	Dirty Water Bridge. Bridge upgrade works inc strengthening of existing steel girders, installation of new steel girders, replacement of bridge decking and kerbs. Raise approach to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of damaged road furniture.	504	Approved by Exec Committee	19.50	\$182,000			\$91,000			
366	Cook Shire Council	Portland Roads Road	Start: 0.242 End: 0.2426	Packer Creek Bridge 2. Bridge upgrade works inc. strengthening of existing steel girders, installation of new steel girders, replacement of bridge decking and kerbs. Raise approach levels to match bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	502	Approved by Exec Committee	19.50	\$170,000			\$85,000			
473	Cook Shire Council	Power Street, Cooktown	Start: 0.23 End: 0.46	Upgrade to seal the section of Power St. between Boundary St. and Howard St. including a major culvert crossing, footpath, street lighting and K&C.	Project reviewed for admission to the program. Changes to base costs in the BCA ad MCA score.	Awaiting Approval by Exec Committee	16.20	\$580,000						
178	Cook Shire Council	Railway Avenue East	Start: 4 End: 5.55	Non LRBS. Upgrade to seal including drainage.	\$52,501 allocated as available and project underfunded. Cannot allocate anymore at this time due to maximum non-LRBS allocation being reached.	Approved by Exec Committee	16.50	\$910,000			\$322,494			
179	Cook Shire Council	Railway Avenue East	Start: End: 0.8	Non LRBS. Upgrade to seal including drainage.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	16.50	\$430,000						
474	Cook Shire Council	Schwartz Street, Cooktown	Start: End: 0.75	Upgrade to seal including drainage.	Project reviewed again for admission to the program. BCA base costs agreed. Minor changes to MCA. Project admitted to the program.	Awaiting Approval by Exec Committee	10.55	\$620,000						
360	Cook Shire Council	Walker Bay	Start: 0.29 End: 0.31	Non LRBS. Installation of causeway and anti ponding pipe.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	15.50	\$110,000						
471	Cook Shire Council	Walsh Close, Cooktown	Start: 0.16 End: 0.45	Resal the first 120 m long section and upgrade the next 300 m section of road to seal including drainage improvements.	Project reviewed for admission to the program. Minor changes to BCA base costs and MCA. Project approved for admission to the program.	Awaiting Approval by Exec Committee	10.53	\$400,000						

188		Cook Shire Council	Wearv Bay Esplanade	Start: 0.81 End: 1.465	Upgrade road to seal including drainage	492	As ordered by Exec Committee	24.13	\$699,300			\$349,650	
469		Cook Shire Council	Wilkinson Street, Cooktown, Upgrade Drainage and Seal	Start: End: 1.05	Upgrade Drainage and Seal from approximate CH 0 m to 1050 m.	Status changed to 'Awaiting approval by Tech Committee' as requested by (bushb)	Awaiting Approval by Exec Committee	11.62	\$1,000,000				
374	3802177	Croydon Shire Council	Croydon-Richmond Road	Start: 158.9 End: 162.9	(Old 542) Upgrade section of Richmond Rd to sealed standard. Importing suitable local gravel, compacting, constructing drainage works and 2 coat seal.	Looking to start this month.	Awaiting to Start	33.00	\$790,000	\$395,000			
269		Croydon Shire Council	Croydon-Richmond Road	Start: 154.97 End: 157.97	Upgrade section of Richmond Rd to sealed standard. Importing suitable local gravel, compacting, constructing drainage works and 2 coat seal.	Funding of \$412,500 allocated in 27/28.	Approved by Exec Committee	38.00	\$825,000			\$412,500	
385	3802177	Croydon Shire Council	Croydon-Richmond Road	Start: 150.9 End: 154.9	(Old 540) Roadworks (Unsealed) - existing alignment - seal and widen.	Added chainage from old PPT following query from TMR	Approved by Exec Committee	15.00	\$790,000	\$395,000			
380		Croydon Shire Council	Mine Access Road	Start: End: 0.13	(Old 552) NON LRMS Upgrade and seal grid approach	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$52,000				
384		Croydon Shire Council	Mittigan Road	Start: 9.41 End: 9.51	(Old 546) NON LRMS Upgrade and seal grid approaches	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$40,000				
382		Croydon Shire Council	Tabletop Road	Start: 1.73 End: 1.83	(Old 554) NON LRMS Upgrade and seal grid approaches	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$40,000				
383		Croydon Shire Council	Tabletop Road	Start: 8.84 End: 8.94	(Old 555) NON LRMS Upgrade and seal grid approaches	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	5.50	\$40,000				
378		Croydon Shire Council	Yapper Road	Start: 4.3 End: 6.3	(Old 545) NON LRMS Upgrade road to seal c/cbetwng 2 sealed fildwards abd a grid with sealed approaches.	Reviewed following transfer from old PPT. Project currently in beyond as unfunded. Status to remain as is.	Awaiting Approval by Exec Committee	10.50	\$420,000				
388	380632	Douglas Shire Council	Alchera Drive	Start: 1.3 End: 1.64	Construct a new 2m wide footpath connecting the new pedestrian bridge recently constructed as part of TMR's Parkers Bridge culvert replacement project.	Additional \$30k allocated in 26/27 as available following funding release	Approved by Exec Committee	22.00	\$300,000	\$150,000			
501		Douglas Shire Council	Alchera Drive	Start: 0.59 End: 0.81	Alchera Drive drainage upgrades (Stage 2 - Connolly Street to Bain Street LHS) - includes replacement of existing kerb and channel, upgrade of underground stormwater infrastructure and shoulder widening to formalise roadside verge.	Can't be completed until after Stage 3 - Bain Street to Maxwell Street project.	Awaiting Approval by Exec Committee	16.00	\$783,000				
658		Douglas Shire Council	Alchera Drive	Start: 1.28 End: 1.64	Part 1 - Alchera Drive drainage upgrades (Stage 5 - Maxwell Street to Parker's Creek Culvert LHS) - includes replacement of existing kerb and channel, new underground stormwater infrastructure and shoulder widening to formalise roadside verge. Part 2 - Construct a new 2m wide footpath connecting the new pedestrian bridge recently constructed as part of TMR's Parkers Bridge culvert replacement project. Part 1 required to formalise road verge and create space for Part 2 footpath to be installed at back of kerb as per current standards.	As per project 388 and 498. 388 - \$300k 498 - \$992k	Awaiting Approval by Council Officer	23.00	\$1,292,000				
503		Douglas Shire Council	Alchera Drive	Start: 1.14 End: 1.28	Alchera Drive drainage upgrades (Stage 4 - Maxwell Street to Maxwell Street LHS) - includes replacement of existing kerb and channel and shoulder widening to formalise roadside verge.	Can be completed anytime without other projects being completed first.	Awaiting Approval by Exec Committee	16.13	\$180,000				
498		Douglas Shire Council	Alchera Drive	Start: 1.28 End: 1.64	Alchera Drive drainage upgrades (Stage 5 - Maxwell Street to Parker's Creek Culvert LHS) - includes replacement of existing kerb and channel, new underground stormwater infrastructure and shoulder widening to formalise roadside verge.	Project is no.1 priority of the 4 remaining stages as it needs to be completed before the footpath project which has funding for 2026/27.	Awaiting Approval by Exec Committee	16.02	\$992,000				
502		Douglas Shire Council	Alchera Drive	Start: 0.81 End: 1.14	Alchera Drive drainage upgrades (Stage 3 - Bain Street to Maxwell Street LHS) - includes replacement of existing kerb and channel, upgrade of underground stormwater infrastructure and shoulder widening to formalise roadside verge.	Project costs increased as per email attached. Funding request updated. Project costs in BCA updated.	Awaiting Approval by Exec Committee	16.02	\$1,282,000				
589		Douglas Shire Council	Avalon Street	Start: End:	Review the Cape Tribulation boardwalk (180m) from Cape Tribulation CPO through to the beach to improve safety and the asset condition.	Looking to complete this project in 26/27 so unable to take funding in 25/26	Awaiting Approval by Exec Committee	9.50	\$600,000				
212		Douglas Shire Council	Cape Tribulation Road	Start: 13.66 End: 28.51	Resurfacing to improve safety	Additional funding of \$70,036 allocated as available following release	Approved by Exec Committee	10.00	\$1,158,300			\$579,150	
210		Douglas Shire Council	Cape Tribulation Road	Start: 4 End: 9	Resurfacing to improve safety	Funding of \$2274 that was previously removed reinstated as CCRC withdraw a number of projects so no longer necessary.	Approved by Exec Committee	10.00	\$358,800			\$179,400	
550	3904668	Douglas Shire Council	Cape Tribulation Road	Start: 2.9 End: 4.7	Council are replacing the existing Daintree River Ferry with a larger/wider 4 lane ferry. To ensure the required efficiency outcomes of traffic movement across the river, there is a requirement to undertake landside infrastructure civil works before the new ferry is built and implemented. This project is to complete the landside infrastructure works on the North and South side of the river. Works include widening and realigning to add additional lanes, upgrade of the ferry ramp and construct infrastructure to extract ferry during flooding events.	Funding of \$295,983 moved from 26/27 to 27/28 - see 10583	Construction in Progress	48.00	\$13,038,058	\$1,194,949	\$1,241,253	\$982,827	
594		Douglas Shire Council	Captain Cook Highway	Start: End:	Planning and design of Port Douglas-Mossman Rail Trail.	Project is significant for the region but requires a significant amount of planning and design. Appears currently to be design only. Consensus is that project needs to include construction to realise the benefits. Also need to explore other alternative partnership funding. Rise to review and provide additional information.	More Information Requested by Tech Committee	35.00	\$300,000				
562		Douglas Shire Council	Cooya Beach Road	Start: 0.7 End: 1.16	Construction of new footpath from Bayl Drive to Bougainvillea Street to connect existing footpath to the esplanade on a Priority A Route on the PCN.	Required project budget is \$1,444,175.	Awaiting Approval by Exec Committee	12.00	\$1,444,174				
567		Douglas Shire Council	Endeavour Street	Start: 0.29 End: 0.84	Construct 580m of new footpath to complete a missing link along Endeavour Street.		Awaiting Approval by Exec Committee	11.00	\$578,125				
620		Douglas Shire Council	Forest Creek Road	Start: 4.28 End: 4.35	Upgrade of Forest Creek culvert from corrugated iron pipes to HDPE.		Awaiting Approval by Exec Committee	10.00	\$605,000				
504		Douglas Shire Council	Front Street	Start: 0.04 End: 0.21	Construct a new 2m wide shared path connecting the northern side of the recently constructed Parkers Creek culvert to Woodworths (Stage 2).	State controlled road. MCA scores discussed and adjusted.	Awaiting Approval by Exec Committee	15.50	\$180,000				
190		Douglas Shire Council	Island Point Road	Start: End: 0.62	Upgrade Island Point Road to improve safety. Upgrades include widening of Island Point Road to PNDCS standards, construction of a new shared path facility for pedestrian and cyclist access, and lighting.	Funding of \$320112 allocated as next priority project - 50% of non LRMS available funding shared with McDowan project same score	Approved by Exec Committee	20.12	\$2,400,000			\$320,112	\$0
585		Douglas Shire Council	Junction Road	Start: 0.1 End: 1.04	Construct 900m of shared path on a Priority A Route on the PCN from Mossman CBD to Junction Bridge to complete the Cooya Beach cycle network.		Awaiting Approval by Exec Committee	6.50	\$1,319,128				
583		Douglas Shire Council	Junction Road	Start: 0.1 End: 0.58	Replace and upgrade 460m of damaged underground stormwater pipes servicing Mossman.	Project to be designed in 25/26 and will be completed in 26/27 irrespective of funding. Potential banked project.	Awaiting Approval by Exec Committee	6.07	\$1,300,000				
584		Douglas Shire Council	Mossman-Daintree Road & Newell Road	Start: End: 0.75	Construct a new 2.6km shared path on a Priority A route on the PCN from north Mossman to Newell Beach.	Project to be completed over 2 years. Funding of \$1m allocated as available and next highest priority project.	Approved by Exec Committee	21.00	\$3,730,000		\$500,000	\$1,365,000	
592		Douglas Shire Council	Mossman Gorge Road	Start: End: 2.1	Install lighting for the new shared path from Mossman CBD to the Mossman Gorge.		Awaiting Approval by Exec Committee	4.50	\$550,000				
593		Douglas Shire Council	Port Douglas Esplanade	Start: 0.07 End: 0.25	Complete footpath missing link on the Port Douglas Esplanade, includes lighting.		Awaiting Approval by Exec Committee	6.50	\$300,000				
466		Douglas Shire Council	Port Douglas Road	Start: 0.9 End: 2.89	The project will upgrade 2.3km of existing pathways along Port Douglas Road to a 2.5-3m wide shared path. The project includes: - Demolition of the existing footpath, - Protection and modification of some PUP, - Construction of 2.5-3m wide shared path from Lakeland Avenue to Old Port Road. - Drainage provisions, - Pedestrian and cyclist crossings/refuges, - Pavement marking, and - Signage.	State road but didn't realise that we were over allocated 50% allowed for State road when funding of \$214,610 allocated. Funding has therefore been removed as discussed with Kaim. Full 10% allocated to Forsyth Road in 27/28 which is a higher priority project.	Approved by Exec Committee	17.00	\$2,575,120				
568		Douglas Shire Council	Snapper Island Drive	Start: 0.54 End: 0.57	Install raised priority pedestrian crossing on Snapper Island Drive outside of Wonga Beach State School.	Estimated \$208,754 for project	Awaiting Approval by Exec Committee	11.00	\$208,754				
621		Douglas Shire Council	Toil Gate Road	Start: End: 0.14	Road and drainage upgrades on Toil Gate Road. Project includes the construction of a new turn around facility for the rubbish truck to improve access and safety.		Awaiting Approval by Exec Committee	9.50	\$250,000				
566		Douglas Shire Council	Ulysses Avenue	Start: 0.265 End: 0.459	Construct 210m of new footpath to complete a missing link.		Awaiting Approval by Exec Committee	11.00	\$247,232				

	Douglas Shire Council	Upper Cassowary Road	Start: End: 2	Upgrade narrow single lane bitumen road in poor condition to a 2 lane seal.	Project DS 386, 494, 495 & 496 amalgamated into this project D588 so this project - all others withdrawn	Awaiting Approval by Exec Committee	19.02	\$2,256,000							
454	Douglas Shire Council	Warner Street	Start: 0.26 End: 0.52	Installation of kerb and channel on Warner Street from approx. ch. 0.26km to 0.52km.	Project cost increased to \$805k as requested by Kiani following receipt of a recent cost estimate. Base costs to remain as in project costs \$805k year 1 and the remainder to remain as is.	Awaiting Approval by Exec Committee	9.50	\$805,000							
587	Douglas Shire Council	Whyanbeel Road	Start: 4.37 End: 6.2	Upgrade Whyanbeel Road from Ch. 4.37 6.2km to sealed condition	24.07.05 David Matuchka advised \$53,873 was claimed early in 23/24y. 25/26 complete and fully claimed.	Practically Complete	14.50	\$1,918,000							
400 2725382	Etheridge Shire Council	Fonayth - Einadleigh Road	Start: 32.367 End: 36.367	Upgrade existing unsalinated formation to a sealed carriageway providing required drainage and improved visibility	Additional funding of \$743996 allocated as highest priority LRRS project and LRRS funding available.	Approved by Exec Committee	29.02	\$2,576,181	\$1,071,262	\$216,828					
574	Mareeba Shire Council	Leedingham Creek Road	Start: End: 1.65	Widen and seal from Mareeba Dimbulah Road Intersection (Ch. 0) to Leedingham/Delany Road Intersection (Ch. 1.65). Works connect to works funded under Project No. 242.		Approved by Exec Committee	17.60	\$1,700,000					\$768,996		
254 3365694	Mareeba Shire Council	Leedingham Creek Road	Start: 8.04 End: 11.48	Widen and Seal - Ch 8.04 - Ch 11.48 including the upgrade of a minor culvert at Sandy Creek.	\$142,289 allocated in 26/27 as funding available.	Construction in Progress	42.49	\$5,592,990	\$7,711	\$300,000	\$251,588				
578 3808815	Mareeba Shire Council	Leedingham Creek Road	Start: 1.65 End: 8.04	Widen and seal from Ch.1.65 (Mareeba Dimbulah Road Intersection) to Ch. 8.04. Amalgamation of project: 242, 244, 246, 248 and 250. Works include the upgrade culvert structures consistent with the previous projects.	Funding allocated of \$490,000 in 26/27 as available.	Approved by Exec Committee	17.53	\$5,540,000	\$1,387,500		\$1,382,500				
632	Mareeba Shire Council	Oak Forest Road, Mareeba	Start: 7.17 End: 7.285	Resurfacing of approaches for Barron River Bridge crossing on Oak Forest Road.		Awaiting Approval by Exec Committee	13.01	\$300,000							
404 3808815	Mareeba Shire Council	Rankin Street/Walsh Street	Start: 1.25 End: 1.28	Non LRRS intersection works - Roundabout Upgrade	Funding allocated at the last RRTG TC to be removed as TMR advised \$116,194 was funded in 22/23. Project was then delayed. Have checked old PPF and funding showing as expended in 22/23 - was not captured as part of the transfer. Funding therefore updated to reflect prior year funding expended and \$116,194 to be reallocated to another project at the next RRTG TC.	Approved by Exec Committee	8.50	\$1,200,000	\$116,194	\$0	\$483,806				
580	Mareeba Shire Council	Springmount Road	Start: 18.2 End: 18.35	Ch. 18.22-18.32 Pavement strength improvement at intersection with sugar mill.	Funding of \$172,500 allocated as available	Approved by Exec Committee	21.32	\$346,000				\$172,500			
582	Mareeba Shire Council	Springmount Road	Start: 19.18 End: 19.3	Ch. 19.2 - Intersection upgrade at intersection with Chettle Road (Both LRRS roads)	FUNDING ALLOCATED IN 28/29 AS AVAILABLE	Approved by Exec Committee	14.09	\$2,600,000				\$50,000		\$0	
576	Mareeba Shire Council	Springmount Road	Start: 22.7 End: 22.92	Replacement of existing RCBC crossing with reinforced concrete bridge and associated approach works. Crossing located on MG/CTC boundary, works within TRC will be required by agreement.	Funding of \$3mm 28/29 allocated as available.	Approved by Exec Committee	26.53	\$20,200,000			\$100,000		\$1,000,000	\$0	
264 3986051	Mareeba Shire Council	Tinaroo Creek Road, Ada Creek	Start: 5.02 End: 5.07	LRRS - Roadworks (sealed) - New Alignment	RRTG endorsed Tinaroo Creek Road as a LRRS road at their meeting on 5 March 2025. LRRS list updated in the PMT and project updated.	Approved by Exec Committee	24.01	\$2,000,000		\$123,835					
638	Mareeba Shire Council	Tinaroo Creek Road, Mareeba	Start: 8.72 End: 11.6	Gravel re-sheeting ch. 8720-11621	Project approved for admission to the program as potential banked project as agreed by the RRTG TC at their meeting of 24 April 2025.	Awaiting Approval by Exec Committee	5.00	\$140,000							
236 3808815	Mareeba Shire Council	Walsh Street	Start: 2.28 End: 2.32	Non LRRS Roadworks (sealed) - Existing Alignment Road Upgrade/Safety Enhancements	Funding increased by \$84,559 as council has significant over-spent and funding available, limited by maximum non-LRRS limit.	Awaiting to Start	16.52	\$3,203,730		\$284,559					
484 3808922	Tablelands Regional Council	Danbulah Forest Drive	Start: 3.3 End: 15.9	Gravel Re-sheet on Danbulah Road between ch 3.8-15.9km	Email from Mark Vis 10.02 confirmed works have been completed as part of the 25/26 Gravel re-sheet program - total project cost \$126,946.27 so TIDS reduced to \$63,473 from \$76,524	Practically Complete	13.50	\$126,946		\$63,473					
407	Tablelands Regional Council	Junction Road	Start: End: 2.9	Widening and Sealing of Various Corners to achieve 7.0m Seal Width	Funding of \$407500 allocated	Approved by Exec Committee	17.50	\$815,000				\$407,500			
486 3808922	Tablelands Regional Council	Silver Valley Road	Start: 16.17 End: 16.2	Replacement of bridge on Silver Valley Road	Funding allocated as funding available and email from Mark Vis, TRC confirms they can take the funding.	Approved by Exec Committee	23.50	\$985,540		\$292,780					
482	Tablelands Regional Council	Silver Valley Road	Start: 29.02 End: 38.15	gravel re-sheet on Silver Valley Road ch 29.02 - 38.15km	\$259,500 allocated in 27/28 as available.	Approved by Exec Committee	24.50	\$519,000				\$259,500			
408 3808922	Tablelands Regional Council	Sluice Creek Road	Start: 3.15 End: 3.3	Drainage - Improvement/Reconstruction of Concrete Causeway at Packhouse Ck with SLBC's as well as approaches.	Should be completed by Nov/Dec	Construction in Progress	18.55	\$660,000	\$25,000	\$300,000					
488 3808922	Tablelands Regional Council	Tully Falls Road	Start: 29.03 End: 31.53	Re-sheet on Tully Falls Road between 29.03 - 31.53km	Email from Mark Vis confirming project completed for less than project costs to funding reduced.	Practically Complete	19.50	\$124,006		\$62,003					
490 3808922	Tablelands Regional Council	Tully Falls Road	Start: 36.34 End: 36.68	Gravel Re-sheet on Tully Falls Road between chainage 36.34 - 36.68km	Correct funding - \$5463 as advised by TRC - funding updated.	Practically Complete	19.50	\$16,926		\$8,463					
636	Wujal Wujal Aboriginal Shire Council	Douglas Street & Rossville/Bloomfield Road	Start: End:	Install signage at councils existing township entry to reduce speed and manage traffic coming into community. Rossville Bloomfield Chainage 1.110 & Douglas Street 1.190	Project to be undertaken using RTA ATSI TIDS allocation	Approved by Exec Committee	9.00	\$45,016		\$45,016					
412 3174738	Wujal Wujal Aboriginal Shire Council	Standard Allocation	Start: End:	STANDARD ALLOCATION	Funding for 25/26 transferred to newly created ID636 to enable individual project details of be input for 25/26 project.	Approved by Exec Committee	0.00	\$135,048	\$0	\$0	\$45,016	\$45,016	\$45,016		
613	Wujal Wujal Aboriginal Shire Council	WWASC - Standard Allocation - NA	Start: End:	STANDARD ALLOCATION	Funding allocated as available in 28/29. Not considered in non LRRS calculation as significant local road for YASC	Approved by Exec Committee	0.00	\$45,016						\$45,016	
413	Yarrabah Aboriginal Shire Council	Gribble Street	Start: 0.65 End: 0.85	Roadworks (sealed) - New Alignment - Bitumen Seal of remaining 200m of roadway from CH650 to CH650 intersect with Pine Crescent) including reprofiling of road to improve drainage and construct seal. approx 1,300m2. Construction of intersection Gribble St & Pine Crescent.		Approved by Exec Committee	12.74	\$200,000				\$200,000			
570 3972375	Yarrabah Aboriginal Shire Council	Range Road Lookout	Start: 0.8 End: 1	This project involves the preparation of a detailed design package for the proposed Range Road Lookout and Overtaking/Pull-over Area, funded through the ATSI TIDS annual allocation. The design will enhance road safety, accessibility, and visitor experience along Range Road by developing suitable rest and overtaking opportunities that cater to both local and tourist traffic.	YASC 25/26 Annual allocation allocated to this project	Approved by Exec Committee	24.00	\$72,610		\$72,610					
431 1929627	Yarrabah Aboriginal Shire Council	Standard Allocation	Start: 3240 End: 3375	STANDARD ALLOCATION.	25/26 allocation allocated to ID570	Approved by Exec Committee	10.00	\$117,830	\$0	\$0	\$72,610	\$72,610	\$72,610		
417	Yarrabah Aboriginal Shire Council	Workshop Road	Start: 0.36 End: 0.88	Road - Structure Improvement - Improvement of existing pavement, increase pavement thickness and Asphalt overlay, reconstruct kerb and channel and upgrade stormwater drainage. Intersection upgrades to FNRORC Standard.	Spoke to Michael, YASC - project to remain in the program, project costs and scope to be confirmed.	Approved by Exec Committee	13.50	\$300,000				\$300,000			
615	Yarrabah Aboriginal Shire Council	YASC - Standard Allocation	Start: End:	STANDARD ALLOCATION		Approved by Exec Committee	0.00	\$72,610	\$148,382,214	\$1,691,582	\$6,200,185	\$6,193,750	\$6,193,750	\$6,193,750	\$117,628

FNQ RRTG Technical Committee

Minutes

Meeting No	146
Meeting Name	FNQ RRTG Technical Committee Meeting
Date	12 August 2026 & 17 August 2026
Time	10:00am / 1:30pm
Venue	Disaster Coordination Centre, 11 Flying Fish Point Road, Innisfail, Cassowary Coast Regional Council / Online

Representatives

Name	Organisation
Travis Mitchell (Chair)	Cairns Regional Council
Luke McAvoy	Cassowary Coast Regional Council
Dan Dixon	Croydon Shire Council
Kiani Berzinski	Douglas Shire Council
Kael Whitnell	Mareeba Shire Council
Brendan Slattery <i>via teleconference</i>	Tablelands Regional Council
Nick Lennon <i>via teleconference</i>	Wujal Wujal Aboriginal Shire Council
Graeme Cowell	DTMR – Far North District
Amanda Hancock	Technical Coordinator, FNQROC

Observers

Name	Organisation
Nikita Taifalos	Cassowary Coast Regional Council
Steve Carr	Douglas Shire Council
Natalee Jennings	DTMR - LG Partnerships Team

Apologies

Name	Organisation
Adam Hagy	Cook Shire Council

Nicholas Hook	Cook Shire Council
Alan Clark	Etheridge Shire Council
Sam Bann	Yarrabah Aboriginal Shire Council
Michael Geoghegan	Yarrabah Aboriginal Shire Council
Jarrold Hellmuth	LGAQ

1. Welcome and introduction.

2. Apologies

Apologies noted.

3. Confirmation of Previous Minutes

3.1. Meeting No. 145 held 12 June 2026

3.2. Business Arising from Previous Minutes 12 June 2026

Item	Action	Responsible Party	Status
142.6	Jarrold Hellmuth, LGAQ to share copies of LGAQ's to the RIA to reduce the open road default limit and National Road Safety Strategy.	Jarrold Hellmuth, LGAQ	Outstanding
144.3	Review and refine the Benefit Cost Analysis (BCA) component of the Program Management Tool (PMT) to be refined to improve its effectiveness with the project prioritisation framework.	All Councils	Ongoing
144.5	FNQROC to Investigate feasibility of collective licencing for Australian Standards.	Amanda Hancock, FNQROC	Ongoing
145.1	Amanda to seek further information from TMR regarding Notifiable Road Use Agreements, including how they operate and the circumstances in which additional maintenance contributions may be required.	Amanda Hancock, FNQROC	Outstanding
145.2	Seek RRTG endorsement of the updated 2025-26 – 2028-29 program	Amanda Hancock, FNQROC	Complete
145.3	Councils to undertake a final review of the draft Road Treatment Practice Guides and advise of any recommend final amendments by 19 June 2026 to enable completion of the Guide and their progression to the RRTG and FNQROC Board for consideration.	All Councils	Complete
145.4	All member councils to confirm their participation in the Technical Tour 2026 including number of attendees, at the earliest opportunity.	All Councils	Complete

145.5	Councils to provide details of any internal Guardian training currently being undertaken within their organisations and share any relevant training resources with TMR.	All Councils	Complete
-------	---	--------------	----------

4. Confirmation of Previous Minutes – RRTG

4.1. Minutes of Meeting No. 89 – 2 July 2026

4.2. Business Arising from Previous Minutes – 2 July 2026

Item No.	ACTION	Responsible Person(s)	Status
557.3	Douglas Shire Council to provide TMR with details of roads where washouts have been identified as a concern for further investigation. (updated)	Douglas Shire Council	Ongoing
565.1	FNQROC to arrange a meeting with TMR Regional Manager to discuss concerns regarding the intended outcomes of the updated Regional Road Investment Strategy (RRIS) and the scope of the project.	FNQROC	Ongoing

5. Program

5.1. 2025-26 Program

Amanda noted that the 2025/26 TIDS program was fully expended and thanked the RRTG TC again for their considerable effort and work together to achieve this outcome.

5.2. New Projects & Amendments to Existing Projects

Two new projects were reviewed and admitted to the program to be allocated funding when it becomes available. The projects were as follows:

Mareeba Shire Council

ID661 – Byrnes Street (Mareeba main street)/Railway Avenue (Mareeba-Dimbulah Road) – Non-LRRS – Drainage. Below ground stormwater infrastructure on Byrnes Street and discharge via Railway Avenue. Project valued at \$10m. Other sources of funding being sought.

ID662 – Byrnes Street (Mareeba main street)/Railway Avenue (Mareeba-Dimbulah Road) – Non-LRRS – Drainage. Rankin Street stormwater infrastructure upgrade and reconfigure Railway Avenue. Project valued at \$10m. Other sources of funding being sought.

Steve Carr departed the meeting at 9.31am

Amendments were made to the following existing projects:

Douglas Shire Council

ID588 – Upper Cassowary Road – Non-LRRS – Upgrade narrow single lane bitumen road in poor condition to 2-lane seal. Project originally valued at \$2,256,000. Cost estimate increased to \$4,120,774 following detailed design.

Kiani requested that the following projects be combined:

ID388 – Alchera Drive – Non-LRRS – State Road – Footpath - Construct a new 2m wide footpath. \$150,000 funding allocated in 2026/27 and;

ID498 – Alchera Drive – Non-LRRS – State Road – Drainage – Replace kerb & channel, new underground stormwater infrastructure and shoulder widening. Currently unfunded.

Whilst funding has been allocated to ID388, ID498 needs to be completed first and it was therefore suggested that the projects be combined to allow the funding to be put towards the drainage aspect in the first instance. Combining the projects only increases the overall project score from 22% to 23% due to environmental benefits. It was agreed that the projects be combined with ID388 updated to include ID498 information and costs. No additional funding was allocated at this stage, but the project would now become priority to receive any available funding.

Nick Lennon departed the meeting at 9.59am

Mareeba Shire Council

ID574 – Leadingham Creek Road – LRRS – Widen and seal. Funding is currently allocated in 2028/29, but Mareeba Shire Council would like to bring the project forward if possible as they have crews in Leadingham and they wish to avoid unnecessary mobilisation/demobilisation costs. Whilst they can complete works in 2027/28 and claim costs on 1 July 2028 for 2028/29 funding, they cannot claim for works completed in 2026/27. In order for this happen they would either need to:

- a. Seek permission from TMR or
- b. Try and get someone to move funding from with 2026/27 or 2027/28.

It was agreed to reconsider the position again at the next meeting when Mareeba Shire more certain about project completion timeline.

ID264 – Tinaroo Creek Road – LRRS – New Alignment. Project partially funded in 2025/26. Council underfunding added for consideration of available funds I 2026/27.

Brendan Slattery departed the meeting at 10.59am

5.3. 2026-27

Cairns Regional Council

ID273 – Lake Street – LRRS – Lighting upgrade. Project withdrawn as no longer proceeding in its current form due to hospital upgrade. \$450,669 funding released for reallocation.

ID280 – Hussey Road – LRRS – Pavement rehabilitation. Project withdrawn as no longer proceeding as road is inside PDA. \$339,000 funding released for reallocation.

ID279 – Lake Street – LRRS – Lighting upgrade. Project withdrawn as no longer proceeding due to Ergon timeframes and cost escalation. \$150,000 funding released for reallocation.

ID275 – Lake Street – LRSS – Lighting upgrade. Project withdrawn as no longer proceeding due to Ergon timeframe and cost escalation. \$250,000 funding released for reallocation.

Cassowary Coast Regional Council

ID556 – Butler Street – LRRS – Design and construct of intersection upgrade and asphalt overlay. Additional \$11,284 funding allocated.

ID341 – Kennedy Creek Road – LRRS – Drainage. Additional \$292,000 allocated.

Croydon Shire Council

ID269 – Croydon-Richmond Road – LRRS – Upgrade to sealed standard. \$412,500 funding brought forward from 2027/28.

Douglas Shire Council

ID388 – Alchera Drive – Non-LRRS – State Road – Footpath and drainage. Additional \$462,740 funding allocated as maximum non-LRRS available.

Mareeba Shire Council

ID575 – Springmount Road – LRRS – Bridge Works. \$11,155 funding brought forward from 2027/28 to allow for design.

5.4. 2027/28

Cairns Regional Council

ID278 – Lake Street – LRRS – Lighting Upgrade – Florence Street to Upward Street. Funding of \$248,655 allocated. Project is currently unfunded but will be proceeding so tagged as potential Banked Project for 2026/27.

Mareeba Shire Council

ID632 – Oak Forest Road – LRRS – Resurfacing approaches for Barron River Bridge crossing on Oak Forest Road. Funding of \$150,000 allocated.

ID574 – Leadingham Creek Road – LRRS – Widen and seal. Funding of \$25,000 allocated to allow for design.

5.5. 2028-29 and 2029-30

To be reviewed next meeting.

ACTION ITEM 146.1 Seek RRTG endorsement of the updated 2026-27 – 2029/30 work program.

6. TMR Local Government Partnerships Update

Natalee provided a summary of the following update:

Transport and Infrastructure Development Scheme (TIDS) Funding

- Statewide expenditure for the 2025-26 TIDS program was 100%.
- TMR acknowledges the efforts by FNQ RRTG TC to help achieve this outcome, well done!
- **ACTION:** please complete **your End of Financial Year Program Acquittal** and email through to the LGP team mailbox **by 30 September 2026**.
- First quarter expenditure reports for 2026-27 program will be issued after the end of September 2026 quarter.

Statewide Capability Development Fund

- RRTG members can apply for training or capability-building opportunities through SCDF for 2026-27 financial year.
- Of the \$600,000 available, approximately \$155,000 has already been committed to date.
- The application form, program guidelines and post-training feedback form are available on the Alliance SharePoint Portal.

Aboriginal and Torres Strait Islander TIDS

- Each year, TMR invites eligible councils to submit applications for Aboriginal and Torres Strait Islander TIDS funding.
- 2026-27 projects have been awarded and the Councils notified.
- Anticipated that 2027-28 project submissions will be sought in late 2026 with, applications closing in early 2027 (all dates to be advised).

Annual Progress Report

- Thank you for your RRTGs contribution to the 2025-26 Annual Progress Report.
- The LGP team appreciates the efforts of all Councils and Technical Coordinators in providing this content.
- The Annual Progress Report is a wonderful showcase of your stories, pictures and the successful projects delivered through the Alliance. The report is expected to be circulated in October.

TIDS Project Recognition Signage

- Reminder that TIDS Project Recognition Policy requires councils to erect signs for projects with a TIDS contribution of \$250,000 or more.
- As part of the project completion process, photographic evidence of signs must be provided to your TMR District Office and emailed to lgpteam@tmr.qld.gov.au.
- The TIDS Project Recognition signage design files have been updated to reflect current Queensland Government branding. Please make sure all new signs use the updated design files, which are available on the RTA SharePoint site.

Queensland Crash Data – Local Government Road – Data to 30 September 2025

- Latest reports for crash data on local government roads were emailed to all Alliance members (RRTG Chairs, Technical Committee Chairs and Technical Coordinators) on 17 June 2026, from Local Government Partnerships.
- Report files were attached to the email and are also available on your RRTG SharePoint site under the Crash Data button. These files can be shared with council colleagues as needed.
- The two reports, Emerging Crash Locations and Ranking of Midblock and Intersections, are produced by TMR's Safer Roads team and contain data to 30 September 2025.
- Councils are asked to investigate the highest ranked sites to determine road infrastructure related factors that may have contributed to the increase in crash rate and identify potential mitigation treatments.
- Funding for treatments can be sought from the Black Spot program or other road safety grants that may arise.
- The **Safer Roads team also provides practical support to local governments** to help build capability, improve project development, and deliver better road safety outcomes on local road networks.
- The team is available to deliver targeted presentations or training sessions, either online or in person, for interested councils or RRTGs. If your RRTG is interested, please contact the LGP team.

QTRIP Industry Briefing

- TMR is holding a QTRIP industry briefing on Thursday, 13 August 2026, invitations were emailed to RRTG Chairs and Deputy Chairs.
- Presentation materials will be published on TMR's website after the event.

TMR Consultation

Harmonised version of the Queensland Manual of Uniform Traffic Control Devices (QMUTCD) Part 11: Parking Controls

- TMR's Safer Roads team is seeking feedback from local governments on a **draft, harmonised version of the Queensland Manual of Uniform Traffic Control Devices (QMUTCD) Part 11: Parking Controls**.
- Email was sent out on Monday, 10 August 2026 to all Technical Committee Alliance members and Technical Coordinators.
- Purpose of this consultation is to ensure that the proposed updates are practical, clearly understood, and appropriately meet the needs of road authorities across Queensland.
 - The team is seeking **feedback on the attached draft** (attached in email) using the provided feedback register (also attached in email). Please return your response to TrafficEngineering.Support@tmr.qld.gov.au by **4 September 2026**.

Regional Transport Plan Review

- TMR is undertaking a statewide review of Regional Transport Plans alongside Regional Plan updates.

- The review ensures Regional Transport Plans continue to meet evolving regional transport needs across Queensland.
- TMR is working closely with the Department of State Development Infrastructure and Planning (DSDIP) to ensure regional transport planning aligns with regional land use and infrastructure plans, and that transport priorities support housing, economic growth and other regional outcomes.
- Regional Transport Plan updates are being rolled out in stages, aligned with DSDIP's Regional Plan and Regional Infrastructure Plan review schedule.
- Regional Transport Plans complement Regional Plans, supporting integrated land use and transport planning and informing future investment decisions.

Engagement with LGs in RTP Reviews

- **Tranche 2b includes FNQ, including non-RRTG councils.**
 - **For Tranche 2b (FNQ and NWQ)**, TMR will engage will **Kowanyama Aboriginal Shire Council** as part of consultation on the **North West Queensland** Regional Transport Plan update. *Noting Kowanyama ASC is part of the FNQ Regional Transport Plan but within the North West Qld RRTG.*
- TMR values local government input as critical to reflecting current and future regional needs and priorities.
- TMR will engage with local governments through workshops and briefings to discuss regional challenges and opportunities.
- TMR will reach out to council contacts at key stages to seek input to the updated Regional Transport Plans.
- Subject to approvals, TMR intends to publish the draft Regional Transport Plans on TMR's website for local government and wider consultation from key stakeholders.

TMR Advice

New Queensland e-mobility Laws

- Advice for local governments on the **new Queensland e-mobility laws** was emailed to all Technical Committee Alliance members on 13 July 2026.
- This follows on from letters sent to all Mayors from the Honourable Brent Mickelberg MP, Minister for Transport and Main Roads about the commencement of the new laws.
- Email included a factsheet which provides additional targeted information to assist you and your community, including guidance about the legislative definitions between footpaths and shared paths. A link for further information about the new rules was also included.
- Further changes will commence from 31 August 2026, including a minimum rider age of 16 and a requirement to hold a valid driver licence (minimum Learner) (with limited exemptions).
- TMR's LAVR team have offered to host a webinar in late August 2026, please email your interest, questions and specific topics for inclusion in the webinar directly to lavr@tmr.qld.gov.au.

External Safety Alert

- An **External Safety Alert (ESA)** was emailed to all Technical Committee Alliance members on 15 July 2026.
- Recently, there have been two incidents resulting in fatalities involving queued vehicles at roadworks. Traffic queues at roadworks sites pose risks due to congestion and reduced visibility. Proper control measures are crucial to prevent end-of-queue crashes.
- To raise awareness of the risks of end-of-queue crashes, the attached ESA and factsheet have been developed. Please distribute this material to all relevant parties involved in roadworks.
- Please email TrafficEngineering.Support@tmr.qld.gov.au if you have questions or would like to discuss further.

TMR Funding Programs

School Transport Infrastructure Program (STIP)

- **STIP Tranche 10 funding** round is still open.

- STIP ideas can be submitted at any time during the year. Submitting the STIP idea is the first stage of the process before a formal nomination can be developed.
- Information, guidelines and forms are available online at [School Transport Infrastructure Program](#).
- If you need assistance, please email STIP@tmr.qld.gov.au.

Australian Government's Black Spot Program 2027-28 to 2028-29

- Submissions for the **Australian Government's Black Spot Program 2027-28 to 2028-29 development round are open.**
- For this year's Black Spot Development round, funding is being primarily provided for the 2027-28 to 2028-29 two-year period. However, funding can also be provided for 2029-30 for locations where complexity / time required to construct requires three years to complete.

As the committee were required to attend a previously arranged site visit as part of the Technical Tour, the meeting was adjourned at 11:50am due to time constraints. The committee agree to reconvene on Monday 17 August 2026 at 1:30pm to consider the remaining agenda items. These minutes constitute a single record of proceedings across both meeting sessions.

Meeting Reconvened - Online – Monday 17 August 2027 at 1:30pm with the following attendees present:

Name	Organisation
Travis Mitchell (Chair)	Cairns Regional Council
Luke McAvoy	Cassowary Coast Regional Council
Dan Dixon	Croydon Shire Council
Kiani Berzinski	Douglas Shire Council
Steve Carr	Douglas Shire Council
Kael Whitnell	Mareeba Shire Council
Graeme Cowell	DTMR – Far North District
Kirstin Knight	DTMR P- LG Partnerships (Guest)
Amanda Hancock	Technical Coordinator, FNQROC

7. TMR – Local District Office Update

Graeme Cowell provided an overview of the slope stabilisation works recently completed by DTMR on the Palmerston Highway as there has been insufficient time during the Technical Tour for Graeme to take the committee through the presentation.

A copy of the presentation provided by Graeme Cowell circulated with the minutes.

8. Road Treatment Study

- Amanda shared the final version of the FNQ Road Treatment Practice Guides prepared by Phil Hunt, Road Engineering Services, noting that FNQROC branding and colour-coding had been incorporated to clearly identify the different sections of the guide.
- The Guides will be presented to the RRTG at its meeting on 11 September 2026 and, subject to approval, will be recommended to the FNQROC Board for endorsement.

- Following endorsement, the Guides will be made available to councils via the FNQROC website.
- To support the rollout and implementation of the Guides, additional funding has been provided through the SCDF for Phil Hunt to deliver a one-day training course on their use.
- The training will be scheduled for later in the year following Phil Hunt's return from long-service leave.

ACTION ITEM 146.2 Prepare a report for the RRTG, seeking approval of the FNQ Road Treatment Practice Guides and, subject to approval, recommending their endorsement by the FNQROC Board.

9. Joint Purchasing & Resource Sharing

Amanda advised:

- **Regional Bitumen Reseal**
A Request for the Tender of the 2026/27 Regional Bitumen Reseal had recently closed and the contract was expected to be award shortly.
The following councils are participating in this year's arrangement:
 - Cassowary Coast Regional Council
 - Mareeba Shire Council
 - Tablelands Regional Council

It was suggested that at least one council is not seeing as much value in the regional arrangement with pricing similar to their own outside of the arrangement and that the number of councils participating are currently not sufficient to realise economy of scale pricing. Another commented that they are always last in the schedule due to the weather which isn't ideal and ideally more councils are required to participate to realise the benefits.

ACTION ITEM 146.3 FNQROC to liaise with councils to identify current barriers to participation in the Regional Bitumen Reseal arrangement and explore potential actions to address those barriers.

- **Regional Aerodrome Inspections**
A Request for Quote for the Regional Aerodrome Inspections has been released and is due to close on 21 August 2026. This arrangement is for three years, and the following councils are participating in this arrangement:
 - Cassowary Coast Regional Council
 - Cook Shire Council
 - Croydon Shire Council
 - Hinchinbrook Shire Council
 - Mareeba Shire Council
 - Tablelands Regional Council

10. Capability Agreement & Action Plan

The Capability Agreement & Action Plan was reviewed and updated.

A copy of the updated Plan and agree actions circulated with the minutes.

11. LRRS Network Assessment

- TMR advised that its current condition assessment contract only applies on State-controlled roads. LG are responsible for undertaking condition assessments on their own road networks and TMR does not providing funding for this activity.
- In response, FNQROC approached NTRO, TMR contractor, who provided a range of pricing options for undertaking network condition assessments.
- Several councils noted that they already undertake condition assessments through Shepherds and do not wish to duplicate the effort and associated costs.
- Councils acknowledged the additional information specifically on safety risks across the LRRS network would be beneficial in identifying and prioritising future TIDS projects.

- Councils discussed the potential to review existing council asset data and available TMR safety information to determine what information is already available, identify any gaps, and consider possible actions.

ACTION ITEM 146.4 Investigate existing council asset data and available TMR safety information to determine what information is already available to support the identification and prioritisation of future TIDS project, identify information gaps, and recommend possible actions.

12. LGAQ Update/Roads & Transport Group Advisory Update

LGAQ not present.

13. Points for noting to the FNQ RRTG or FNQROC Boards.

- Updated Works Program
- Completed FNQ Road Treatment Practice Guide
- Asset Condition update.

14. Other Business

Query raised regarding the quality of pre-cast concrete units being supplied to councils discussed,

15. Next meeting – RRTG 11 September 2026, RRTG TC 16 October 2026

The meeting closed at 2:30pm

ACTION ITEMS

Actions arising from Meeting 146 – 12 & 17 August 2026

Item	Action	Responsible Party
142.6	Jarrold Hellmuth, LGAQ to share copies of LGAQ's to the RIA to reduce the open road default limit and National Road Safety Strategy.	Jarrold Hellmuth, LGAQ
144.3	Review and refine the Benefit Cost Analysis (BCA) component of the Program Management Tool (PMT) to be refined to improve its effectiveness with the project prioritisation framework.	Amanda Hancock, FNQROC & All Councils
144.5	FNQROC to Investigate feasibility of collective licencing for Australian Standards.	Amanda Hancock, FNQROC
145.1	Amanda to seek further information from TMR regarding Notifiable Road Use Agreements, including how they operate and the circumstances in which additional maintenance contributions may be required.	Amanda Hancock, FNQROC
146.1	Seek RRTG endorsement of the updated 2026-27 – 2029/30 work program.	Amanda Hancock, FNQROC
146.2	Prepare a report for the RRTG, seeking approval of the FNQ Road Treatment Practice Guides and, subject to approval, recommending their endorsement by the FNQROC Board.	Amanda Hancock, FNQROC

146.3	FNQROC to liaise with councils to identify current barriers to participation in the Regional Bitumen Reseal arrangement and explore potential actions to address those barriers.	FNQROC
146.4	Investigate existing council asset data and available TMR safety information to determine what information is already available to support the identification and prioritisation of future TIDS project, identify information gaps, and recommend possible actions.	Amand Hancock, FNQROC & All councils

Appendix A – RRTG TC Recommended Works Program 12 August 2026

Works Program Report

RTTG TC Recommended Works Program - 12 August 2026

Project No	TMR Number	Council	Road Name	Chainage (km)	Description	Letter Note	Current Status	Combined Score	Total Project Costs	Prior TIDS	2026-2027 TIDS	2027-2028 TIDS	2028-2029 TIDS	2029-2030 TIDS	2030-2031 TIDS
285	3858616	Cairns Regional Council	Abbott Street	Start: End: 0.23	Renew 230m length of footpath, full width, at frontages of 3-61 Abbott St Cairns City to current CBO footpath standards. Works to include up to 170m of K&C renewal.	Additional funding of \$65183 allocated as available in 26/27	Approved by Exec Committee	5.50	\$500,000		\$250,000				
278	2709035	Cairns Regional Council	Lake Street	Start: 1.08 End: 1.56	Lighting upgrade to Cat V3 along Lake Street from Florence St to Upward St to improve safety for motorists, cyclists and pedestrians	Funding allocated as works proceeding	Approved by Exec Committee	9.00	\$850,000			\$248,655			
440	1953653	Cairns Regional Council	TMR Management Fee	Start: End:		Annual funding reduced from \$6,082,559 to \$6,076,124 from 26/27 onwards as a result of TMRs review of the data used to calculate the TIDS allocation. 2.5% fee therefore reduced from \$152,064 to \$151,903.	Awaiting to Start	0.00	\$759,837	\$304,128	\$151,903	\$151,903	\$151,903		
556	38020066	Cassowary Coast Regional Council	Butler Street	Start: 0.31 End: 0.46	Design and construction of intersection upgrade + asphalt overlay at the intersection of Butler and Still Street	Additional funding of \$11,284 allocated as project currently underfunded and funding available.	Approved by Exec Committee	24.00	\$370,000		\$185,000				
630		Cassowary Coast Regional Council	Butler Street	Start: 0.62 End: 0.66	The Butler Street/Bryant Street intersection is an existing cross intersection located within the township of Tully, which is located between Innisfail and Cardwell. Upgrade the existing unsignalised 'X' arrangement to a single lane roundabout for improved safety. The outcome of the project is a new intersection configuration i.e. single roundabout, that safely accommodates all users i.e. motorists, pedestrians and cyclists.	Project admitted to the program and allocated full funding as highest priority project and funding available in 28/29	Approved by Exec Committee	34.01	\$3,050,000				\$1,525,000		
320	3802066	Cassowary Coast Regional Council	Flying Fish Point Road	Start: 0.266 End: 0.27	Replace existing 1/1850x1850 with 1/2400x1800 RCBC with headwalls, wingwalls and aprons. Alternatively, culvert to be repaired with a lining/tunnelling system or a similar product. Requires further investigation/modelling. Culvert No. 3	430	Approved by Exec Committee	5.00	\$210,000		\$105,000				
341	3802066	Cassowary Coast Regional Council	Kennedy Creek Road	Start: 7.49 End: 7.493	Replace like for like 2/1200 RCP Class 2 RRI RRP with headwalls, wingwalls and aprons. Culvert No. 29	Additional funding of \$292000 allocated as available and LRRS road.	Approved by Exec Committee	15.00	\$650,000		\$325,000				
296		Cassowary Coast Regional Council	McGowan Drive	Start: End: 0.6	Non LRRS - Renew kerb and channel, footpath, drainage and construct new shared path, pavement reconstruction (asphalt surfacing)	Project treatments changed and material costs increased - project costs significantly increased. Funding of \$320113 allocated - 50% of available of non-LRRS funding available as shared with Island Point Road - same priority score	Approved by Exec Committee	20.52	\$6,930,000				\$320,113	\$0	
558		Cassowary Coast Regional Council	Mourilyan Road	Start: 1.45 End: 2.45	Pavement rehabilitation design and construction on Mourilyan Road from Jubilee Bridge roundabout to Heavy Street intersection (Ch 1440 to 2440m)	Funding of \$19,358 allocated following removal of non LRRS project due to over allocation of non LRRS funding.	Approved by Exec Committee	15.00	\$731,250		\$365,625				
352		Cassowary Coast Regional Council	Mundoo Road	Start: 1.76 End: 1.7618	Replace like for like L1900 Class 3 RRR RCPs with headwalls, wingwalls and aprons. Culvert No. 4	\$57,707 allocated as funding available.	Approved by Exec Committee	15.00	\$115,414		\$57,707				
355	3802066	Cassowary Coast Regional Council	Tully Gorge Road	Start: 36.42 End: 36.43	Line existing 2600 armco with tunneline structural lining system or similar. Culvert No. 128	471	Approved by Exec Committee	5.00	\$130,000		\$65,000				
348	3802066	Cassowary Coast Regional Council	Tully Gorge Road	Start: 33.597 End: 33.6	Culvert No. 113	Chainage updated as requested by TMR	Approved by Exec Committee	5.00	\$80,000		\$40,000				
347	3802066	Cassowary Coast Regional Council	Tully Gorge Road	Start: 33.536 End: 33.54	Replace existing 600 RCP with new 750 Class 2 RRI RCP incliding headwalls, wingwalls and aprons. Culvert No. 112	Chainage updated as requested by TMR	Approved by Exec Committee	5.00	\$90,000		\$45,000				
364	3802146	Cook Shire Council	Finch Bay Road	Start: 0.795 End: 0.815	Non LRRS. Concrete existing causeway and installation of RCP	Funding moved forward from 27/28 as available. Total project costs to be reviewed by CSC.	Approved by Exec Committee	19.50	\$105,000		\$52,500				
458		Cook Shire Council	Finch Bay Road	Start: 0.27 End: 1.1	Upgrade to seal including drainage. Road requires maintenance yearly to repair damage from rainfall and localised flooding	Funding allocated as available.	Approved by Exec Committee	29.73	\$750,000				\$375,000		
187	3903086	Cook Shire Council	Home Rule Road	Start: End: 3.3	Stabilisation and seal, upgrade of shallow services.	CSC advised project spend less than expected for 25/26 - \$58,120 to reallocated in 25/26. Project costs moved to 26/27.	Approved by Exec Committee	20.50	\$1,500,000	\$81,333	\$66,179	\$544,368			
365		Cook Shire Council	Portland Roads Road	Start: 0.241 End: 0.2422	Packer Creek Bridge 1. Bridge upgrade works inc strengthening existing steel girders, installation of additional new girders, replacement of bridge decking and kerbs. Raise approach levels to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	501	Approved by Exec Committee	19.50	\$255,000		\$127,500				
367		Cook Shire Council	Portland Roads Road	Start: 0.201 End: 0.2016	Weymouth Bridge. Bridge upgrade works inc strengthening of bridge decking and kerbs. Raise approach levels to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	503	Approved by Exec Committee	19.50	\$175,000		\$87,500				
368		Cook Shire Council	Portland Roads Road	Start: 0.185 End: 0.1857	Dirty Water Bridge. Bridge upgrade works inc strengthening of existing steel girders, installation of new steel girders, replacement of bridge decking and kerbs. Raise approach to match the bridge level, vegetation clearing and reinstatement of protective coating and replacement of damaged road furniture.	504	Approved by Exec Committee	19.50	\$182,000		\$91,000				
366		Cook Shire Council	Portland Roads Road	Start: 0.242 End: 0.2426	Packer Creek Bridge 2. Bridge upgrade works inc strengthening of existing steel girders, installation of new steel girders, replacement of bridge decking and kerbs. Raise approach levels to match bridge level, vegetation clearing and reinstatement of protective coating and replacement of any damaged road furniture.	502	Approved by Exec Committee	19.50	\$170,000		\$85,000				
178		Cook Shire Council	Railway Avenue East	Start: 4 End: 5.55	Non LRRS. Upgrade to seal including drainage.	\$52,501 allocated as available and project underfunded. Cannot allocate anymore at this time due to maximum non-LRRS allocation being reached.	Approved by Exec Committee	16.50	\$910,000			\$322,494			
188		Cook Shire Council	Weary Bay Esplanade	Start: 0.91 End: 1.465	Upgrade road to seal including drainage	492	Approved by Exec Committee	24.13	\$699,300			\$349,650			
269		Croydon Shire Council	Croydon-Richmond Road	Start: 154.97 End: 157.97	Upgrade section of Richmond Rd to sealed standard. Importing suitable local gravel, compacting, constructing drainage works and 2 coat seal.	Funding moved forward from 27/28 to 36/27 as available and Croydon have crews on location in Sept/Oct	Approved by Exec Committee	38.00	\$825,000		\$412,500				
385	3802177	Croydon Shire Council	Croydon-Richmond Road	Start: 150.9 End: 154.9	(Old 540) Roadworks (Unsealed) - existing alignment - seal and widen	Added chainage from old PPT following query from TMR	Approved by Exec Committee	15.00	\$790,000		\$395,000				
388	3808632	Douglas Shire Council	Alchera Drive	Start: 1.3 End: 1.64	Stage 1 - Alchera Drive drainage upgrades (Stage 5 - Maxwell Street to Parker's Creek Culvert LHS) - includes replacement of existing kerb and channel, new underground stormwater infrastructure and shoulder widening to formalise roadside verge. Stage 2 - Construct a new 2m wide footpath connecting the new pedestrian bridge recently constructed as part of TMR's Parkers Bridge culvert replacement project.	Additional \$462740 allocated as maximum non LRRS available	Approved by Exec Committee	23.00	\$1,292,000		\$612,740				

550	3904668	Douglas Shire Council	Cape Tribulation Road	Start: 2.9 End: 4.7	Council are replacing the existing Daintree River Ferry with a larger/wider 4 lane ferry. To ensure the required efficiency outcomes of traffic movement across the river, there is a requirement to undertake landside infrastructure civil works before the new ferry is built and implemented. This project is to complete the landside infrastructure works on the North and South side of the river. Works include widening and realigning to add additional lanes, upgrade of the ferry ramp and construct infrastructure to extract ferry during flooding events.	Funding of \$295,983 moved from 2627 to 2728 - see ID583	Construction in Progress	48.00	\$13,038,058	\$1,194,949	\$1,241,253	\$982,827				
212		Douglas Shire Council	Cape Tribulation Road	Start: 13.66 End: 28.51	Resurfacing to improve safety	Additional funding of \$70,036 allocated as available following release	Approved by Exec Committee	10.00	\$1,158,300			\$579,150				
210		Douglas Shire Council	Cape Tribulation Road	Start: 4 End: 9	Resurfacing to improve safety	Funding of \$6274 that was previously removed reinstated as CCRC withdraw a number of projects so no longer necessary.	Approved by Exec Committee	10.00	\$358,800			\$179,400				
590		Douglas Shire Council	Island Point Road	Start: End: 0.62	Upgrade Island Point Road to improve safety. Upgrades include widening of Island Point Road to FNRROC standards, construction of a new shared path facility for pedestrian and cyclist access, and lighting.	Funding of \$320112 allocated as next priority project - 50% of non LRIS available funding shared with McGowan project same score	Approved by Exec Committee	20.52	\$2,400,000				\$320,112	\$0		
584		Douglas Shire Council	Mossman-Daintree Road & Newell Road	Start: End: 0.75	Construct a new 2.6km shared path on a Priority A route on the PCN from north Mossman to Newell Beach.	Project to be completed over 2 years. Funding of \$1m allocated as available and next highest priority project.	Approved by Exec Committee	21.00	\$3,730,000			\$500,000	\$1,365,000			
578	3808815	Mareeba Shire Council	Leadingham Creek Road	Start: 1.65 End: 8.04	Widen and seal from Ch.1.65 (Mareeba-Dimbulah Road Intersection) to Ch. 8.04. Amalgamation of project: 242, 244, 246, 248 and 250. Works include the upgrade culvert structures consistent with the previous projects.	Funding allocated of \$490,000 in 26/27 as available.	Approved by Exec Committee	17.53	\$5,540,000	\$1,387,500	\$1,382,500					
254	3365694	Mareeba Shire Council	Leadingham Creek Road	Start: 8.04 End: 11.48	Widen and Seal- Ch.8.04 - Ch.11.48 including the upgrade of a minor culvert at Sandy Creek.	\$142,289 allocated in 26/27 as funding available,	Construction in Progress	42.49	\$5,592,990	\$307,711	\$251,588					
574		Mareeba Shire Council	Leadingham Creek Road	Start: End: 1.65	Widen and seal from Mareeba-Dimbulah Road Intersection (Ch. 0) to Leadingham/Delacy Road Intersection (Ch. 1.65). Works connect to works funded under Project No. 242.	Additional funding of \$25000 allocated in 2728 as available.	Approved by Exec Committee	17.60	\$1,700,000			\$25,000	\$768,996			
632		Mareeba Shire Council	Oak Forest Road, Mareeba	Start: 7.17 End: 7.285	Resurfacing of approaches for Barron River Bridge crossing on Oak Forest Road.	\$150k allocated as funding available	Approved by Exec Committee	13.01	\$300,000			\$150,000				
404	3808815	Mareeba Shire Council	Rankin Street/Walsh Street	Start: 1.25 End: 1.28	Non LRIS Intersection works - Roundabout Upgrade	Funding allocated at the last RRTG TC to be removed as TMR advised \$116,194 was funded in 22/23. Project was then delayed. Have checked old PPT and funding showing as expended in 22/23 - was not captured as part of the transfer. Funding therefore updated to reflect prior year funding expended and \$116,194 to be reallocated to another project at the next RRTG TC.	Approved by Exec Committee	8.50	\$1,200,000	\$116,194	\$483,806					
580		Mareeba Shire Council	Springmount Road	Start: 18.2 End: 18.35	Ch. 18.22-18.32 Pavement strength improvement at intersection with sugar mill.	Funding of \$172,500 allocated as available	Approved by Exec Committee	21.32	\$345,000			\$172,500				
576		Mareeba Shire Council	Springmount Road	Start: 22.7 End: 22.92	Replacement of existing RCBC crossing with reinforced concrete bridge and associated approach works. Crossing located on MSC/TRC boundary, works within TRC will be required by agreement.	\$11155 brought forward from 2728 as available and quotes currently being sought to design	Approved by Exec Committee	26.53	\$20,200,000	\$11,155	\$88,845	\$1,000,000	\$0			
582		Mareeba Shire Council	Springmount Road	Start: 19.18 End: 19.3	Ch. 19.2 - Intersection upgrade at intersection with Chettle Road (both LRIS roads)	FUNDING ALLOCATED IN 28/29 AS AVAILABLE	Approved by Exec Committee	14.09	\$2,600,000			\$50,000	\$0	\$0		
407		Tablelands Regional Council	Junction Road	Start: End: 2.9	Widening and Sealing of Various Corners to achieve 7.0m Seal Width.	Funding of \$407500 allocated	Approved by Exec Committee	17.50	\$815,000			\$407,500				
482		Tablelands Regional Council	Silver Valley Road	Start: 29.02 End: 38.15	gravel resheet on Silver Valley Road ch 29.02 - 38.15km	\$259,500 allocated in 27/28 as available.	Approved by Exec Committee	24.50	\$519,000			\$259,500				
412	3174738	Wujal Wujal Aboriginal Shire Council	Standard Allocation	Start: End:	STANDARD ALLOCATION	Funding for 25/26 transferred to newly created ID636 to enable individual project details of be input for 25/26 project	Approved by Exec Committee	0.00	\$135,048	\$0	\$45,016	\$45,016	\$45,016			
613		Wujal Wujal Aboriginal Shire Council	WWASC - Standard Allocation , NA	Start: End:	STANDARD ALLOCATION		Approved by Exec Committee	0.00	\$45,016					\$45,016		
413		Yarrabah Aboriginal Shire Council	Gribble Street	Start: 0.65 End: 0.85	Roadworks (sealed) - New Alignment - Bitumen Seal of remaining 200m of roadway from CH650 to CH850 (Intersect with Pine Crescent) including reprofiling of road to improve drainage and construct seal. approx 1,300m2. Construction of intersection Gribble St & Pine Crescent.	Funding allocated so available in 28/29. Not considered in non LRIS calculation as significant local road for YASC	Approved by Exec Committee	12.74	\$200,000			\$200,000				
431	1929627	Yarrabah Aboriginal Shire Council	Standard Allocation	Start: 3240 End: 3375	STANDARD ALLOCATION.	25/26 allocation allocated to ID570	Approved by Exec Committee	10.00	\$217,830	\$0	\$72,610	\$72,610	\$72,610			
417		Yarrabah Aboriginal Shire Council	Workshop Road	Start: 0.36 End: 0.98	Road - Structure Improvement- Improvement of existing pavement, increase pavement thickness and Asphalt overlay, reconstruct kerb and channel and upgrade stormwater drainage. Intersection upgrades to FNRROC Standard.	Spoke to Michael, YASC - project to remain in the program, project costs and scope to be confirmed.	Approved by Exec Committee	13.50	\$300,000			\$300,000				
615		Yarrabah Aboriginal Shire Council	YASC - Standard Allocation	Start: End:	STANDARD ALLOCATION		Approved by Exec Committee	0.00	\$72,610					\$72,610		
									\$82,587,453	\$3,391,815	\$6,193,750	\$6,193,750	\$6,193,750	\$6,193,750	\$117,626	\$0

Appendix B – R19 FNQ Road Treatment Best Practice Guides

	RRTG REPORT 11 SEPTEMBER 2026	R19
---	--	------------

FNQ ROAD TREATMENT PRACTICE GUIDES

Staff name: Amanda Hancock (DM 7944208)

Recommendation:

That:

- 1. The Regional Road and Transport Group approve the FNQ Road Treatment Good Practice Guides and recommend their endorsement by the FNQROC Board.**

EXECUTIVE SUMMARY:

Following a request by the FNQROC Board at Meeting No. 164 on 1 February 2024 (Action Item 3159), FNQROC invited qualified consultants to undertake a Regional Road Resurfacings Study. The purpose of the study was to develop a guideline/checklist to assist councils in selecting the most appropriate road surfacing option(s), through a multi-layered assessment process.

Following a procurement process, Philip Hunt of Road Engineering Services was engaged to undertake the study. Mr Hunt has extensive experience in the road design and construction industry, particularly in the concept development, planning, design, construction, maintenance, asset management and pavement research of roads and bridges. 50% of the cost of the study was funded through the Roads and Transport Alliance Statewide Capability Development Fund (SCDF).

The FNQ Road Treatment Good Practice Guides were developed following consultation with the Regional and Transport Group Technical Committee. At its Meeting No 146 on 17 August 2026, the Technical Committee recommended that the Guides be submitted to the Regional Road and Transport Group for approval, and subject to that approval, that the FNQROC Board endorse the Guides.

COMMENT:

The study reviewed the Austroads *Guide to Pavement Technology Part 3: Pavement Surfacing* and other relevant industry references, together with factors specific to the FNQROC region, including traffic volumes, pavement condition, road geometry, environmental conditions, material and contractor availability, treatment performance, service life and whole-of-life costs.

Recognising the diverse climatic and geographic conditions across the region, the study assessed these factors on a sub-regional basis and developed the FNQ Road Treatment Good Practice Guides. The Guides provide a consistent assessment process to assist councils in identifying, evaluating and selecting road treatment options based on project-specific technical, economic, environmental and risk considerations.

The study undertaken by Phil Hunt of Road Engineering Services included consultation with member councils, material suppliers and road surfacing contractors. The resulting Guides are intended to support more consistent and informed road treatment selection across the FNQROC region.

To support the rollout and implementation of the Guides, additional funding has been secured through the SCDF for Mr Hunt to deliver a one-day training course on their use.

RECOMMENDATION OPTIONS:

Option 1:

1. The Regional Road and Transport Group approve the FNQ Road Treatment Good Practice Guides and recommend their endorsement by the FNQROC Board.

Option 2:

The Regional Road and Transport Group provides an alternative/amended recommendation.

Option 3:

That the RRTG does not approve the FNQROC Road Treatment Good Practice Guides.

CONSIDERATIONS:

Risks

The risks associated with approving the FNQ Road Treatment Good Practice Guides are considered low. While the Guides provide a consistent framework for assessing and selecting road treatments, councils will need to continue applying site-specific engineering judgement and consider local conditions, priorities and funding constraints. There is also a risk that the Guides may require periodic review to ensure they remain aligned with evolving industry practices, technologies, material availability and costs. These risks can be effectively managed through regular updates to the Guides and their use as a decision-support tool rather than a prescriptive standard.

Finance

The FNQ Road Treatment Study was 50% funded through the Roads and Transport Alliance Statewide Capability Fund (SCDF) with the balance paid from FNQROC reserves.

Additional funding for a one-day training course has been secured with the balance payable by individual councils in attendance.

Statutory

Procurement was undertaken in accordance with the *Local Government Act 2009*.

CONCLUSION:

The FNQ Road Treatment Good Practice Guides provide a consistent, evidence-based framework to assist councils in the assessment and selection of road treatment options across the FNQROC region. Developed through industry research and stakeholder consultation, the Guides support informed decision-making while allowing for the application of local knowledge and engineering judgement. Approval of the Guides will support more consistent, transparent and value-driven road treatment selection practices across the region.

Amanda Hancock

FNQROC Regional Strategic Infrastructure Coordinator



FNQROC

FNQ Regional Organisation of Councils

Road Treatment Good Practice Guide

June 2026

Overview - Bitumen Seal & Asphalt Good Practice Guides

Section 1—New Construction—Initial Seal Choice

Section 2—Reseals and Asphalt Network Strategy

Section 3—Reseals—Network Programming and Proofing

Section 4—Reseal Type and Binder Choice

Section 5—Initial and Resurfacing Asphalt Choice

Section 6—Whole of Life Costing and Environmental Outcomes

Overview - Bitumen Seal & Asphalt Good Practice Guides

FNQROC commissioned a Regional Road Surfacing's Study in May 2025.

The purpose of the study project is to develop a guideline / checklist to allow Councils within the FNQROC region to review the relevant factors and available surfacing options for a project and then select the most appropriate road surfacings option, based on a multi-layer assessment process. The process should rely on industry standards and design guidelines.

After consultation with FNQROC members in May and September 2025, the following Good Practice Guides (GPGs) have been developed to assist Councils in the selection of road surfacings:

- 01 – Initial Seal Choice
- 02 – Reseals & Asphalt Network Strategy
- 03 – Reseals & Asphalt - Network Programming and Proofing
- 04 – Reseal Type and Binder Choice
- 05 – Asphalt - Initial and resurfacing Choice
- 06 – Reseals - Comparison of Whole-of-Life Cost & Environmental Outcomes for various Binder Types

The GPGs provide a condensed version addressing the Purpose, Principles, Process, and Technical Details, with references to industry documents for further reading and consideration. The aim of the Guide is to assist Council staff in navigating the main issues for 90% of their general sealing and asphalt works. More complex circumstances, not addressed in the Guide, are likely to require further consideration of the relevant Austroads, QTMR and other industry documents, as referenced. For Council staff convenience, key tables and charts are re-produced within the Guide. Accordingly, the Guides will need to be reviewed and updated after any major re-issue of the industry documents. A check and update every 5 years is the minimum recommended.

Consultation with Councils also indicated that staff training in the theory, practical application of the theory, and on-the-ground training in processes, is required to be ongoing to ensure the workforce, which experiences regular staff turnover, is suitably equipped to undertake the job expected.

New Construction - Selection of Initial seals


Purpose : The purpose of this document is to provide LGAs with summary notes on good practice in FNQ, outlining typical selection of Initial Seals on newly constructed pavements. References to key industry documents is provided.

Key References :

1 : AGPT04K-18 : Guide to Pavement Technology Part 4K : Selection and Design of Sprayed Seals	AGPT04K-18 Austroads
2 : AGPT04F-17 : Guide to Pavement Technology Part 4F : Bituminous Binders	AGPT04F-17 Austroads
3 : MRTS11, QTMR Technical Specification, Sprayed Bituminous Treatments (Excluding emulsions)	
4. MRTS 12, QTMR Technical Specification, Sprayed Bituminous Emulsion Surfacing	
5. MRTS20, QTMR Technical Specification, Cutback Bitumen (Primes and Primer Seals)	
Specifications (Department of Transport and Main Roads)	

Principles : The purpose of the initial seal treatment is to ensure a strong bond between the new pavement base and the subsequent surfacing regime. It provides an essential water proofing protection of the underlying pavement and trafficable course that prevents deterioration of the pavement surface. The "initial seal treatment" actually refers to a 2 or 3 seal application process - rarely a 1 seal process can do the job. A seal provides all weather access, a surface texture that can provide skid resistance in all weather conditions, and provides the opportunity to place linemarking or pavement marking to improve safety for the driver. Some downsides might be noise and water spray characteristics in certain situations. Whilst an initial seal regime is always required on a gravel or cementitious modified gravel pavement. The most desired initial seal application includes a Prime, which achieves good bituminous penetration/adhesion into the base pavement material, followed by 2 seal coats, but this is not always possible due to traffic considerations. Hence the need to consider "Initial Seals" (previously called a Primerseal). *Ref 1 : Section 3.2.*
If traffic induces heavy braking and/or turning manoeuvres, a subsequent overlying asphalt surfacing should be considered.

Process Overview : The selection process requires the following parameters to be considered :



Key Technical Points :

The best initial sealing regime is a Prime (1st Coat) + 1 large aggregate seal (S/S) (2nd Coat) + 1 small stone aggregate (S/S) (3rd Coat). All other solutions are essentially a compromise to this integrity/structure, but may be necessary for various reasons. The prime penetrates into the base materials and provides great binding and adhesion for subsequent bitumen layers. Whilst penetration depth can vary depending on materials and base construction practices, typically a prime can penetrate an unbound base material between 5-10mm. (*Ref 1 : 3.2.1*). A **Prime is a hot high cut-back bitumen** and is very fluid, hence the penetration. Typically an AMC00 (100 parts bitumen to 100 parts Cutter (Kerosene)) is used. A Prime is considered to be cured when the surface is no longer tacky. Temperature will affect the curing period, but 1-3 days is typical for Hot-Cool weather respectively. The curing time is also affected by the 'absorption' characteristics of the base material. No traffic can use the primed surface in this time. After curing, light construction traffic only maybe able to use the primed surface, until first seal coat is applied. **Cold emulsion primes** (Proprietary products, not CRS 60) are available and are often utilised when pavement temperatures are very low, around 5°C, which is not a common problem in FNQ. On larger projects, it would be common to apply a prime coat once per week to cure/protect the completed pavement surface and minimise potential water ingress due to rain, until a sufficient length of road is ready for trafficking and the 2nd coat S/S applied. **Post the prime coat**, a large aggregate (14, 16, or 20mm) **Single/Single** spray seal is then applied and traffic allowed to use immediately. After 6-12 months the performance can be assessed (best having been through one summer season) and then a second coat smaller seal be designed and placed accordingly. An **alternative** to two seal visits is the single visit **Double/Double** (D/D) Seal (eg 14/7; 16/10; 20/10) which achieves a similar outcome but with a higher risk potential of bleeding/flushing if a spray rate design error, poor work practices or unexpected high traffic volumes are encountered (*Ref 1 : 3.2.2*). This compromised initial seal regime, mainly for cost reduction purposes, appears quite common in FNQ. Continued performance monitoring should be employed to ensure the seal integrity and performance is achieved.

In high speed rural highway solutions with medium to high traffic volumes, large aggregate sizes have windscreen damage potential, especially if good spread rates, rolling and brooming practice are not achieved. Accordingly, a D/D seal is useful in controlling windscreen damage issues. In residential environments where If the seal is required to be trafficked immediately a hot cut-back initial seal (previously called a primerseal) is often chosen. Whilst this is a compromise in the desired structure integrity from that outlined above, it is a reasonable compromise due to traffic considerations. The aggregate size for a hot cut-back initial seal should be limited to a 7mm or 10mm (*Ref 1 : 4.8.2*). Hot Cut-Back initial seals require a long curing period to allow the volatiles (cutter/kerosene) to evaporate/escape out of the bitumen over time. This is dependent on the amount of cutter in the initial seal (type), hot weather and traffic conditions, with the curing period varying from 3-6 months. In very hot conditions where the pavement temperature is consistently above 40oC, a low cutter content initial seal such as an AMC7 (3% cutter) with small aggregate 7mm, a 1 month curing period is often sufficient. If a suitable curing period is not allowed, the bitumen remains soft and is prone to bleeding/flushing issues. (*Ref 1 : 3.2.2, Ref 2 : 11.4*). An alternative to a hot cut-back bitumen that also allows immediate trafficking is a 'cold' emulsion initial seal utilising a CRS60 or CRS67. This emulsion seal type can be covered by subsequent seal layers after a 3 day minimum period, thus providing a quicker completion than the hot cut-back bitumen period of 3-6 months.

Process :		Choice of Initial Seal Treatments		
Number	Item Description	Pavement Type		
		Unbound Gravel Non-Standard (Type 4 or local source); Material high in clay fines, with 'fatty' finished surface - very little penetration of prime able to be achieved	Unbound Gravel QTM Standard (Type 2 or 3 with 'C' Grading); A well graded gravel that after brooming produces exposed large particles surrounded tightly by smaller particles and fines. <i>Ref 2: 2.10.1.2</i>	Cementitious Treated Gravel (Lightly Bound)
1	Project Size/ # of Seal Visits	In an ideal world 3 seal visits, Prime, 1st S/S seal, 2nd S/S seal would be implemented. However, for remotely located or very small project with no other works in the vicinity, 2 seal visits would typically be the minimum required. Visit 1 : either Prime or cut-back initial seal (7 or 10mm) or emulsion initial seal (7mm) Visit 2 : D/D 20/10; 16/10⁸; 14/7 ; 10/7; Avoid a one visit seal solution for an initial seal. However, if absolutely required, a Double/Double C170 (max 2% cutter on first coat) seal may be a fair compromise in very remote, low traffic environments. The compromise is successful bonding. A 2nd visit should be programmed for an early reseal within 3-5 years.		
2	Traffic Immediately	Yes	Initial Seal	Initial Seal
		No	Prime (lower spray rates) ¹ or Initial Seal	Prime (lighter than unbound spray rates) ¹
3	An Asphalt Surfacing is to be placed over the initial seal regime.	A prime or initial seal is still required		
4	Min Pavement Temperature at placement ²	10°C	Prime (hot or cold) or Emulsion Initial Seal ⁶	
		15°C	Prime (hot or cold) or AMC4 - AMC6 Initial Seal ³ or (cold) Emulsion Initial Seal ⁶	
		20°C	Prime (hot or cold) or AMC4 to AMC7 Initial Seal ³ or (cold) Emulsion Initial Seal ⁶	
5	Seal Type	1st Coat	Prime (hot or cold) or Initial Seal as per above requirements and referenced documents	
		2nd Coat	Use Austroads Table 4.7 (Ref 1, attached) to Choose a suitable Seal Type for the design circumstances	
		3rd Coat		
6	Binder Type	1st Coat	Prime AMC00 (hot) or Proprietary Emulsion Prime (cold); or Initial Seal (hot cut-back bitumen or cold emulsion seal) choice is provided in Table 4.6 of Part 4K (Ref 1) ; Note (i) : the decreasing cutter content in Hot Seasons. Note (ii) : Although Austroads Table 4.6 (Ref 1, attached) allows PMB initial seal for certain traffic/weather conditions. A PMB initial seal is not recommended due to potential poor adhesion when directly applied on pavement surface.	
		2nd Coat	Use Austroads Table 4.7 (Ref 1, attached) to Choose a suitable Binder Type for the design circumstances; Note : 20°C min pav temp for C170 & Crumbed Rubber and 25°C min pav temp for PMBs;	
		3rd Coat	Note : min cutter requirements vs pav temperature. If you are anticipating cracking/movement of the pavement (for example cementitious pavements have a higher risk of cracking) choose an appropriate PMB Binder.	

Notes

1. Prime Spray Rates : Refer Table 5.4 AGPT04K-18 (provided below)
2. It can be difficult to predict the time / temperature and therefore the type of prime/initial seal at the time of design. Some flexibility in the design documents and schedules might be required to ensure the correct treatment.
3. Cutback Bitumen Types (Ref 4: Table 6.6) : Prime AMC00 100 bit : 127 cut; Initial-Seals AMC4 100 bit : 18cut; AMC5 100 bit : 12 cut; AMC6 : 100 bit : 7 cut; AMC7 100 bit : 3 cut
4. Pavement Temperatures requires additional cutter to be added to bitumens for spraying purposes - Ref 2 : Cl 12.7 Cutting requirements.
5. Suitable Prime grade is AMC00 for most projects. A slightly thicker Prime AMC0 (100 : 87) is also available.
6. Avoid emulsion initial seals if rain is anticipated within 1-3 days from spraying. Emulsion may further emulsify in the event of heavy rain and cause bitumen and aggregate retention issues
7. Consider specifying and spraying additional binder in Coats 2 & 3 for untrafficked areas (shoulders etc). Up to an additional 0.5L/m² is often required. This can be pre-sprayed outside of wheelpaths prior to the final full width application as per seal design.

8. Aggregate Size (Ref 1 : 4.5.2) : for D/D seals, the ALD of the second smaller aggregate should be approximately half (0.5) the ALD of the first larger aggregate ALD. Typical D/D seals include 10/5, 10/7, 14/5, 14/7, 16/7, 16/10, 20/7, 20/10.

Experience, not listed in Austroads documents, suggests that with well controlled aggregate spread rates and windows, good rolling , and good supervision, a maximum ALD ratio of small/large aggregate of 0.65 can work, such as 10/7 in residential areas; 14/10 or 16/10 in rural areas. Both aggregates must have Flakiness results between 15 - 25. Local and Industry expert assessment and supervision is required.

FNQ Typical Initial Seal Treatment Examples:

	Conditions		Seal & Binder Type					Comments
			Initial Seal	Min Wait period to 2nd Coat	Max period to 2nd Coat	2nd Coat	3rd Coat	
	Immediate Traffic	Temperature						
1	No	All	AMC00 Prime	1-3 days	1-2 mths ¹	14mm SS C170	7or10mm SS C170	3rd Coat placed 6 - 12 months after 2nd Coat
2	No	All	AMC00 Prime	1-3 days	1-2 mths ¹	14/7 DD C170		
3	Yes	Warm-Hot	7mm AMC7	1-2 mths	3-6 mths ²	14/7 DD C170		7mm AMC7 suitable for AADT < 2000 ; also see General Notes
4	Yes	Warm-Hot	10mm AMC7	3 mths	6 mths	14/7 DD C170		
5	Yes	All	7 or 10mm Emulsion Seal ³	3 days	3-6 mths ²	14/7 DD C170		7mm CRS60 emulsion, 10mm CRS67 emulsion; CRS67 'runs less' in hot climates where higher spray rates are required

Notes :

1. Maximum period is dependent on weather conditions, monitor surface. Only low use by light construction vehicles allowed after cured (not tacky).
2. Dependent on traffic volumes and HV%, AADT 1000 - 2000 typically 3 months, lower AADTs upto 6 months. Consider rainfall risk
3. Tight control and monitoring on 7mm CRS60 in hot temps and high traffic, aim to cover with D/D C170 seal in 3-7 days

General Notes :

- A. Heavy Vehicles can cause issues on 7mm initial seals - careful consideration required, use 10mm in lieu
- B. Steep Grades, Tight Curves, Intersection areas, High HV% or Road Train route etc are likely to use a PMB in Seal Coats 2 & 3, refer Table 4.7 (Ref 1, attached)
- C. With the exception of Primes, all seals are to be Trafficked immediately after application

Austroads Tables - as referenced

5.5.3 Initial Treatments

Ref 1

Primes

There is no formal design method for the selection and design for priming which is usually based on experience with the local pavement materials and prevailing weather conditions. A general guide to the selection of the grade of cutback bitumen primer and primer application rates is shown in Table 5.4.

Table 5.4: Guide to grades and application rates of primer

Pavement types	Grade (AS 2157)	Primer application rate (L/m ²)
Tightly bonded	AMC 00	0.6 to 1.1
Medium porosity	AMC 0	0.8 to 1.1
Porous	AMC 1	0.9 to 1.3
Very porous (limestone and sandstone)	AMC 1	2 application rates: 1 st @ 0.7 to 0.9 2 nd @ 0.5 to 0.7
Hill gravels, granitic sands	AMC 0	0.8 to 1.1
Stabilised	AMC 00 ⁽¹⁾	0.5 to 0.8
Concrete	AMC 00 ⁽¹⁾	0.2 to 0.4

¹ Can also consider using proprietary materials, or additional cutter in these cases.

The most suitable grade and application rate of primer will depend on the surface finish of the basecourse. Small-scale trials can be conducted on pavement materials in situ to test and compare the appropriateness of the prime grade and application rate.

Standard grades of bitumen emulsion are not suitable for priming but proprietary grades have been developed that should be used in accordance with manufacturer's guidelines.

Where a pavement stabilised with cementitious or chemical binders is to be primed with a bitumen emulsion, a check on the compatibility of the emulsion with the stabilised material should be undertaken. Emulsions will always be compatible with bitumen stabilised pavements.

Guide to Pavement Technology Part 4K: Selection and Design of Sprayed Seals

Ref 1

Table 4.6: Preliminary guide to the selection of initial seals

EHV(%)	Average seasonal temperature	Low traffic (<200 v/l/d) ⁽³⁾	Medium traffic (200–2000 v/l/d) ⁽³⁾	High traffic (> 2000 v/l/d)
		Typical binder ⁽⁵⁾ and seal type		
Low (< 25%)	Cool ⁽⁴⁾	AMC4 (S/S) CRS67 (S/S) CRS60 (D/D)	AMC5 (S/S) CRS67 (D/D)	AMC6 (S/S, D/D) CRS67 (D/D) Modified emulsion (D/D)
	Warm	AMC5 (S/S) CRS67 (S/S)	AMC6 (S/S) CRS67 (D/D)	AMC7 (S/S, D/D) CRS67 (D/D) Modified Emulsion (D/D) PMB ⁽¹⁾⁽²⁾ (S/S, D/D)
	Hot	AMC6 (S/S)	AMC7 (S/S)	AMC7 (S/S) PMB ⁽¹⁾⁽²⁾ (S/S, D/D)
High (≥ 25%)	Cool ⁽⁴⁾	AMC5 (S/S) CRS67 (S/S, D/D)	AMC6 (S/S) PMB ⁽¹⁾⁽²⁾ (S/S, D/D) CRS67 (D/D)	CRS67 (D/D) Modified emulsion (D/D)
	Warm	AMC6 (S/S) CRS67 (S/S)	AMC7 (S/S) PMB ⁽¹⁾⁽²⁾ (S/S, D/D) Modified Emulsion (D/D)	AMC7 (S/S) PMB ⁽¹⁾⁽²⁾ (D/D) Modified emulsion (D/D)
	Hot	AMC7 (S/S)	AMC7 (S/S) PMB ⁽¹⁾⁽²⁾ (S/S, D/D)	AMC7 (S/S) PMB ⁽¹⁾⁽²⁾ (D/D)

- Guidance to field application of PMBs for sprayed seals (including cutting practice) is provided in Appendix E.
- Care must be taken when using PMBs (especially SBS) because it is difficult to achieve sufficient adhesion to the base and aggregate wetting. To date successful trials have been undertaken only with crumb rubber binders (Austroads 2014a), and as yet other binders are unproven in this application, pending further trials.
- When low or medium traffic is coupled with high-stress situations such as intersections, turning lanes, and grades, consider following guidance for the 'high traffic' category instead.
- As sealing in cool and damp conditions increases the risk of seal failure, consideration should be given to postponing works if possible until weather conditions have improved.
- Cutback bitumen grades nominated in the table are based on typical pavement materials used in Australia. Adjustment to the proportion of cutter oil content may be required for very porous (less cutter oil) or tightly bonded (more cutter oil) pavement surfaces. For tightly bonded surfaces (including stabilised pavements), pavement surface preparation is essential to achieving an adequate bond, particularly when emulsions, low cutter content cutback bitumen and PMB grades are used.

5.1.2 Cutback Bitumen

Ref 2

Cutback bitumen may be supplied as a standard grade in accordance with AS 2157 *Cutback Bitumen*, as a proprietary product or field produced. Standard grades of cutback bitumen and their specified viscosity at 60 °C ranges, indicative cutter oil contents, typical application temperatures and use are shown in Table 5.1.

Table 5.1: Standard grades of cutback bitumen

Grade designation	Viscosity at 60 °C (Pa.s)	Indicative content of cutter oil (% volume) ⁽¹⁾	Typical application temperature (°C)	Typical application ⁽²⁾		
				Priming	Initial seal and cold mix	Secondary seal (or reseal)
AMC7	43.0–86.0	4	150–175		✓	✓
AMC6	13.0–26.0	8	135–160		✓	✓
AMC5	5.5–11.0	12	120–150		✓	✓
AMC4	2.0–4.0	21	110–135		✓	
AMC3	0.55–1.1	27	95–115		✓	
AMC2	0.22–0.44	34	75–100		✓	
AMC1	0.06–0.12	42	60–80	✓		
AMC0	0.025–0.05	50	35–55	✓		
AMC00	0.008–0.016	60	10–30	✓		

- Cutter oil contents are given in % volume of the total binder; e.g. adding 8 litres of cutter oil at 15 °C to 92 litres of bitumen at 15 °C provides 100 litres of 8% volume cutback bitumen.
- Typical applications as marked in the table are broadly in accordance with current practice. These may be different from the traditional applications as categorised in AS 2157.

Cutback binders can also be produced in the field. These are produced by blending appropriate amounts of bitumen and cutter oil to suit the particular conditions.

Ref 1

Guide to Pavement Technology Part 4K: Selection and Design of Sprayed Seals

Table 4.7: Preliminary guide to seal selection

	Design traffic (v/l/d)	≤ 200				201–750				751–2000				2001–5000				> 5000			
		< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45
Equivalent heavy vehicles (%)																					
Rural: roads, highways and freeways – no high stress areas	Temperature* – High	S/S	S/S	D/D	HSS1	S/S	S/S	S/S	D/D	HSS1	D/D	HSS1	D/D	HSS2	HSS2	XSS	XSS ^Δ	XSS	XSS	XSS	XSS ^Δ
	Medium	S/S	S/S	D/D	HSS1	S/S	S/S	S/S	D/D	HSS1	S/S	HSS1	D/D	HSS2	HSS2	XSS	XSS	XSS	XSS	XSS	XSS ^Δ
	Low																				
High stress locations	Small radius curves, roundabouts, driveways, turning lanes, intersections	D/D	D/D	D/D	HSS2	D/D	D/D	D/D	HSS2	XSS	HSS2	HSS2	HSS2	XSS	XSS	NO SEAL SUITABLE ^Δ	XSS ^Δ	XSS	XSS	XSS	XSS ^Δ
	Grades ^Δ > 5%	S/S	S/S	D/D	HSS1	D/D	D/D	D/D	HSS1	HSS2	HSS2	HSS2	HSS2	XSS	XSS	XSS	XSS ^Δ	XSS	XSS	XSS	XSS ^Δ
Cracked pavements																					
	Single/single with C170 or C240. C320 or M500 binder may be appropriate for hot climates.	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S	S/S
	Double/double with C170 or C240. C320 or M500 binder may be appropriate for hot climates.	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D	D/D
	Single/single seal with PMB for moderately severe sites (S10E, S35E, S45R or S15RF) and severe sites (S15E, S20E, S45R or S15RF)	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1	HSS1
	Double/double seal with PMB in first or both applications for medium traffic loading (S10E, S35E, S45R or S15RF) and heavy traffic loading (S15E, S20E, S45R or S15RF)	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2	HSS2
	Double/double seal with PMB in both applications (S20E, S45R or S15RF) for high-stress areas. Seal performance may be inadequate under these conditions and may require alternative treatments. Generally dense graded asphalt size 10 or 14 mm, where an XSS sprayed seal cannot be expected to cope	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS	XSS

* Temperature categories are determined as per Appendix D.

^Δ Seal performance may be inadequate under these conditions and may require alternative treatments.

Considerably steeper grades or combinations of extreme events may lead to unsatisfactory performance and may require alternative treatments.

Reseals & Asphalt Resurfacing - Network Strategy

Purpose : The purpose of this document is to provide LGAs with summary notes on good practice in relation to a technically robust and consistently funded strategy of proactive resurfacing/resealing practice in Far North Queensland.


Key References :

- 1 : AP-T273-14 : Good Practice in Reseal Programming (Austroads) [AP-T273-14 | Austroads](#)
2. Austroads Guide to Asset Management, Part 1 (Austroads 2009)
3. International Infrastructure Maintenance Manual (IIMM) (2012) and ISO 55000
- 4. FNQROC Good Practice Guide 06 - Whole of Life Costing & Environmental Outcomes for Bitumen Seals**

Principles : The main role of a bitumen seal is to protect and waterproof the more expensive underlying pavement structure. All bitumen surfacings oxidise with exposure to heat over time. Oxidation causes the bitumen to harden and is more susceptible to cracking. In hotter climates even though the bitumen hardens quicker, binder cracking is not as prevalent as in colder climates until the bitumen oxidises to a higher level. The potential for cracking increases in cold climate areas. In Far North Queensland, this is unlikely to include any coastal areas, but areas up on the ranges and west of the ranges, experience cold temperatures during winter. These cracks allow moisture into the pavement weakening the pavement structure and distress occurs. Additionally, pavement structures that are not performing well due to high water tables or localised water ingress such as overtopping or wetting of subgrades, or are experiencing traffic loading well beyond the original design capacity, often demonstrate various distress which subsequently also causes cracking of the seal surfacing. These cracks allow moisture into the pavement and cause further detrimental effects to the pavement structure and performance, often increasing maintenance demand and potentially early pavement rehabilitation.

Asphalt surfacings with a thickness $\leq 50\text{mm}$ are not considered structural. Asphalts are often permeable (even though some are at low levels of permeability), and hence cannot be relied on as a waterproofing of the underlying unbound (gravel) pavement structure. Bitumen seal initial treatments (refer to GPG 01) are required prior to any placement of asphalt surfacing. Asphalts are a mixture of highly controlled aggregates, bitumen and other fillers and additives. Accordingly, asphalt also oxidises and hardens with heat exposure over time. In hot climate areas asphalts are at a high risk of rutting and accordingly it is important to choose the correct binder type. Cairns City Council has observed 25-30 years life from surfacing asphalts and employs a cost effective crack-sealing program to minimise moisture ingress. A well planned and technically robust reseal and asphalt network strategy minimises pavement damage and assists to ensure maintenance and pavement rehabilitation budgets are optimised and network-wide life-time cost are minimised. In many respects a reseal or asphalt replacement/overlay is akin to regularly servicing a vehicle, if you don't replace the oil in the vehicle at the prescribed interval, you risk doing major damage and requiring more expensive repairs. It's the same with reseals and asphalt resurfacing.

Process Overview :



A Simplified Example to Demonstrate a Strategy :

A bitumen sealed Road Network of 500km, has a total sealed area of 4 million m² (an average 8m width).

The current seal and binder types for the FNQ climate conditions and risks, identifies an average reseal return period of 10 years.

The average reseal cost is \$7.50/m² (2025), and includes linemarking where relevant.

Assuming 5km (1%) of reconstruction per year, or 10% over 10 years (400,000 m²), an average reseal budget is calculated:

$((4,000,000 - 400,000 = 3,600,000\text{m}^2) * \$7.50/\text{m}^2) / 10 \text{ years} = \2.7 M/yr (or \$27.0M over 10 years).

Due to current old seals and low maintenance budgets, the required preparatory works and repairs, includes pavement repairs, edge repair, shoulder grading, devegetation, smoothing major bumps and hollows, potholes, drain cleaning, etc. On average it has been identified that a further \$6/m² is required, or \$2.1 M/yr; This \$6/m² may decrease to \$3-4/m² once the strategy is implemented over 10 years, but we have some catching up to do first.

Therefore the total STRATEGY BUDGET is \$4.8 M/yr. The current budget averages \$2.5M/yr. A current shortfall of \$2.3 M/yr.

Note : all dollar values are in 2025 dollars and budgets would need indexing to reflect year to year budgets.

Reseal/Asphalt - Network Programming, Proofing & Tender Documentation

Purpose : The purpose of this document is to provide LGAs with summary notes on good practice in Reseal and Asphalt Programming, Proofing & Tender Documentation. References to key industry documents are provided.

Key References :

- 1 : AGPT04K-18 : Guide to Pavement Technology Part 4K : Selection and Design of Sprayed Seals
2. QTMR : Guideline (2024) : Preparing Pavements for Resealing - Planning Works
3. FNQROC - Reseal Type and Binder Choice - Good Practice Guide 04
4. FNQROC - Initial and Resurfacing Asphalt Choice 05

TEMPLATES :


- A. Network Program - Pavement Renewal - Road Inspection Record (excel spreadsheet attached)
- B. Reseal Proofing Inspection_Bitumen Surface and Repairs Assessment (excel spreadsheet attached)

Principles : The purpose of **Network Programming** is to implement the agreed Reseal & Asphalt Network Strategy (refer to 02 FNQROC - Reseals / Asphalt Network Strategy). The **Network Inspection** aims to assemble between 3-5 years of proposed road treatments, including reseals, asphalt re-surfacing and pavement rehabilitation. This process includes consideration of available AM data including existing seal type and size, seal age and pavement/surfacing condition data. A choice of Reseal/Asphalt Type (type, binder, size) is made along with a quick estimate of any obvious repairs required prior to sealing (broad quantum of pavement repair, kerb replacement, rut filling, asphalt surface correction (major humps and hollows), major crack sealing (cracks too active or wide for a bitumen seal to remedy), edge break, etc). These costs are maintained in a database/spreadsheet for pricing and are used to inform the Annual Reseal / Asphalt project proofing and other pavement programs. For rural reseals, a general allowance for table-drain cleaning and shoulder grading (light/medium/heavy) works are also costed-in. Geographic rationalisation and 'bunching of projects', for cost efficiencies, are considered with project priorities changed accordingly.

The **Reseal/Asphalt Proofing** stage undertakes a detailed inspection 12-18 months prior to the planned reseal/asphalt works. This inspection uses the previous data captured from the Network Programming inspection, and confirms that the Seal/Asphalt Type chosen remains suitable. It also checks and records actual sealed widths, linemarking, and considers whether additional bitumen spray runs are required for the project (example additional bitumen on untrafficked shoulder etc). Underlying repair works (prep works) schedules are collated (Chainage, Work type, quantity) and compared to original Network Program allowances with an overall review of Program Level costs - do the unders and overs balance out? Is any re-budgeting or re-prioritising required? The repair works are arranged to be undertaken by internal/external resources at least 2-6 months prior to reseal/asphalt works, depending on repair work type(s) (Ref 2: Table 4) . Also consider any other major surfacing issues that have been advised by council staff throughout the last year - does this issue need to be added to the program? Nominal bitumen spray and aggregate spread rates are selected for seal/binder type chosen (this may include a prelim seal design). Asphalt projects will chose the appropriate asphalt type and include details about tie-in tapers at K&C, start and end locations.

Tender Documentation can be prepared based on the Reseal Proofing inspection seal information.

Process Overview :



Network Inspection

The **Network Inspection process** aims to identify the pavement and surfacing treatments required for various asset renewal programs. A road network in fair to good condition may actually be able to define treatments for a 10 year period. A poor condition network may only be able to achieve a 5 year outlook. Usually a road engineering team (overseer/foreman, senior engineer, engineer), with significant experience in pavements and surfacings, will inspect and record data that allows direct input into various asset-renewal programs. Typical inspection rates would average around 25-30km of inspection per day, depending on urban/rural split and traffic volumes. This could vary from a 3 minute drive over of a 500m residential street in good condition, with no treatment required in the next 10 years, to a 1-1.5 hour inspection of 35km road in varying condition with a range of treatments and repairs required. A 500km sealed road network could expect to take between 17 - 20 days of inspection. The inspection process often includes several passes (quick helicopter pass, slow detailed passes as required). This is a substantial effort and cost and is usually spread out over 2-4 months. This significant effort is also the reason why this process is usually only undertaken every 4-5 years.

The key steps include:

1. Verify the condition data and AM data;
2. Identify the likely cause of the condition (where possible) and identify the predominant issues;
3. Identify treatment options for resurfacing and pavement renewal, including any underlying repairs for resurfacing works
4. Record/confirm broad quantities of work required;
5. Confirm a suitable priority and year of works; and
6. Provide a planning level cost estimate.

The following pavement treatment selection logic is generally observed:

- A. If the Pavement Asset is in a STRUCTURALLY SOUND condition, utilise surface-based treatments to address the issues as appropriate;
- B. If the Pavement Asset is in a GENERALLY STRUCTURALLY SOUND condition, utilise a combination of repairs for non-endemic, minor or isolated structural pavement failures, followed by appropriate surface-based treatments;
- C. If the Pavement Asset is exhibiting:
 - (i) A large amount of structural failure and pre-failure distress; and/or
 - (ii) Long wavelength (usually high amplitude) roughness, otherwise known as the undulating 'rock and roll' roughness associated with highly reactive soil subgrades;
 A surface treatment may not be appropriate. Consider a structural solution or reconstitution of the existing pavement, where appropriate.
- D. If there are a number of uncertainties of either the cause of the current condition or the existing pavement structure, then the Pavement Asset is marked as 'To Be Investigated'. (For programming purposes a 'possible treatment' is applied for cost purposes); and
- E. For large lengths of roadway where pavement issues/defects are consistently present, consider a more extensive proactive program of structural treatment that will benefit road users over the next 20-30 years, these sections are identified as 'pavement rehabilitation' and require further investigation, discussion and consideration by the engineering management team.

The context of suitable pavement treatment options is often pragmatically influenced by the following:

- a. Road Network Hierarchy;
- b. AADT and HV%;
- c. The occurrence frequency and severity of pavement defects;
- d. Existing Pavement structure and age, and whether a future 20-year life is desired/required;
- e. Existing Pavement structure (especially for expansive subgrade soil material types) and whether early intervention can vastly affect the long-term life. For example, suitable surfacing and smoothing treatments may significantly pro-long pavement life; and
- f. Risk & Cost/m². A 'reasonable' cost treatment must be selected, rather than a maximum full rehabilitation 'top-shelf' solution be applied to all roads in all locations. This is the Engineering Decision Making and Risk component of the process and is important for Constrained Funding Programs. This is why a suitably experienced engineering team is required. A treatment selection matrix is available and should be consistently applied/consulted.

More Details : Network inspection planning tasks, road data printout examples, data recording sheets, & example data entry spreadsheets are provided at FNQROC BPG Website

1. Obtain the original Network Program Inspection data, that scoped the original project.
2. Note the inspection date (as more time passes, condition maybe worse).
3. Measure & record width changes vs chainage, & calculate a more accurate area for the project
4. Measure & record major repair issues as per defect type, repair type, chainage start/end, lateral details (Lane/WP/Width), re-calc qty for various repair treatments.
5. For reseals, note major changes in surface texture¹ that might effect seal spray rates; record :chainage start/end, Lateral/width details (Lane/WP/Shldr etc), existing agg size, surface texture description¹.
6. For reseals, note major areas that are untrafficked, consider the need for additional bitumen (extra spray run) (eg shoulders or central medians/ turning lanes). Ensure the additional spray runs are specified in the Schedule of Rates.
7. For Asphalt projects, confirm milling locations, areas and depths. Consider tie-ins at K&C (longitudinal), Start and End chainages (lateral/transverse).
8. Assess and confirm whether the Seal/Asphalt Type, aggregate size and binder proposed by the Network Inspection, still remains appropriate (*Ref: 3 & 4*)
9. For reseals confirm the spray rates(s) and spread rates required for various sections (prelim seal design)
10. For asphalt projects, confirm the underlying waterproofing SAMI seal required. (typical 10mm or 14mm 1.6 -1.8 L/m² S20E)
11. Assess costs across the entire program (total cost of all projects) and highlight any overall/total budget deficiencies. Agree with management on action to be taken.

Repairs (Prep Works) : Where required, arrange Repair Works with internal/external contractors as a program of repair works, for cost efficiency.

Tender Documentation :

Collate the information from the Proofing inspection for input into Project Works Schedule of Quantities calculations.
Ensure separate items are specifically provided for extra bitumen sprays runs, where required. This provides the Contractor with clear notice that and additional spray runs are required, where specified.

NOTE 1. Description of Seal Conditions	
1. Flushed - Free binder on surface completely covering aggregate	4. Matte - Good textured seal, binder 2/3 of ALD
2. Black - Binder near top of aggregate	5. Hungry - Binder 1/2 of ALD
3. Smooth - Worn aggregate, minimal texture depth	6. Very Hungry - Binder < 1/3 of ALD (not visible)

TEMPLATES : Refer to FNQROC Best Practice Guide WebSite for excel spreadsheet templates for use and amendment by Councils, as required.

Reseal Type & Binder Choice

Purpose : The purpose of this document is to provide LGAs with summary notes on good practice in choosing Reseal and Binder types. Please note that this document is not a seal design process.

Key References :	1 : AGPT04K-18 : Guide to Pavement Technology Part 4K : Selection and Design of Sprayed Seals	AGPT04K-18 Austroads
	2 : AP-T273-14 : Good Practice in Reseal Programming	AP-T273-14 Austroads
	3 : AGPT04F-17 : Guide to pavement Technology Part 4F : Bituminous Binders	AGPT04F-17 Austroads
	4. AGPT03-09 : Guide to Pavement Technology Part 3 : Pavement Surfacing	AGPT03-09 Austroads

Principles : The purpose of a bitumen reseal is to ensure that the thin bitumen surfacing, originally applied to the underlying pavement structure, continues to provide a waterproof membrane whilst maintaining good surface functionality such as skid resistance. The bitumen seal's ability to maintain a waterproof layer depends on it's ability to resist/accommodate pavement cracking. Ironically, bitumen itself hardens and cracks as it ages and is exposed to heat. Accordingly, a bitumen reseal is a proactive treatment which is applied to an existing bitumen seal (or asphalt, in some circumstances) to fill cracks, reinstate skid resistance and maintain bitumen seal integrity and durability. Thus maximising the life of the more expensive underlying pavement. It is desirable to reseal before the existing bitumen surface has hardened, becomes 'brittle' (less viscous) and exhibits binder cracking. Thus avoiding problems of major reflective cracking. If the bitumen sealed surface is not proactively maintained /resealed the probability of more expensive underlying pavement failures and repairs/rehabilitation increases. The bitumen reseal is a relatively low cost treatment, typically \$6-10/m² and upto \$13-16/m² (2025) in more remote areas with small areas <20,000m². The underlying pavement structure, which the seal is protecting, has a typical range of replacement cost between \$75-150+/m² . So, there is good economic reason to ensure regular resealing. That is, a reseal costs in the order of 6-10% of the underlying asset cost, but with a typical reseal life of 10 years, this equates to 0.6-1% of the underlying asset cost per year. Responsible asset management allows budgets for these reseal cycles.

The life of the bitumen is dependent on :


- (a) aggregate size and seal type single/single or double/double applications;
- (b) temperature zone (low, medium, high). FNQ is in the High zone; and
- (c) binder type and quality;

Pragmatically, the resealing life can also be dependant on :

- (i) the underlying pavement structure and material type, it's response to load and it's subsequent cracking and other defects;
- (ii) traffic wear and seal design, leading to conditions that adversely effect skid resistance.
- (iii) rainfall exposure risk (generally considered high to very high in FNQ).

For example, a pavement that is strong and performing well is likely to demand a reseal based on bitumen age and hardening, oxidation - heat exposure over time. Whereas a weak pavement, maybe consisting of marginal gravel materials, that is not performing well, is likely to demand a reseal prior to reaching the hardening/oxidation age, due to its cracking condition or other pavement defects such as rutting that could increase the cracking potential.

Process Overview : Choosing a Seal and Binder Type



Technical Details :

FNQ : Local Practice

Many LGAs in FNQ use C170 for sealing purposes and report fair to good performance. PMBs are utilised in challenging traffic, intersection, grade, tight curves - range crossings, or poor pavement condition. Whilst Austroads guides allow the use of C170 in High Temp zones, it does suggest C320 or M500 may be appropriate as they are stiffer binders at elevated temperatures with higher softening points, and therefore demonstrate less flushing / bleeding in hot weather. Industry consultation indicates that Multigrade Binders and stiffer grades of bitumen are only available ex-Brisbane and not stored in Townsville/Cairns.

Oxidation (Ref 3 : 3.4.2)

This is considered to be the predominant cause of hardening of bitumens in service. Like many organic substances, bitumen is slowly oxidised when in contact with atmospheric oxygen. The degree of oxidation is dependent on temperature, time and thickness of the binder film. Sunlight is also a factor, but because the bitumen is a good light absorber, the very rapid reaction to light is confined to about the top 5 µm of the exposed material which upon hardening forms a protective film against further light penetration.

Above 40 °C, the rate of oxidation roughly doubles for each 10 °C increase in temperature. At high pavement temperatures, the reaction rate is controlled by the reactivity of the bitumen and by the rate of diffusion of oxygen into the bitumen film. It is for this reason that surfacings are designed with as thick a binder film as can be practically achieved.

PMBs

4.3.2 Polymer Modified Binders (PMBs)

Ref 4: 4.3.2

Polymer modified binders (PMBs) are used in sprayed sealing work to achieve enhanced performance where there is a need to:

- improve shear resistance in high-stress (vertical and horizontal) applications
- minimise or delay reflection cracking
- reduce water penetration
- improve aggregate retention
- reduce temperature dependence
- reduce oxidation in high temperature regimes.

PMBs can be used in sprayed sealing applications for high stress seals (HSS), strain alleviating membranes (SAMs) and strain alleviating membrane interlayers (SAMIs).

A detailed guide to PMB classes and applications is provided in the *Guide to Pavement Technology – Part 4F: Bituminous Binders* (Austroads 2008c) and (Austroads 2006c). A summary of the guidelines for the use of PMBs in HSS, SAM and SAMI applications is provided in Table 4.1. This lists possible applications without necessarily identifying the optimum material for each case.

Table 4.1: Selection of PMB and multigrade bitumen

Application	Service condition				Binder class					
	Cracking		Traffic		S10E	S20E	S25E	S35E	S45R S15RF	S18RF
	Activity	Width severity	Site severity	Loading						
HSS	NA	NA	Severe	All		✓		✓	✓	
			Moderate	Heavy		✓		✓	✓	
				Medium		✓		✓	✓	
SAM	Slow	All	NA	All	✓			✓	✓	
	Rapid	High	NA	All		✓	✓			✓
		Low	NA	All		✓	✓		✓	
SAMI	All	All	NA	All			✓			✓

✓ indicates suitable binder class
Source: Austroads (2006c)

6.2 Specification and Class of PMBs

Ref 3

The Australian PMB specification is listed in AGPT/T190 *Specification Framework for Polymer Modified Binders*. The specification includes a number of classes of hot binders which are available commercially in Australia which are used in sprayed sealing and HMA applications. AGPT/T190, however, does not include all potential PMB types that may be suitable for these applications. PMBs used in other types of applications (e.g. microsurfacing and crack sealing) are also not included in this specification.

The PMB classification grading system included in AGPT/T190 uses a coding system to primarily indicate the application and polymer type of the PMB as follows:

- **S** for **Sealing** applications of PMBs, followed by a 2-digit code and a polymer type code
- **A** for **Asphalt** applications of PMBs, followed by a 2-digit code and a polymer type code.

Polymer type codes used for this coding system are:

- **E** for **Elastomeric** types (Section 6.2.1)
- **P** for **Plastomeric** types (Section 6.2.2)
- **R** for **crumb Rubber** materials (Section 6.2.3)
- **RF** for **crumb Rubber** binders that are 'Field-produced' (Section 6.2.3).



Table 6.1: History of naming conventions of Austroads PMB grades

	Early development (pre-1990)	Current AGPT/T190	6.2.1 Elastomers	Ref 3
Sealing grade	SBS ⁽⁵⁾ 3%	S10E	Elastomers provide flexibility and elasticity leading to improved resistance to cracking and permanent deformation. They are used in sprayed seals and asphalt to make the binder more flexible and resilient, as well as in crack sealing materials and some emulsion applications. The most common elastomeric polymers used in Australia include: • SBS (styrene-butadiene-styrene): SBS is the predominant polymer type used in modified binders. At high concentrations, it is particularly useful for crack control in strain alleviating membrane (SAM) and strain alleviating membrane interlayer (SAMI) applications and for improved resistance to permanent deformation and fatigue in asphalt. At lower concentrations, it is used for improved cohesion and durability in OGA, and for improved service life in sprayed seals. SBS polymers can also be incorporated into emulsions for sprayed sealing, microsurfacing and crack sealing applications. • PBD (polybutadiene): PBD modified binders generally have good adhesion characteristics and are used in sprayed sealing applications where cohesion and a moderate level of flexibility are required. These binders can also be used in thin surfacing asphalt applications. • Natural rubber: Natural rubber in a latex form can be used in modified emulsions for sealing and microsurfacing applications.	
	SBS 4%	S15E		
	SBS 5%	S20E		
	SBS 6%	S25E		
	SBS 7%	–		
	(PBD ⁽⁶⁾)	S35E		
	5 part crumb rubber	–		
	18 part crumb rubber	S45R/S15RF		
	20 part crumb rubber	–		
	25 part crumb rubber	S18RF		
Asphalt grade	–	–	6.2.3 Crumb Rubber Crumb rubber is obtained from the shredding, grinding or cryogenic processing of scrap rubber from vehicle tyres. The crumb rubber particle size and shape (morphology) arising from the method of manufacture are important parameters that affect the performance of the crumb rubber blend with bitumen. When blended with bitumen, the material behaves as a form of elastomer, but the resulting binder is a composite of discrete particles dispersed in a liquid, and therefore behaves sufficiently differently from other elastomers to warrant a separate category. When incorporated in sprayed seals and asphalt, the highly elastic rubber particles contribute significantly to the performance of the binder. For use in sprayed seals, crumb rubber binders are broadly divided into two groups: Factory-produced/plant-manufactured 'Factory-produced' or 'plant-manufactured' crumb rubber binders are bitumens modified with crumb rubber and generally with additives (e.g. combining oil). Production is generally remote from the application site. The Austroads PMB specification (AGPT/T190) provides one grade (i.e. S45R) for this type. This type is also known as 'crumb rubber modified binder' to distinguish it from the other type below.	
	SBS 6%	A10E		
	SBS 5%	A15E		
	SBS 4%	A20E		
	(PBD)	A25E		
	EMA ⁽⁷⁾	–		
	EVA ⁽⁸⁾	A35P		
	Crumb rubber	A27RF		

A description of each of the current PMB classes and their relevant applications in sprayed seals and asphalt is summarised in Table 6.2 and Table 6.3.

Table 6.2: Sprayed sealing classes of PMB

Class	Description
S10E	A PMB typically manufactured with an SBS polymer to achieve a low level of elastomeric modification. Used for strain alleviating membrane (SAM) applications where there is a slow rate of environmental crack activity or for improved aggregate retention in higher stress applications where the use of bitumen may result in loss of stones.
S15E	A PMB typically manufactured with an SBS polymer to achieve a medium level of elastomeric polymer modification with similar uses to S10E. S15E can additionally be used for SAM applications where there is a rapid rate of traffic induced crack activity where the crack widths are small. S15E will also perform better at sites with higher stresses.
S20E	A PMB typically manufactured with an SBS polymer to achieve a high level of elastomeric polymer modification. S20E can be used for SAM applications where there is a rapid rate of traffic induced crack activity for low and high cracking severity. S20E will also perform better at sites with higher stresses (e.g. when 'high stress seal 2' (HSS2) and 'extreme stress seal' (XSS) seals (Austroads 2013c) are constructed).
S25E	A PMB typically manufactured with an SBS polymer to achieve a very high level of elastomeric polymer modification used in strain alleviating membrane interlayer (SAMI) seals.
S35E	The properties of S35E were developed based on an alternative elastomeric PMB utilising a PBD polymer. The other elastomeric-class PMBs generally use an SBS polymer. The use of a PBD polymer modifier results in a somewhat different matrix of properties to SBS-based PMBs and hence this material is listed as a separate grade. S35E is used for SAM applications where there is a slow rate of environmental crack activity or for improved aggregate retention similar to S10E.
S45R	A PMB plant-manufactured with crumb rubber to achieve a medium level of elastomeric modification with similar uses to S15E and S20E on high stress applications. S45R is used for SAM applications where there is either a slow rate of environmental crack activity or a rapid rate of traffic induced crack activity with low crack severity.
S15RF	A field-blend of 15% crumb rubber (by weight of the total blend) for use in applications similar to S45R.
S18RF	A field-blend of 18% crumb rubber (by weight of the total blend) for use in SAMI seals and SAM applications where there is a rapid rate of traffic induced crack activity with high cracking severity.



Pavement Temperature - Input into the selection of Bitumen Grade for sprayed sealing and asphalts (Table 7.4 Part 4K; Table 4.3 AP-T235-13 - Guide to the Selection and Use of PMBs and Multigrade Bitumens)

Mareeba	Airport	17.07	< 24° S	145.43	35.2	59.2	> 58 o C	High
Site	Aero	16.87	< 24° S	145.75	33.6	57.6	> 58 o C	High
Ingham	Composite	18.65	< 24° S	146.18	(BoM) 5	59.5	> 58 o C	High
Croydon	Township	18.20	< 24° S	142.24	40.0	64.0	> 58 o C	High
Cooktown	Airport	15.45	< 24° S	145.19	34.8	58.8	> 58 o C	High

Table 4.7: Preliminary guide to seal selection

	Design traffic (v/l/d)	≤ 200			201–750			751–2000			2001–5000			> 5000				
	Equivalent heavy vehicles (%)	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	< 15	15–26	26–45	> 45	
Rural: roads, highways and freeways – no high stress areas	Temperature ^a – High	S/S		D/D	HSS1	S/S		D/D	HSS1	D/D		HSS1	HSS2	XSS		XSS ^a	XSS ^a	
	Medium	S/S		D/D	HSS1	S/S		D/D	HSS1	D/D		HSS1	HSS2	XSS		XSS	XSS	
	Low	S/S		S/S			S/S			D/D	HSS1	HSS2		XSS		XSS		
High stress locations	Small radius curves, roundabouts, driveways, turning lanes, intersections	D/D		HSS2		D/D		HSS2		XSS		NO SEAL SUITABLE ^a		XSS		XSS ^a	XSS ^a	
	Grades [#] > 5%	S/S		D/D		HSS1		HSS2		XSS		XSS		XSS		XSS ^a	XSS ^a	
Cracked pavements		- SAM – preferred SAM is an S/S (14 or 10 mm) but a D/D may be required where there are also high-stress conditions. Slow rate of movement cracking – environmental (S10E, S15E, S35E, S45R, S15RF). Rapid rate of movement – traffic induced (S15E, S20E, S45R, S15RF). - Minimum binder rate for SAM application is 1.5 L/m². - GRS – C170 with D/D is the preferred type of GRS (14/7 mm).																
S/S	Single/single with C170 or C240. C320 or M500 binder may be appropriate for hot climates.																	
D/D	Double/double with C170 or C240. C320 or M500 binder may be appropriate for hot climates.																	
HSS1	Single/single seal with PMB for moderately severe sites (S10E, S35E, S45R or S15RF) and severe sites (S15E, S20E, S45R or S15RF)																	
HSS2	Double/double seal with PMB in first or both applications for medium traffic loading (S10E, S35E, S45R or S15RF) and heavy traffic loading (S15E, S20E, S45R or S15RF)																	
XSS	Double/double seal with PMB in both applications (S20E, S45R or S15RF) for high-stress areas. Seal performance may be inadequate under these conditions and may require alternative treatments																	
	Generally dense graded asphalt size 10 or 14 mm, where an XSS sprayed seal cannot be expected to cope																	
* Temperature categories are determined as per Appendix D.																		
^a Seal performance may be inadequate under these conditions and may require alternative treatments.																		
[#] Considerably steeper grades or combinations of extreme events may lead to unsatisfactory performance and may require alternative treatments.																		

* Temperature categories are determined as per Appendix D.

[^] Seal performance may be inadequate under these conditions and may require alternative treatments.

Considerably steeper grades or combinations of extreme events may lead to unsatisfactory performance and may require alternative treatments.

Initial and Resurfacing Asphalt Selection

Purpose : The purpose of this document is to provide LGAs with summary notes on good practice in choosing Asphalt mix and binder type for initial and re-surfacing non-structural applications.

Key References :

1. AGPT03-09 :Guide to Pavement Technology Part 3 Pavement Surfacing	AGPT03-09 Austroads
2. AGPT04B-14 : Guide to Pavement Technology Part 4B Asphalts	AGPT04B-14 Austroads
3 : AGPT04F-17 : Guide to pavement Technology Part 4F : Bituminous Binders	AGPT04F-17 Austroads
4. AP-T235-13 : Guide to the Selection and use of PMBs and Multigrade Bitumen	AP-T235-13 Austroads
5. MRTS 30 : QTMR Technical Specification, Asphalt Pavements	Specifications (Department of Transport and Main Roads)

Principles : The purpose of an asphalt surfacing is to provide a higher quality surfacing than a bitumen seal that can successfully perform in higher traffic induced stress locations such as intersections, steep grades, tight curves, heavy vehicles, turning traffic, shear forces, braking, and can also be adopted in areas where noise and aesthetic issues are important.

Dense graded asphalt is the most used asphalt type by LGAs and will be the focus of this GPG.

Other asphalt types include:

(i) Fine Gap Graded - was developed to have good durability in locations such as residential streets and lightly trafficked roads. It is a variation on dense graded asphalt, but with some aggregate fractions reduced or omitted. Consists of a larger proportion of fine aggregate for improved workability and ease of compaction. When combined with relatively high binder content, exception durability can be achieved.(Ref 1 : 5.6)


(ii) Open Gap Graded asphalt has 18-25% air voids and is porous by design and used for rapid removal of water from the surfacing improving safety. (Ref 1 : 5.4)

(iii) Stone Mastic Asphalt has a large percentage of course aggregate with stone-on-stone contact and provides a mix with good deformation resistance. (Ref 1 : 5.5)


(iv) Recycled Asphalt Product (RAP) from previous removal can be incorporated into new asphalt projects at the Plant. (Ref 1 : 5.8; Ref 4 : 7.1.4)

(v) Warm Mix Asphalt : The use of 'warm mix asphalt' is associated with a reduction in the temperatures of manufacture, paving and compaction of asphalt mixes.

This lowering of temperature brings with it reductions in energy consumption, fume and odour emission, mix oxidation, and construction times where cooling of the asphalt layer prior to overlay or opening to traffic is a concern. (Ref 1 : 5.9)



Process Overview : Selecting an Asphalt and Binder Type



FNQ : Local Practice

In LGAs with major cities or towns, asphalt is often used as the surfacing for major arterial/collector roads with high traffic and/or heavy vehicles, with 50mm AC14 dense graded asphalt often specified. The surfacing is typically placed on an unbound granular (gravel) pavement and bitumen seal. With the exception of rural towns, which tend to use a bitumen seals in residential areas, Councils often specify that new residential subdivisions shall be Asphalt surfaced typical with 30-35mm AC10 dense graded. Where urban cul-de-sacs exist, these tend to be re-asphalted even though the adjacent street may receive a bitumen re-seal. Urban and rural roundabouts are typically surfaced with a suitable asphalt to resist shear forces and scrubbing wear. Urban streets and rural roads with a high proportion and high volumes of Heavy Vehicles are often surfaced with a suitable asphalt. On rural roads asphalt surfacing may be placed at Cane-Train Crossings, intersections, steep grades, tight curve areas such as mountain range crossings etc.

Binder choice for residential streets is usually the Standard C320 grade bitumen binder.

The choice of binder on major roads may vary depending on the degree of traffic loading / tight turning/ braking / steep grades / major HVs the site is expected to endure. In the event of an end-of-life asphalt overlay or remove/replacement of asphalt the existing condition needs to be considered. In these cases, often a PMB Binder is chosen. Typical Binders considered include A15E (5% SBS Polymer) & A20E (4% SBS Polymer).

Operating Conditions & Function of Asphalt:

Consider : 1. Traffic (light/moderate/heavy); 2. Traffic forces (shear, braking, turning, intersections); 3. Speed; 4. Skid Resistance; 5. Texture; 6. Noise; 7. Line Marking type and variety for; 8. Water Spray; 9. Appearance (Aesthetics); 10. Service Life.

Use the following Tables as a guide to your choice of Application, Aggregate Size, Layer Thickness and Binder type

Table 5.2: Selection of nominal size of dense graded asphalt mix

Ref 1 : Table 5.2

Nominal size (mm)	Typical layer thickness (mm) ¹	Typical use
5	15–20	Available in limited locations for use as very thin surfacing layer with fine surface texture
7	20–25	Commonly used for surfacing residential streets and pedestrian areas where thin layers and fine surface texture required
10	25–35	General purpose wearing course mix suitable for both light and moderate traffic applications
14	35–45	Wearing course mix for heavier traffic applications; also intermediate course to suit layer thickness
20	> 50	General purpose base and intermediate course mix for wide range of uses
28	>60	Less commonly used than 20 mm for base and intermediate course; control of segregation can sometimes be an issue
40	>100	Occasionally used as a heavy duty base; control of segregation can be a significant problem

Notes:

To ensure adequate compaction of asphalt mixes containing heavily modified polymer modified binders, a minimum thickness of 3.5 times the nominal size is generally recommended.

Source: Austroads (2006b)

Table 5.1: Traffic loading

Ref 4 : Table 5.1

Indicative traffic volume		Traffic category	
Commercial vehicles/lane/day	Structural design level (ESAs)*	Free-flowing vehicles	Stop/start or climbing lane or slow-moving
< 100	< 5 x 10 ⁵	Light	Medium
100–500	5 x 10 ⁵ –5 x 10 ⁶	Medium	Heavy
501–1000	5 x 10 ⁶ –2 x 10 ⁷	Heavy	Very heavy
> 1000	> 2 x 10 ⁷	Very heavy	Very heavy

Table 2.1: Typical mix sizes for various applications

Application	Typical mix size
Dense graded wearing course	
▪ lightly trafficked pavements	7 or 10 mm
▪ medium to heavily trafficked pavements	10 or 14 mm
▪ highway pavements	Generally 14 mm (also 10 mm)
▪ heavy duty industrial pavements	14 or 20 mm
Dense graded corrective course	5, 7, 10, 14 or 20 mm
Stone mastic asphalt wearing course	7, 10 or 14 mm
Open graded wearing course	10 or 14 mm
Open graded basecourse (drainage layers)	14, 20 or 28 mm
Fine gap graded asphalt	Generally 10 mm (also 7 mm)
Minor patching	10 mm (also 5, 7, 14 and 20 mm)
Major patching	All sizes as appropriate

Ref 2 : Table 2.1

Selection of Surfacing

Table 6: Guide to the selection of dense graded asphalt wearing course

Traffic Category ¹	Laboratory Compaction Level	Design Air Voids (%)	Binder (Class/Type)	Recommended use
Light	50 cycles	4.0	170	Residential streets and car parks. Foot traffic.
			320	Sometimes used for above in warmer climates.
Medium	80 cycles	4.0	170	Normal conditions and lower traffic ranges, particularly in cooler regions.
			320	Good general purpose mix for a wide range of applications.
Heavy	120 cycles	4.0	320	General purpose mix for heavily trafficked applications. Generally combined with use of polish-resistant aggregates.
			600, Multigrade or PMB	Higher performance mixes for greater traffic loadings. Stiffer binders require strong, stiff base.
Very heavy	120 and 350 cycles	5.0	320	Heavily trafficked intersections, slow moving traffic, requires coarse grading.
			600, Multigrade or PMB	Special applications such as very heavily trafficked intersections, heavy duty industrial pavements, and aircraft hard standing. Requires coarse grading.

Notes: 1. See Table 7

Ref : AAfPA Course 2013Q sec05 selection of surfacings v2010

8.3 Pavement Types

Ref 1 : 8.3

8.3.1 Suitability

The general suitability of the various pavement types with respect to road class and typical equivalent standard axles (ESAs) is shown in Table 8.2, where ✓✓ regions are the best-perceived application for the pavement type and the ✓ regions indicate adequate performance. ✗ regions indicate applications that are generally not recommended. In this general overview, there is no discernment based on environmental or other regional factors.

Table 8.2: Suitability of pavement types

Situation		Rural ^a					Urban ^a			
Road class	See	1	2	3	4	5	6	7	8	9
Design traffic (ESAs)		10 ⁶ – 10 ⁸	10 ⁵ – 10 ⁷	10 ⁵ – 10 ⁶	10 ⁴ – 10 ⁵	<10 ⁴	10 ⁷ – 10 ⁹	10 ⁵ – 10 ⁷	10 ⁴ – 10 ⁵	<10 ⁵
Pavement type	Granular/sprayed seal	✓ ^b	✓	✓✓	✓✓	✓✓	✗ ^c	✗ ^c	✗ ^c	✓
	Granular/thin asphalt	✓ ^b	✓ ^b	✓	✓	✓	✗ ^{c,e}	✓ ^{b,c}	✓✓	✓✓
	Granular/thick asphalt	✓	✓	✓	✗ ^d	✗ ^d	✗ ^{c,e}	✓	✓✓	✓✓
	Deep strength asphalt	✓✓	✓✓	✗ ^d	✗ ^d	✗ ^d	✓✓	✓✓	✓	✓
	Full depth asphalt	✓✓	✓✓	✗ ^d	✗ ^d	✗ ^d	✓✓	✓✓	✓	✓
	Concrete	✓✓	✓	✗ ^d	✗ ^d	✗ ^d	✓✓	✓✓	✓	✓
	Concrete segmental pavers	✗ ^d	✗ ^d	✗ ^d	✗ ^d	✓	✗ ^d	✗ ^d	✓	✓

✓✓ Most suitable ✓ Adequate performance ✗ Not recommended

Notes:

- Pavement types recommended are based on design for free-flowing traffic. For high stress conditions such as turning traffic, accelerating and braking traffic and on steep grades, other considerations may govern.
- This type of pavement can be used successfully in this road class but very good quality control of materials and construction processes, together with good maintenance, are required.
- Generally require high maintenance.
- Usually uneconomic when considered on whole-of-life cost basis.
- May be difficult to achieve satisfactory structural design.

Source: adapted from APPA (2002).

Table 8.1: Road classes

Ref 1 : 8.2

Road class ²	Description of function	Perceived importance	Project reliability ¹	Design ESAs range
Rural classes				
1	Principal links between major regions and capital cities	Very important	Very high	10 ⁶ –10 ⁸
2	Linking capitals and key towns, capitals and major regions	Important	High	10 ⁵ –10 ⁷
3	Linking important centres, Class 1 and 2 roads and rural arterials	Less important	Medium	10 ⁵ –10 ⁶
4	Provides access to abutting property.	Low importance	Low	10 ⁴ –10 ⁵
5	One type of activity and not Class 1, 2, 3 or 4	Not important	Very low	<10 ⁴
Urban classes				
6	Main link that performs massive traffic movements.	Very important	Very high	10 ⁷ –10 ⁹
7	Supplements Class 6 by distributing to local streets	Important	High	10 ⁵ –10 ⁷
8	Provide access to abutting property	Less important	Medium	10 ⁴ –10 ⁵
9	One type of activity and not Class 6, 7 or 8	Low importance	Low	< 10 ⁵

Notes:

- The desired project reliability is the chance that the pavement being considered will carry its design traffic before reaching a terminal level of serviceability, given that:
 - the pavement is designed in accordance with established procedures
 - the pavement is constructed and maintained in accordance with industry standard specifications
 - materials used meet the industry standard specification requirements
 - the desired project reliability is chosen by the designer.
- The classifications provided in the table are indicative only and do not necessarily relate to SRA Network Rankings. By rationally assessing the risks associated with any type of pavement type and road class, the level of project reliability can be varied to suit individual needs.

Source: AAPA (2002).

Binders & Layer thickness

Ref 5 : 1.1			
Guidance ¹ on the selection of binder grade for use in dense graded asphalt is provided in the table below.			
Application	Traffic Volume (Average Daily ESAs in the Design Lane in the Year of Opening)		Typical Binders
	Free Flowing	High Shear ²	
Surfacing layer	< 1000	< 300	C320
	< 3000	< 1000	M1000 ³
	All	All	A15E ⁴
Layer below surfacing	< 3000	< 1000	C320
	All	< 3000	C600, M1000
	All	All	A15E ⁴
Layers covered by at least two layers of asphalt	All	< 3000	C320
	All	All	C600, M1000, A15E ⁴

¹ This table has been developed to assist designers in selecting binders to optimise performance outcomes on projects. Mixes may be used outside these parameters and still provide acceptable long-term performance.

² High shear areas include signalised intersections and approaches, roundabouts and approaches, and other areas with very slow moving heavy vehicles. For bus stops, busways and bus-only lanes, specialist advice should be sought from the Principal Engineer (Asphalt and Surfacing).

³ M1000 typically has a shorter oxidation life than C320 and A15E binders. More frequent resurfacing should be anticipated where M1000 binder is used in surfacing layers.

⁴ A15E binder is typically used in situations where enhanced deformation and/or fatigue resistance is desired.

8.6 Course and layer thicknesses

Ref 5 : 8.6

A course of dense graded asphalt may be comprised of more than one layer. Where a course is comprised of more than one layer, and the layer thicknesses have not been specified, the Contractor shall nominate the thickness of each layer in the AQP.

8.6.1 Nominated layer thickness

The nominated thickness of a layer of asphalt must be within the limits specified in Table 8.6.1.

Table 8.6.1 – Nominated layer thickness limits

Asphalt Type	Nominal Size of Asphalt (Asphalt Designation)	Layer thickness (mm)	
		Minimum	Maximum
Dense graded asphalt	7 mm (AC7M and AC7H)	25	35
	10 mm (AC10M and AC10H)	35	50
	14 mm (AC14M and AC14H)	50	70
	20 mm (AC20M and AC20H)	60	100
Open graded asphalt	10 mm (OG10)	25	35
	14 mm (OG14)	35	45
Stone mastic asphalt	10 mm (SMA10)	35	40
	14 mm (SMA14)	50	60

Table 2.2: Typical asphalt layer thickness

Nominal mix size (mm)	Compacted layer thickness (mm)
5	15 to 20
7	20 to 30
10	25 to 40
14	35 to 55
20	50 to 80
28	70 to 110

Ref 2

Polymer Modified Binders

3.4.3 Polymer Modified Binder

Ref 2: 3.4.3

Polymer modified binders (PMBs) are generally used to enhance the properties of bituminous binders in order to improve performance on heavily trafficked pavement surfaces, areas of high shear stresses and in some cases, greater flexibility. Performance gains include increased elasticity, improved cohesion, and reduced temperature susceptibility thus improving flexibility, cohesion or resistance to deformation of asphalt mixes at high temperatures.

A wide range of polymer types can be successfully incorporated into bitumen. In practice, a relatively small range of synthetic polymers, as well as crumbed rubber, are used in bituminous materials in Australasia.

The grades and classes of modified binder are set out in the *Specification framework for polymer modified binders* (Austroads Test Method AGPT/T190) and guidelines are covered in Austroads (2008b) and Austroads (2013a).

Austroads 2014 | 23

6.2 Specification and Class of PMBs

Ref 3 : 6.2

The Australian PMB specification is listed in AGPT/T190 *Specification Framework for Polymer Modified Binders*. The specification includes a number of classes of hot binders which are available commercially in Australia which are used in sprayed sealing and HMA applications. AGPT/T190, however, does not include all potential PMB types that may be suitable for these applications. PMBs used in other types of applications (e.g. microsurfacing and crack sealing) are also not included in this specification.

The PMB classification grading system included in AGPT/T190 uses a coding system to primarily indicate the application and polymer type of the PMB as follows:

- **S** for **Sealing** applications of PMBs, followed by a 2-digit code and a polymer type code
- **A** for **Asphalt** applications of PMBs, followed by a 2-digit code and a polymer type code.

Polymer type codes used for this coding system are:

- **E** for **Elastomeric** types (Section 6.2.1)
- **P** for **Plastomeric** types (Section 6.2.2)
- **R** for **crumb Rubber** materials (Section 6.2.3)
- **RF** for **crumb Rubber** binders that are 'Field-produced' (Section 6.2.3).

Ref 3 : 6.2

Asphalt grade	SBS 6%	A10E
	SBS 5%	A15E
	SBS 4%	A20E
	(PBD)	A25E
	EMA ⁽⁷⁾	–
	EVA ⁽⁸⁾	A35P
	Crumb rubber	A27RF

Ref 3 : Table 6.1

Table 6.3: Asphalt classes of PMB		Ref 3 : Table 6.3
Class	Description	
A10E	A PMB typically manufactured with an SBS polymer to achieve a very high level of elastomeric polymer modification. A10E is mainly used for improving deformation resistance and the fatigue performance of dense-graded asphalt (DGA) for demanding applications. It is used in Southern Australia in open-graded asphalt (OGA) and stone mastic asphalt (SMA) in very heavy traffic loading environments.	
A15E	A PMB typically manufactured with an SBS polymer to achieve a high level of elastomeric polymer modification providing enhanced rutting and/or fatigue performance for DGA. It is sometimes used in SMA and OGA in heavy traffic loading environments.	
A20E	A PMB typically manufactured with an SBS polymer to achieve a medium level of elastomeric polymer modification with applications similar to A25E where a more viscous binder is required. A20E is also used for enhancing the rutting or fatigue performance of DGA in less demanding sites.	
A25E	A PMB typically manufactured with a PBD polymer to achieve a low level of elastomeric polymer modification. A25E can be used to provide improved temperature susceptibility and reduced binder drain-off in OGA and SMA applications and improved durability in OGA.	
A35P	A PMB typically manufactured with an EVA polymer to achieve a high level of plastomeric polymer modification. Applications include maximising rut resistance for very heavy duty locations and where high surface stresses occur such as heavy vehicle turning areas, race-track surfaces and container terminals.	
A27RF	Crumb rubber, 25–30% by weight of the total binder, is added to the mixing chamber of an asphalt plant using the 'dry process' (Section 6.2.3) to produce a rubber-modified asphalt. This produces an asphalt with very high fatigue resistance for specialised applications such as over jointed concrete pavements.	

6.2.1 Elastomers

Ref 3 : 6.2.1

Elastomers provide flexibility and elasticity leading to improved resistance to cracking and permanent deformation. They are used in sprayed seals and asphalt to make the binder more flexible and resilient, as well as in crack sealing materials and some emulsion applications.

The most common elastomeric polymers used in Australia include:

- **SBS (styrene-butadiene-styrene):** SBS is the predominant polymer type used in modified binders. At high concentrations, it is particularly useful for crack control in strain alleviating membrane (SAM) and strain alleviating membrane interlayer (SAMI) applications and for improved resistance to permanent deformation and fatigue in asphalt. At lower concentrations, it is used for improved cohesion and durability in OGA, and for improved service life in sprayed seals. SBS polymers can also be incorporated into emulsions for sprayed sealing, microsurfacing and crack sealing applications.
- **PBD (polybutadiene):** PBD modified binders generally have good adhesion characteristics and are used in sprayed sealing applications where cohesion and a moderate level of flexibility are required. These binders can also be used in thin surfacing asphalt applications.
- **Natural rubber:** Natural rubber in a latex form can be used in modified emulsions for sealing and microsurfacing applications.

6.2.3 Crumb Rubber

Ref 3 : 6.2.3

Crumb rubber is obtained from the shredding, grinding or cryogenic processing of scrap rubber from vehicle tyres. The crumb rubber particle size and shape (morphology) arising from the method of manufacture are important parameters that affect the performance of the crumb rubber blend with bitumen. When blended with bitumen, the material behaves as a form of elastomer, but the resulting binder is a composite of discrete particles dispersed in a liquid, and therefore behaves sufficiently differently from other elastomers to warrant a separate category. When incorporated in sprayed seals and asphalt, the highly elastic rubber particles contribute significantly to the performance of the binder.

For use in sprayed seals, crumb rubber binders are broadly divided into two groups:

Factory-produced/plant-manufactured

'Factory-produced' or 'plant-manufactured' crumb rubber binders are bitumens modified with crumb rubber and generally with additives (e.g. combining oil). Production is generally remote from the application site. The Austroads PMB specification (AGPT/T190) provides one grade (i.e. S45R) for this type. This type is also known as 'crumb rubber modified binder' to distinguish it from the other type below.

Table 5.1: Guide to the selection of asphalt PMBs and multigrade bitumens

Ref 1 : Table 5.1

Application	Service condition		Binder class							
	Traffic	Temperature	M500/ 170	M1000/ 320	A27RF ¹	A35P	A25E	A20E	A15E	A10E
Rutting resistance	Very heavy	All		✓		✓				✓
	Heavy	High or medium	✓	✓		✓			✓	✓
Fatigue resistance (marginal pavement)	Very heavy to heavy	All			✓				✓	✓
Rutting and fatigue (marginal pavement)	Very heavy to heavy	All							✓	✓
	Medium							✓	✓	✓
Rutting and fatigue (adequate pavement)	Very heavy to heavy	High or medium		✓				✓	✓	✓
		Low	✓	✓	✓			✓	✓	✓
Open graded asphalt	Very heavy to heavy	High				✓			✓	✓
		Medium or low				✓	✓	✓	✓	
	< Heavy	All				✓	✓	✓	✓	
Stone mastic asphalt	Heavy	All		✓			✓	✓	✓	✓

Notes:

✓ indicates suitable binder class

Crumb rubber modified asphalt (dry mix to A27RF Class) has provided excellent performance over cracked pavements in road trials along with good rutting resistance.

Source: Austroads (2006c)

Asphalt Replacement and/or Asphalt Overlay -Underlying Seal (SAMI)

2.4.2 Treatment Types

Ref 2 : 2.4.2

Rehabilitation may involve the provision of structural overlay to improve the strength of the pavement or a non-structural overlay where the primary purpose is to provide a new wearing surface without significantly changing the strength of the pavement.

Overlay treatments can be combined with a strain alleviating membrane interlayer (SAMI) to waterproof the pavement or reduce reflective cracking prior to placing the overlay.

4.3.2 Polymer Modified Binders (PMBs)

Ref 2 :

Polymer modified binders (PMBs) are used in sprayed sealing work to achieve enhanced performance where there is a need to:

- improve shear resistance in high-stress (vertical and horizontal) applications
- minimise or delay reflection cracking
- reduce water penetration

Austrroads 2009 | page 30

Guide to Pavement Technology Part 3: Pavement Surfacing

- improve aggregate retention
- reduce temperature dependence
- reduce oxidation in high temperature regimes.

PMBs can be used in sprayed sealing applications for high stress seals (HSS), strain alleviating membranes (SAMs) and strain alleviating membrane interlayers (SAMIs).

A detailed guide to PMB classes and applications is provided in the *Guide to Pavement Technology – Part 4F: Bituminous Binders* (Austrroads 2008c) and (Austrroads 2006c). A summary of the guidelines for the use of PMBs in HSS, SAM and SAMI applications is provided in Table 4.1. This lists possible applications without necessarily identifying the optimum material for each case.

Table 4.1: Selection of PMB and multigrade bitumen

Application	Service condition				Binder class					
	Cracking		Traffic		S10E	S20E	S25E	S35E	S45R S15RF	S18RF
	Activity	Width severity	Site severity	Loading						
HSS	NA	NA	Severe	All		✓		✓	✓	
			Moderate	Heavy		✓		✓	✓	
				Medium		✓		✓	✓	
SAM	Slow	All	NA	All	✓			✓	✓	
	Rapid	High	NA	All		✓	✓			✓
		Low	NA	All		✓	✓		✓	
SAMI	All	All	NA	All			✓			✓

✓ indicates suitable binder class

Source: Austrroads (2006c)

Whole of Life Costing & Environmental Outcomes for Bitumen Seals – Technical Information & Good Practice Guide

Executive Summary

Thirty-year Whole-of-Life Cost (WoL) analysis suggests that moving to a Crumbed Rubber or Polymer Modified Binder (PMB) bitumen for reseals not only provides longer life and improved crack resistance, it can cost the same or less than an equivalent C170 seal regime (currently used). The lower cost over 30 years is due to the additional life provided by the higher quality seals (refer Attachment E).

A full explanation of Whole-of-Life costing and associated assumptions is provided in this document. It should be noted that C170 bitumen is the most common used in FNQ reseal history and forms the basis of all comparisons.

The **CO2 footprint** for **crumbed rubber** is **25-27% lower** than C170 bitumen, when calculated on a 30-year-WoL cost basis. If a bio-binder is introduced the CO2 footprint for a bio-crumbed-rubber is lowered further to 60% of C170 bitumen. The CO2 footprint for a **PMB** is **19-23% higher** than C170 bitumen, when calculated over a 30-year-WoL cost basis. When a bio-binder is introduced the CO2 footprint of a **bio-PMB** is **6-10% higher** than C170 bitumen.

In broad terms, when compared to C170 bitumen (currently used), **the introduction of Crumbed Rubber bitumen lowers long term costs and decreases the CO2 footprint**. The use of crumbed rubber, which is produced by the recycling of vehicle tyres, **can save around 680,000 (27,000 T) truck tyres from Landfill over 30 years**. Crumbed rubber also provides the added advantages of better resistance to cracking which in turn maximises waterproofing of the underlying gravel pavement, and will assist in minimising future pavement maintenance costs. Some bitumen spraying contractors are reticent to spray crumbed rubber and this is discussed further in Section1. Polymer Modified Bitumen long term costs are also cheaper than C170 bitumen, however the CO2 footprint increases between 6% - 23% depending on whether bio-binders are utilised.

It should be noted that the purchase price of Crumbed Rubber bitumen costs 5% more than C170 bitumen and PMB costs 9% more than C170 bitumen. These additional costs require a corresponding increase in initial cash flow but in the long-term will provide cheaper 30-year WoL cost due to the additional life they can provide. Both products provide better resistance to cracking and maintain a higher standard of waterproofing and aggregate retention. Waterproofing is obviously very important as FNQ experiences some of the highest rainfall in Australia.

In FNQ, many councils are already deficient in the funding applied to the reseal program because they are not achieving reasonable network coverage rates. This further magnifies the funding challenge. Good Practice Guide 02, Reseals and Asphalt Strategy and it's Key References are helpful here.

Both crumbed rubber and PMB bitumen products can be modified with a bio-binder (< 10% bitumen volume replacement) to reduce the CO2 footprint. However, these bio-binders currently come at an increased price, see cost summary below in Tables 1 and 2.

If moderate crack resistance is required then **crumbed rubber** (Cr Rub) can be implemented, with the added advantage of saving 100,000's of truck tyres from Landfill over 30 years. When compared to C170 bitumen (currently used), it can be shown that the 30-year WoL cost for S15R Crumbed Rubber is 7-9% cheaper and has a nett reduction in CO2 emissions of 25-27%, on average. Likewise, the introduction of a bio-binder, such as

Puma's CarbonBind, demonstrates a 4-7% 30-yr WoL cost reduction and a massive 60% CO2 emissions reduction. An initial increase in cashflow between 5-8.5% is required to fund the higher quality crumbed rubber bitumen binder for the first cycle of reseals (10 – 14 years). The 2025 values have remained in the table below for comparison purposes. They are displayed in 'struck-out' fashion and reveal the cost and CO2 sensitivities when compared to 2026 outputs. Refer to the last paragraph of the Executive Summary for further explanation.

Table 1. 10mm Reseal, C170 vs Crumbed Rubber. Reseal Cost & 30-Year-WoL Cost

Year	C170 Cost (\$/T)	10mm Total Reseal Cost ¹ (\$/m2) per Bitumen Type			30-yr WoL Cost ² (\$/m2) / CO2 ⁴ (kg/m2) per Bitumen Type			Number of Truck Tyres Saved from Landfill over 30 yrs (FNQ Network)
		C170	S15R Cr Rub	S15R Carbon-Bind Cr Rub	C170	S15R Cr Rub	S15R Carbon-Bind Cr Rub	
2025	1,580	5.64	5.99	6.23	30.33 / 3.38	28.93 / 3.57	29.70 / 2.36	
2026	2,085	7.40	7.78 (+5%)	8.03 (+8.5%)	30.29 / 4.23	27.74 / 3.12	28.62 / 1.68	681,146 (27,246 T)
		Average % Change ³ from C170 -ve = decrease = improvement +ve = increase = poorer outcome				-9% / -27%	-7% / -61%	

Note 1 : Average Total Reseal Cost across geographic centres used. Total Reseal Costs in the Cooktown area, are 7-8% higher on average than the cost values shown.

Note 2 : The 30-yr WoL cost varies for each geographical centre based on Pavement Temperature which affects bitumen life. The values shown in the Table above are the lowest calculated. Costs for all Centres are provided in Attachment C.

Note 3 : The Average change is calculated across all geographical centres.

Note 4 : CO2 values have been taken from industry advice provided by Puma Bitumen and their Lifecycle Analysis. It also reflects international standards and those values adopted by the AfPA (Australian Flexible Pavement Association).

If high crack resistance is required, then **PMBs** are the only choice.

When compared to C170 bitumen (currently used), it can be shown that the 30-year WoL cost for a S15E PMB is 9-12% cheaper but has a nett increase in CO2 emissions of 19-23%, on average. The introduction of a bio-binder, such as Puma's CarbonBind, demonstrates an 9-12% 30-yr WoL cost reduction and an increase CO2 emissions of 6-10%, when compared to C170. An initial increase in cashflow around 9% is required to fund the higher quality PMB bitumen binder for the first cycle of reseals (10 – 14 years). The 2025 values have remained in the table below for comparison purposes. They are displayed in 'struck-out' fashion and reveal the cost and CO2 sensitivities when compared to 2026 outputs. Refer to the last paragraph of the Executive Summary for further explanation.

Table 2. 10mm Reseal, C170 vs PMB. Reseal Cost & 30-Year-WoL Cost

Year	C170 Cost (\$/T)	10mm Total Reseal Cost ¹ (\$/m2) per Bitumen Type			30-yr WoL Cost ² (\$/m2) / CO2 ⁴ (kg/m2) per Bitumen Type		
		C170	S15E PMB	S15E Carbon- Bind PMB	C170	S15E PMB	S15E Carbon- Bind PMB
2025	1,580	5.61	6.29	6.29	30.33 / 3.38	28.77 / 4.35	28.77 / 3.86
2026	2,085	7.40	8.09 (+9%)	8.09 (+9%)	30.29 / 4.23	27.19 ⁵ / 5.09	27.19 ⁵ / 4.56
			Average % Change ³ from C170				
			-ve = decrease = improvement				
			+ve = increase = poorer outcome				
						-12% / +19 %	-12% / +6%

Note 1 : Average Total Reseal Cost across geographic centres used. Total Reseal Costs in the Cooktown area, are 7-8% higher on average than cost values shown.

Note 2 : The 30-yr WoL cost varies for each geographical centre based on Pavement Temperature which affects bitumen life. The values shown in the Table above are the lowest calculated. Costs for all Centres are provided in Attachment C.

Note 3 : The Average change is calculated across all geographical centres.

Note 4 : CO2 values have been taken from industry advice provided by Puma Bitumen and their Lifecycle Analysis. It also reflects international standards and those values adopted by the AfPA (Australian Flexible Pavement Association).

Note 5 : S15E and S15E Carbon Bind (Bio Binder) are listed as the same price. This appears to be a temporary commercial decision to encourage the use of bio-binders. It is unsure if this equal pricing is sustainable.

During the devolvement of this document between September 2025 and May 2026, the CO2 attributed to the standard bitumen grade C170 increased and the CO2 attributed to crumbed rubber decreased to better allow for the latex carbon negative components. The bitumen price increased due to world oil volatility (March-April 2026). These elements have been taken into account by the analysis and the results reported. In summary, whilst costs have increased the relativity of the 30-year WoL cost analysis has remained the same. CO2 values have significantly changed. The analysis spreadsheets developed for FNQROC, have been established to allow easy entry of any modified input data, which in turn allows study of any future updated values.

This Good Practice Guide provides technical information addressing:

1. The Bitumen Industry in FNQ
2. Detailed Whole-of-Life Analysis : Technical Assumptions, Details and Explanation
 - 2.1. Whole-of-Life Analysis – What is it?
 - 2.2. Technical Industry Information for use in Whole-of-Life Cost and CO2 Analysis
 - 2.3. WoL Analysis FNQROC – Inputs and Outputs – Brief Overview
3. Conclusions
4. Indicative Road Network Reseal Funding required

1. The Bitumen Industry in FNQ

At the time of writing this document the bitumen industry in North Queensland / Far North Queensland operates with three functioning elements which include : Bitumen Suppliers (Base bitumen storage), Bitumen blenders/retailers, Bitumen Spraying Contractors and Asphalt manufacturers/laying Contractors.

(Base) Bitumen Suppliers (Townsville)	Bitumen Retailers (Blends of Bitumen) (Townsville)	Bitumen Spraying Contractors (Cairns)
Viva	Ixom (previously Bituminous Products)	RPQ/Downer
		PNQ (Heidelberg)
Puma	Puma	Boral
	Fulton Hogan	FGF
		Koppens

The majority of bitumen products can be provided from Townsville including Standard Cutback Bitumen (AMC00, etc), C170, C320, Crumbed Rubber blends, PMB blends, some Bio-blends (increasing array due by late 2026). There is some storage capacity in Cairns.

However, emulsions, multigrades M500, M1000, grade C600 and some bio-blends of bitumen require transportation from Brisbane.

Crumbed rubber has been gaining an increasing market share over the past decade with Carroll Engineering, located in Townsville, providing crumbed rubber to the bitumen industry. Carrol Engineering uses truck and major industry plant tyres (not car tyres), mainly from North Queensland, to process the tread (the walls have too much steel) into crumbed rubber. Crumbed rubber processing does leave small traces of steel (from tyres) in the product and this presents a challenge by causing increased wear to bitumen pumps in all parts of the storage, mixing and spraying process.

This is one reason why some spraying contractors are reticent to implement crumbed rubber in FNQ. Some spraying contractors would likely not make the move to crumbed rubber unless there is a sufficient quantity and long term commitment. Industry information indicates that the slight increase in operational costs to cover additional pump wear, possible extra tanks, more controlled heating and mixing, and cleaning practices, is not significant over the long term and is recouped by the sale price.

Another challenge is the mixing, storage and transport within a well controlled temperature range. If crumbed rubber is over-heated for certain periods of time, product degradation occurs rapidly. Also, constant and good mixing process is required to avoid segregation of the crumbed rubber from bitumen. In general, simple and easily implemented controls can be put in place to ensure the crumbed rubber product meets specification compliance.

Carroll Engineering also has a crumbed rubber plant in SEQ which provides a backup crumbed rubber resource to their Townsville plant, if required. Tyre Cycle is another major crumbed rubber supplier in SEQ.

2. Detailed Whole-of-Life Analysis : Technical Assumptions, Details and Explanation

This section of the report address :

- (i) Whole-of-Life Analysis – What is it?
- (ii) Technical Industry Information for use in Whole-of-Life Cost and CO2 Analysis
- (iii) WoL Analysis FNQROC – Inputs and Outputs

2.1 Whole-of-Life Cost Analysis – What is it ?

Whole-of-Life Cost Analysis, also referred to as Life Cycle Analysis, is the economic calculation of engineering treatments over a long term asset ownership period, typically 30 years or more, to identify the lowest life cycle cost solution.

A typical asset related example is the use of a more expensive product with increased durability (life) compared to a cheaper product with less durability (life). Assuming the products can be re-applied at the end of their life, both can be compared over a long asset ownership timeframe (several re-application cycles), with analysis indicating the most cost effective solution for the asset owner.

AGPT04K-18, Guide to Pavement Technology Part-4K Selection -Design Sprayed Seals, defines Whole-of-Life Costing in section 2.2.3, as follows:

2.2.3 Whole-of-life Costing

Whole-of-life costing recognises all user costs and road construction and maintenance costs that are expected in the long term and is used to evaluate alternative treatments that have different construction and maintenance cash-flow streams.

Cost elements should include construction and future maintenance and rehabilitation, as well as user costs. User costs can include increased vehicle operating costs due to deteriorated pavement roughness and delay expected during maintenance and rehabilitation activities.

Part 4K also states:

The life of sprayed seals is influenced by climate including such effects as seasonal temperature variation, moisture change in pavement materials and binder oxidation at high temperatures. These factors will influence both the type of treatment and frequency of retreatment. Rainfall may also influence the choice of treatment to achieve particular texture levels without compromising waterproofing.

In a comparison of different seal and binder types the ‘user costs’ side of the economic equation would be considered identical for various bitumen seal options. **Therefore, this analysis has a focus on the ‘product cost’ side of the equation and ignores ‘user costs’.** This is useful and reasonable, as Council’s are mainly interested in the affordability of various options over time, and do not generally consider ‘user costs’ as a major decision trigger.

Typically, when economists undertake whole of life analysis they apply cost inflation for future cost escalation and then apply discounting rates to express these future costs in today’s monetary value.

This WoL affordability analysis simplifies the approach by applying 2026 monetary value for all treatments and expresses all values in 2026 \$. This provides a simplistic view for the comparison of affordability purposes only. If future budgets (usually 3-5 years) are to be derived from this information, each future year should individually have cost escalation applied (typically 3%/yr average).

The key parameter in the WoL analysis is Bitumen Seal Life. Bitumen Seal Life is dependant on the following factors:

- (i) Seal type : S/S or D/D
- (ii) Aggregate size (mm) : 7, 10, 14, 14/7, 14/10, 20/10
- (iii) Binder Types : C170, Crumbed Rubber (S15R) & PMB (S15E ≈ 4% SBS Polymer, Medium level of elastic polymer modification) and two CO2 improved environmental outcomes.
- (iv) The bitumen hardening Life (Y) for C170 has been calculated based on:

The resulting seal life model, Y (years), is defined as follows:

$$Y = \left[\frac{0.158 \times TMIN - 0.107 \times R + 0.84}{0.0498 \times T - 0.0216 \times D - 0.000381 \times S^2} \right]^2$$

where

- Y = seal life (years)
- T = (TMAX + TMIN)/2
- TMIN = yearly mean of the daily minimum air temperature (°C)
- TMAX = yearly mean of the daily maximum air temperature (°C)
- D = the ARRB Durability Test result (days, usually taken as 8 to 10)
- S = nominal size of seal (nominal stone size, mm)
- R = risk factor with a scale from 1 (very low risk) to 10 (very high risk).

Ref : *Austrroads, AP-T160-10, Asphalt and Seal Life Prediction Model Based on Hardening (Arrb, Mr John Oliver)*

It is considered that the Crumbed rubber (S15R) and PMB (S15E ≈ 4% SBS) options chosen are good representations/surrogates of the suite of crumbed rubber and PMBs generally used on road networks, with seal life and costs not varying significantly for other types.

2.2 Technical Industry Information for use in Whole-of-Life Cost and CO2 Analysis

There are many technical components and inputs into the WoL analysis. This section outlines the references and values used in the analysis.

- The **bitumen binder supply-to-site cost** averages 54% (51%-60%) of the total SS reseal cost (\$/m2) and is dependent on location and size (area, m2) of the project. Transport to site is included in these FNQROC figures. Based on FNQROC 2024/25 reseals.
- The estimated **Supply of Binder (C170) ex Storage** averages 41% of the total SS reseal cost (\$/m2). Cook Shire Council experienced 30-33% in 2024/25 due to small quantities, large transport distances and DD seal types.
- The **bitumen binder supply cost ex-storage (Townsville)** varies for Binder Types. Based on C170 prices, the percentage increases are expressed as follows:
 - **C170** = 1.0 (2025 : ≈ \$1,580/tonne, at 962 Litres/Tonne, ≈ \$1.64/Litre)
(2026 : ≈ \$2,085/tonne, at 962 Litres/Tonne, ≈ \$2.17/Litre)
 - **S15R** (Crumbed Rubber) = x 1.15
 - **S15E** (PMB ≈ 4% SBS) = x 1.30

- Puma's **CarbonBind S15R** (Enviro Crumbed Rubber) = x 1.25
- Puma's **CarbonBind S15E** (Enviro PMB) = x 1.30

Sustainability and product data referenced are based on information provided by Puma Bitumen at the time of the project and reflect typical Queensland operations. Figures are indicative only and may change as production processes or data sources are updated.

- Advice from NTRO indicates the **Durability of C170 bitumen in Queensland** is generally considered to be 8 days (Durability test method) and has been used in the calculation of bitumen life in FNQ for various locations with specific BoM temperature data.

This is based on verbal discussion with bitumen experts from the National Transport Research Organisation (NTRO) in 2025.

- **Bitumen Seal life research work in Australia** has not been consistently well funded since the 1970's, despite millions of litres used per annum. A lack of scientific and engineering data exists for the life of various binders. Accordingly, the best industry average advice (NTRO) is as follows:

- The Bitumen Life attributed to Crumbed Rubber is C170 Life + 2 Years
- The Bitumen Life attributed to PMBs is C170 Life + 3 Years

These lives have been utilised in the WoL cost and CO2 analysis.

This is based on verbal discussion with bitumen experts from the National Transport Research Organisation (NTRO) in 2025.

- Whilst there are varying road asset standards and condition for pavement and surfacing around FNQROC, the general consensus, with the exception of Cairns Regional Council which have indicated a low risk environment, is:
 - Pavement materials are often non-standard materials (local gravels, marginal materials)
 - Pavement thickness does not always match design standards, especially thin old pavements
 - Seal life has not always been managed well and old seals exist, with cracking evident
 - Many roads are exposed to Semi Trailer and B-Double heavy vehicles, concentrated season HV movements, with some western areas accommodating Type 1 & 2 Road Trains.
 - FNQ has a high rainfall risk
 - **Due consideration of the above risks arrives at a Risk Factor of 8 for use in the Bitumen Life Hardening Model, with the results generally meeting industry expectations on bitumen life as shown in the Tables attached.**
- Puma's **CarbonBind Products** effectively remove $\leq 10\%$ of bitumen and replace with a Plant-Based Oil Product to achieve the improved environmental outcomes whilst maintaining bituminous product performance.

(Ref : Puma Bitumen, Email Technical advice, 2025; 2026)

- **Table 2.1** Bitumen binder Type vs CO2 Global Warming Potential (GWP)

	Global Warming Potential (GWP) (kg of CO ₂ /Tonne of Binder)					
	C170	CarbonBind C170	S15R**	CarbonBind S15R**	S15E	CarbonBind S15E
2025 ; first analysis	425	235	471	246	664	565
Feb 2026 ; new values	710	516	539	290	949	850

** 2026 values now Include negative carbon offsets for Latex Rubber in crumbed rubber, and hence its lower than C170 (standard bitumen) value.

(Ref : Puma Bitumen, Email Technical advice, 2025; 2026)

Note : Carbon Bind C170 has not been used in the WoL cost analysis and is shown here for CO₂ comparison.

- Industry has calculated a broad/general rule that: 2/3 of the CO₂ emissions for a reseal is due to the binder type, with the other 1/3 of CO₂ emissions relating to transport to site, other materials and construction. The transport, other materials and construction components would have similar CO₂ emissions regardless of type of binder sprayed, and accordingly have been excluded from comparison environmental calculations in this report.

(Ref : Puma Bitumen, Email Technical advice, 2025)

Preparation of data for WoL analysis includes the following calculations :

1. **Binder Life** using the Arrb (John Oliver) Bitumen Hardening Model for Cairns, Cooktown, Croydon, Ingham & Mareeba. Refer to Attachment E for Binder Life Summary.
The industry standard bitumen binder life calculated by this method is often mistakenly considered by Councils as too conservative. When investigated with Councils, it is evident that there is no technical data to corroborate their position, with Councils working to a Cost-Constrained model which is often driven by available funds and not technical outcomes.
2. **Sprayed Seal designs** for C170 7, 10, 14, 10/7, 14/7, 20/10 seal types (baseline) for medium AADT 300 (15%). Spray rates for crumbed rubber and PMBs are applied from the C170 value.
3. **Industry average market value of C170 ex Townsville**, used as the base supply cost.
4. **A typical Industry percentage increase is applied to baseline C170** (1.0) in order to calculate the cost (\$/m²) for binders S15R (x1.15), CarbonBindS15R (x1.25), S15E (x1.3) & CarbonBindS15E (x 1.3).
5. **Total Reseal cost (\$/m²)** calculations for all seal types with all binder types, extrapolated from calculated Binder Supply costs & FNQROC 2024/25 reseal data.
6. **CO₂ calculations for all seal types and binders, adjusted to kg/m², based on sprayed L/m².**
7. **Apply costs and CO₂ for a 30 year period** to calculate the whole-of-Life cost for two chosen seal regimes:
 - i. 10mm SS reseal regime
 - ii. 14/7mm DD reseal regime

The Whole-of-Life calculation is considered a Broad Analysis Technique, in order to provide an indication on the effect on costs, budgets and environmental outcomes. There are a range of averages and assumptions in the data, but they are relative and useful for broad analysis. This includes the technical assumption that 10mm SS or 14/7 DD reseals can be applied on an old 10 or 14/7 seals at the end of its bitumen hardening life. The base assumption for life cycle costing is that a reseal is required at Year zero (0) and then repeated at the bitumen life intervals until it reaches 30 years. Additional seal regimes using a variety of different Initial Seals, therefore affecting the first reseal intervention period, were undertaken. In all cases, whilst the absolute value of the WoL cost varies, the

general patterns remained the same. This would effectively result in slightly different percentage cost reductions and CO2 reduction/increases, as relevant. **Care should be exercised in attempting to use the broad data analysis at a more site specific level. Detailed site specific data would require site specific calculations and values to be run through a suitable model.**

The major parameter in WoL costing is the life of the bitumen which drives the number of treatments over 30 years.

The costs used is an average based on 2024/25 Reseal program. It is a reasonable average unit rate, however it won't always reflect every geographic centre 100% accurately. The cost is reflective of bitumen spray rates for a road with an AADT 300 (15%).

2.3 WoL Analysis FNQROC – Inputs and Outputs - Brief Overview

Inputs. Two reseal life regimes were chosen to calculate and demonstrate the WoL Costs and CO2 outcomes. The regimes chosen were C170 10mm SS reseal and C170 14/7 DD reseal. Cost and CO2 were calculated for all Binders in each Council location (Cairns shown below), as every location has the potential for differing seal life. Please refer to the Spreadsheet FNQROC_WoLC_EnviroCO2_Reseals_April2026.xlsx , for details on all WoL Scenarios considered in the analysis. Attachment C provides a summary.

In the demonstrated example below, it indicates that the 30-Year-WoL cost of a C170 14/7mm DD seal regime is more expensive than a C170 10mm SS seal regime each. It should also be noted that the analysis excludes the Initial Seal Treatments, with the WoL analysis comparing the outcome if a reseal is triggered today at 'Year 0'. This provides a structured analytical process to assess life time cycle costs and a range of scenarios can be reviewed.

Table 2.2 Example of C170 Bitumen Reseal Life Cycle for 2 Reseal Regimes - Croydon

Simple Network Average Whole-of-Life Costing - Bitumen Seal Network										
Location/Council : Croydon						Location/Council : Croydon				
Reseal Regime 1 - 10mm SS (C170, S15R, CBindS15R, S15E, CBindS15E)						Reseal Regime 2 - 14/7 DD (C170, S15R, CBindS15R, S15E, CBindS15E)				
	Scenario 1 (C170 10mm SS Reseals)	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 6 (C170 DD 14/7 Reseals)	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2
Treatment 1	Prime AMC00					Prime AMC00				
Treatment 1A	14mm C170 SS Seal					20/10mm C170 DD Seal				
Treatment 2	(First early application) C170 10mm reseal SS reseal	8.0	0.0	7.40	1.03	C170 14/7 DD Reseal	9.2	0	12.16	1.70
Treatment 3	C170 10mm reseal SS reseal	8.0	8.0	7.40	1.03	C170 14/7 DD Reseal	9.2	9.2	12.16	1.70
Treatment 4	C170 10mm reseal SS reseal	8.0	16.0	7.40	1.03	C170 14/7 DD Reseal	9.2	18.4	12.16	1.70
Treatment 5	C170 10mm reseal SS reseal	8.0	24.0	7.40	1.03	C170 14/7 DD Reseal	9.2	27.6	12.16	1.70
Treatment 6	C170 10mm reseal SS reseal	8.0	32.0	7.40	1.03	C170 14/7 DD Reseal	9.2	36.8	12.16	1.70
	April 2026 C170 Bitumen cost = \$2,085/Tonne		AT 30 Years	35.15	4.91	April 2026 C170 Bitumen cost = \$2,085/Tonne		AT 30 Years	51.81	7.23
Carbon Price (2025)	\$70/tonne of CO2	70	\$/m2 of CO2	0.34	\$70/tonne of CO2	\$70/tonne of CO2		\$/m2 of CO2	0.51	
			CO2 % Cost	1.0%				CO2 % Cost	1.0%	

Note. April 2026 Industry average market value of C170 ex Townsville is used in conjunction with FNQROC's 2024/25 Reseal prices to calculate the Reseal Cost.

Outputs. A comparison of the 30-Year Whole-of-Life Cost and CO2 emissions for the two seal regimes is provided in the charts below. The data used in the calculations is summarised and attached for reference.

It indicates that on a whole-of-life-cost (30yrs) basis :

- (i) SS PMB Seals average \$3.76/m² (12%) less than SS C170 seals
- (ii) DD PMB Seals average \$4.24/m² (9%) less than DD C170 seals
- (iii) SS Crumbed Rubber Seals average \$3.05/m² (9%) less cost than SS C170
- (iv) DD Crumbed Rubber Seal average \$3.52/m² (7%) less cost than DD C170 Seals
- (v) Unsurprisingly PMBs have the highest CO2 emissions being 19-23% greater than C170.
However, PMBs also provide the best life and best protection against cracking.
- (vi) Crumbed Rubber CO2 emissions average 25-27% lower than C170
- (vii) The CarbonBind S15R Crumbed Rubber has the lowest CO2 emissions and averages 60% less than C170.
- (viii) The use of crumbed rubber, which is produced by the recycling of vehicle tyres, could save approximately 680,000 (27,246 T) truck tyres from Landfill over 30 years, if implemented across FNQROC.
- (ix) Other Seal regimes can be modelled, if FNQROC Councils require. The excel spreadsheets provided as part of this project allow Council Engineers to explore further.

Figure 2.1 Graphical Presentation of 30-yr WoL Costs & CO2 for two reseal regimes




Table 2.3 WoL Cost & CO2 Difference when compared to C170 bitumen

Location	Life Reseal Regime	S15R - Cr.Rub				CBind-S15R-Cr.Rub				S15E-PMB				Cbind-S15E-PMB			
		WoLS15R Cr Rub to C170 cost diff		WoL CO2 S15R to C170 diff		WoL CBind S15R Cr Rub to C170 cost diff		WoL CO2 CBind S15R to C170 diff		WoL S15E to C170 cost diff		WoL CO2 S15E to C170 diff		WoL CBind S15E to C170 cost diff		WoL CO2 CBind S15E to C170 diff	
		Average 10 SS		-3.05	-9%	-1.20	-27%	-2.14	-7%	-2.70	-61%	-3.76	-12%	0.82	19%	-3.76	-12%
Cairns	10 SS	-2.55	-8%	-1.11	-26%	-1.67	-6%	-2.55	-60%	-3.10	-10%	0.86	20%	-3.10	-10%	0.33	8%
Cooktown	10 SS	-2.40	-8%	-1.02	-25%	-1.56	-5%	-2.40	-60%	-2.93	-9%	0.89	22%	-2.93	-9%	0.37	9%
Croydon	10 SS	-4.02	-11%	-1.41	-29%	-3.03	-9%	-3.02	-62%	-5.01	-14%	0.73	15%	-5.01	-14%	0.14	3%
Ingham	10 SS	-2.98	-9%	-1.20	-27%	-2.06	-6%	-2.70	-61%	-3.66	-12%	0.82	19%	-3.66	-12%	0.28	6%
Mareeba	10 SS	-3.31	-10%	-1.27	-28%	-2.37	-7%	-2.80	-61%	-4.10	-12%	0.80	17%	-4.10	-12%	0.23	5%
Cairns	14/7 DD	-2.73	-6%	-1.51	-24%	-1.42	-3%	-3.66	-59%	-3.19	-7%	1.50	24%	-3.19	-7%	0.70	11%
Cooktown	14/7 DD	-3.34	-6%	-1.41	-24%	-2.08	-4%	-3.49	-59%	-4.07	-8%	1.52	26%	-4.07	-8%	0.74	13%
Croydon	14/7 DD	-4.76	-9%	-1.94	-27%	-3.27	-6%	-4.39	-61%	-5.85	-11%	1.36	19%	-5.85	-11%	0.47	6%
Ingham	14/7 DD	-3.25	-7%	-1.62	-25%	-1.89	-4%	-3.85	-60%	-3.87	-8%	1.47	23%	-3.87	-8%	0.64	10%
Mareeba	14/7 DD	-3.50	-7%	-1.68	-25%	-2.12	-4%	-3.95	-60%	-4.20	-9%	1.46	22%	-4.20	-9%	0.62	9%
Average 14/7 DD		-3.52	-7%	-1.63	-25%	-2.16	-4%	-3.87	-60%	-4.24	-9%	1.46	23%	-4.24	-9%	0.63	10%

Note. A negative value indicates a decrease in cost or CO2 emissions when compared to C170 bitumen, providing an improved outcome.

Correspondingly, a positive value indicates an increase in cost or CO2 emissions when compared to C170 bitumen, providing a poorer outcome.

3. Conclusions

Whole-of-Life Cost (WoL) analysis over 30 years suggests that moving to a Crumbed Rubber or Polymer Modified Binder (PMB), not only provides longer life and improved crack resistance, it can cost the same or less than an equivalent C170 seal regime (currently used). The same or lower cost over 30 years is due to the additional life provided by the higher quality seals.

The CO2 footprint for crumbed rubber is 25-28% lower than C170 bitumen, when calculated on a 30-year-WoL cost basis. If a bio-binder is introduced the CO2 footprint for a bio-crumbed rubber is lowered further to 60% of C170 bitumen. The CO2 footprint for a PMB is 19-23% higher than C170 bitumen, when calculated over a 30-year-WoL cost basis. When a bio-binder is introduced the CO2 footprint of a bio-PMB is 6-10% higher than C170 bitumen.

In broad terms, when compared to C170 bitumen (currently used), **the introduction of Crumbed Rubber bitumen lowers long term costs and decreases the CO2 footprint.** The use of crumbed rubber, which is produced by the recycling of vehicle tyres, **can save between around 680,000 (27,246 T) truck tyres from Landfill over 30 years.** Crumbed rubber also provides the added advantages of better resistance to cracking which in turn maximises waterproofing of the underlying gravel pavement, and will assist in minimising future pavement maintenance costs. Polymer Modified Bitumen long term costs are also cheaper than C170 bitumen, however the CO2 footprint increases between 5% - 14% depending on whether bio-binders are utilised.

It should be noted that the purchase price of Crumbed Rubber bitumen costs 5% more than C170 bitumen and PMB costs 9% more than C170 bitumen. These additional costs require a corresponding increase in initial cash flows but provide cheaper WoL cost over a 30 year period due to the additional life they can provide. Both products provide better resistance to cracking and maintain a higher standard of waterproofing and aggregate retention. Waterproofing is obviously very important as FNQ experiences some of the highest rainfall in Australia.

The higher quality seal selected can either be a Crumbed Rubber binder or Polymer Modified binder (PMB). In addition, both the crumbed rubber and PMB products can be modified with a bio-binder (< 10% bitumen volume replacement) to reduce the CO2 footprint. However, the bio-binders come at an increased price, see cost summary below.

If moderate crack resistance is required then **crumbed rubber** (Cr Rub) can be implemented, with the added advantage of saving 100,000's of truck tyres from Landfill over 30 years. When compared to C170 bitumen (currently used), it can be shown that the 30-year WoL cost for S15R Crumbed Rubber is 7-11% cheaper and has a nett reduction in CO2 emissions of 25-27%, on average. Likewise, the introduction of a bio-binder, such as Puma's CarbonBind, demonstrates a 4-7% 30-yr WoL cost reduction and a massive 60% CO2 emissions reduction. An initial increase in cashflow between 5 - 8.5% is required to fund the higher quality crumbed rubber bitumen binder for the first cycle of reseals (10 – 14 years). The 2025 values have remained in the table below for comparison purposes. They are displayed in 'struck-out' fashion and reveal the cost and CO2 sensitivities when compared to 2026 outputs.

Table 3.1 10mm Reseal, C170 vs Crumbed Rubber. Reseal Cost & 30-Year-WoL Cost

Year	C170 Cost (\$/T)	10mm Total Reseal Cost ¹ (\$/m2) per Bitumen Type			30-yr WoL Cost ² (\$/m2) / CO2 ⁴ (kg/m2) per Bitumen Type			Number of Truck Tyres Saved from Landfill over 30 yrs (FNQ Network)
		C170	S15R Cr Rub	S15R Carbon-Bind Cr Rub	C170	S15R Cr Rub	S15R Carbon-Bind Cr Rub	
2025	1,580	5.64	5.99	6.23	30.33 / 3.38	28.93 / 3.57	29.70 / 2.36	
2026	2,085	7.40	7.78 (+5%)	8.03 (+8.5%)	30.29 / 4.23	27.74 / 3.12	28.62 / 1.68	680,000 (27,246 T)
Average % Change ³ from C170					-9% / -27%		-7% / -61%	
-ve = decrease = improvement								
+ve = increase = poorer outcome								

Note 1 : Average Total Reseal Cost across geographic centres used. Total Reseal Costs in the Cooktown area, are 7-8% higher on average than the cost values shown.

Note 2 : The 30-yr WoL cost varies for each geographical centre based on Pavement Temperature which affects bitumen life. The values shown in the Table above are the lowest calculated. Costs for all Centres are provided in Attachment C.

Note 3 : The Average change is calculated across all geographical centres.

Note 4 : CO2 values have been taken from industry advice provided by Puma Bitumen and their Lifecycle Analysis. It also reflects international standards and those values adopted by the AfPA (Australian Flexible Pavement Association).

If high crack resistance is required, then **PMBs** are the only choice.

When compared to C170 bitumen (currently used), it can be shown that the 30-year WoL cost for a S15E PMB is 9-12% cheaper but has a nett increase in CO2 emissions of 19-23%, on average. The introduction of a bio-binder, such as Puma's CarbonBind, demonstrates an 9-12% 30-yr WoL cost reduction and an increase CO2 emissions of 6-10%, when compared to C170. An initial increase in cashflow around 9% is required to fund the higher quality PMB bitumen binder for the first cycle of reseals (10 – 14 years). The 2025 values have remained in the table below for comparison purposes. They are displayed in 'struck-out' fashion and reveal the cost and CO2 sensitivities when compared to 2026 outputs.

Table 3.2. 10mm Reseal, C170 vs PMB. Reseal Cost & 30-Year-WoL Cost

Year	C170 Cost (\$/T)	10mm Total Reseal Cost ¹ (\$/m2) per Bitumen Type			30-yr WoL Cost ² (\$/m2) / CO2 ⁴ (kg/m2) per Bitumen Type		
		C170	S15E PMB	S15E Carbon- Bind PMB	C170	S15E PMB	S15E Carbon- Bind PMB
2025	1,580	5.61	6.29	6.29	30.33 / 3.38	28.77 / 4.35	28.77 / 3.86
2026	2,085	7.40	8.09 (+9%)	8.09 (+9%)	30.29 / 4.23	27.19 ⁵ / 5.09	27.19 ⁵ / 4.56
		Average % Change ³ from C170 -ve = decrease = improvement +ve = increase = poorer outcome				-12% / +19 %	-12% / +6%

Note 1 : Average Total Reseal Cost across geographic centres used. Total Reseal Costs in the Cooktown area, are 7-8% higher on average than cost values shown.

Note 2 : The 30-yr WoL cost varies for each geographical centre based on Pavement Temperature which affects bitumen life. The values shown in the Table above are the lowest calculated. Costs for all Centres are provided in Attachment C.

Note 3 : The Average change is calculated across all geographical centres.

Note 4 : CO2 values have been taken from industry advice provided by Puma Bitumen and their Lifecycle Analysis. It also reflects international standards and those values adopted by the AfPA (Australian Flexible Pavement Association).

Note 5 : S15E and S15E Carbon Bind (Bio Binder) are listed as the same price. This appears to be a temporary commercial decision to encourage the use of bio-binders. It is unsure if this equal pricing is sustainable.

4. Indicative Road Network Reseal Funding Required

Applying the WoL outcomes to each Council network reveals the cost outcomes displayed in the Table below. If all FNQROC councils moved to Crumbed Rubber bitumen for reseals, the following outcomes would be realised:

- Total Road Network : Length = 3,590km with an area of 23.3 Million m².
- \$675 Million over 30 years (in 2025 \$) to complete reseals to industry minimum standard.
(This represents a 9% cost saving over C170 bitumen, currently used.
- \$22.5 Million per annum is required to service this regime of resealing. A saving of \$2.3 Million per year when compared to C170 Bitumen, currently used.
- 27,954 Tonnes of CO2 would be saved over 30 years. (C170 103,365 less S15R 75,411).
This could be stated as an approximate saving of 1,000 tonnes of CO2 per year.
(Crumbed Rubber reseals have an annual CO2 impact of 2,500 tonnes, compared to 3,500 tonnes for C17) bitumen on 30 yr WoL basis)
- 681,146 (27,246 T) Truck Tyres would be saved from Landfill over 30 years.
This could also be expressed as approximately 1,000 T of Truck Tyres per annum.

It should be noted, that if the costs above are not funded, then the CO2 and Tyre Outcomes would be lower.

Table 4.1 Indicative Road Network Reseal Funding

Council	Bitumen Life based on BoM Location	Seal Area	Seal Length	10mm Reseal Scenario						
				C170 Bitumen			Crumbed Rubber S15R Bitumen			
		(m2, Million)	km	\$ Mill /30 Yrs (2025 \$)	S Mill / Year (2025 \$)	CO2/ 30 Yrs (Tonne)	\$ Mill /30 Yrs (2025 \$)	S Mill / Year (2025 \$)	CO2/30 Yrs (Tonne)	Number of Tyres Used / 30 Years
Cairns	Cairns	5.735	780	174	5.8	24,259	159	5.3	17,893	161,524
Cassowary	Ingham	4.222	667	134	4.5	18,746	122	4.1	13,679	123,587
Cook	Cooktown	2.345	335	73	2.4	9,402	67	2.2	7,010	63,437
Croydon	Croydon	1.620	210	57	1.9	7,954	50	1.7	5,670	51,266
Douglas	Cairns	1.023	146	31	1.0	4,329	28	0.9	3,193	28,824
Etheridge	Croydon	0.875	125	31	1.0	4,296	27	0.9	3,063	27,690
Mareeba	Mareeba	3.224	582	106	3.5	14,830	95	3.2	10,736	96,924
Tablelands	Mareeba	4.006	709	132	4.4	18,428	119	4.0	13,340	120,434
Yarrabah	Cairns	0.265	36	8	0.3	1,121	7	0.2	827	7,462
Total		23.315	3,590	745	24.8	103,365	675	22.5	75,411	681,146

ATTACHMENT A – Pavement Temperature Zone – Binder Type and Seal Life

Pavement Temperature - Input into the selection of Bitumen Grade for sprayed sealing and asphalts (Table 7.4 Part 4K; Table 4.3 AP-T235-13 - Guide to the Selection and Use of PMBs and Multigrade Bitumens)								
Site		Latitude °S	Latitude Category	Longitude °E	Highest T90 (BoM)	Tmax	Temp Category	
Mareeba	Airport	17.07	< 24 °S	145.43	35.2	59.2	> 58 o C	High
Cairns	Aero	16.87	< 24 °S	145.75	33.6	57.6	> 58 o C	High
Ingham	Composite	18.65	< 24 °S	146.18	35.5	59.5	> 58 o C	High
Croydon	Township	18.20	< 24 °S	142.24	40.0	64.0	> 58 o C	High
Cooktown	Airport	15.45	< 24 °S	145.19	34.8	58.8	> 58 o C	High

ATTACHMENT B – FNQROC 2024/25 Reseal Cost Summary

FNQROC Reseals 24/25							1580	962
							\$/T C170	L/T C170
LGA	Geographic	Binder Type	Area (m2)	Avg Spray Rate (L/m2)	Aggregate Size	Total Price \$/m2 (incl Mob; ex Line Marking)	Binder Ex-Storage (\$/m2)	% Binder Supply (ex Storage)/Total Price
CCRC	Urban	C170	31,772	1.57	14SS; 10 SS	6.38	2.58	40%
CCRC	Rural	C170	130,740	1.69	14SS; 10 SS	6.84	2.78	41%
CCRC	mobilisation				Avg	6.61		
CSC	Lakeland	C170	10,500	2.80	14/10 DD	15.64	4.60	29%
CSC	Rossville	C170	19,800	2.80	14/10 DD	15.17	4.60	30%
CSC	Cooktown	C170	39,700	2.80	14/10 DD	13.93	4.60	33%
CSC	Laura	C170	1,500	2.80	14/10 DD	27.18	4.60	17%
CSC	mobilisation							
DSC	Urban	S35E	9,786	1.49	10SS; 7SS	6.28	2.44	39%
DSC	Rural	S35E	87,041	1.80	10	7.06	2.96	42%
DSC	mobilisation				Avg	6.67		
MSC	Urban	C170	28,982	1.50	10	5.93	2.46	42%
MSC	Rural	C170	60,169	1.70	14; 10; 7	6.73	2.79	41%
MSC	mobilisation				Avg	6.33		
TRC	Northern	C170	176,591	1.89	14SS; 10 SS	7.50	3.10	41%
TRC	Southern	C170	96,788	1.78	14SS; 10 SS	7.46	2.93	39%
TRC	mobilisation				Avg	7.48		

Note 1. The % Binder to Total Cost ratio averages 41% for a SS reseal. Cooktown has DD reseal ratio of 33%, when excluding small quantum reseals. A derived Cooktown SS ratio has been calculated at 38%. These values has been used to derive the varying unit cost rates in the WoL cost analysis.

It should be noted that due to insufficient data, it is currently assumed that as the bitumen supply price increases (April 2026, increased to \$2,085/T from \$1,580/T) the ratio remains the same.

The standardisation of this ratio means that for the same reseal parameters (AADT, HV%, spray rate) the base average unit rate in the WoL costing analysis across all geographic areas is the same, except for Cooktown. The graphs below show that Binder cost is the same and Total Reseal Cost (Average) is the same for all locations, except for Cooktown. Not that it is the binder life (refer Attachment E), which varies for each location, that changes the 30-yr WoL cost.



ATTACHMENT C : WoL Cost Analysis – Location, Binder Type, Seal Life, Spray Rate, Cost and CO2 values.

April 2026 - Increased Bitumen Price																		Apr-26 2085 \$/T Factors maintain 2025 differen						C170 – 1.039 kg/l		962	L/Tonne			710	539	290	949	850
April 2026 - Industry Updated kg of CO2/ T of Bitumen values												Binder Factors (4K) Tables 6.3 & 6.4						1	1.11	1.19	1.23	1.23	S15R – 1.055 kg/l		948	L/Tonne	Cooktown	kgCO2/Tonne of mixture sprayed						
						2 2 3 3						S/S	1.1	1.1	1.1	1.1	\$/Tonne	% increases from C170					S15E - 1.035 kg/l		966	L/Tonne	small qts	962	948	948	966	966		
						Binder Life (Years) (Hardening Model C170 + Industry Averages PMB/CrRub)						D/D	1.1	1.1	1.1	1.1	962	948	948	965	965	C170 Baseline from FNQROC 2025		Cookt SS 38%	L/Tonne									
																		L/tonne						41%	Majority	Cookt DD 33%								
		Arrb's Bitumen Hardening Model			Seal Type &Aggregate		Binder Type					Typical Spray Rate (l/m2) AADT 300 (15%)					Binder Cost (\$/m2) - Ex Storage					Estimated Total Reseal Cost (\$/m2)					Global Warming Potential (GWP) (kg of CO2) per m2							
Location	Tmax (A'Rds Seal design)	Tmin (yrly)	Tmax (Yrly)	T	Type	Agg	C170	S15R	CarbonBind S15R	S15E	CarbonBind S15E	C170	S15R	CarbonBi nd S15R	S15E	CarbonBi nd S15E	C170	S15R	CarbonB ind S15R	S15E	CarbonB ind S15E	C170	S15R	CarbonBin d S15R	S15E	CarbonBin d S15E	C170	S15R	CarbonBi nd S15R	S15E	CarbonBi nd S15E			
Cairns	58	20.7	29.7	25.2	S/S	7	9.4	11.4	11.4	12.4	12.4	0.90	1.0	1.0	1.0	1.0	1.95	2.20	2.36	2.39	2.39	4.76	5.00	5.16	5.20	5.20	0.66	0.56	0.30	0.97	0.87			
Cairns	58	20.7	29.7	25.2	S/S	10	9.7	11.7	11.7	12.7	12.7	1.40	1.5	1.5	1.5	1.5	3.03	3.42	3.66	3.72	3.72	7.40	7.78	8.03	8.09	8.09	1.03	0.88	0.47	1.51	1.36			
Cairns	58	20.7	29.7	25.2	S/S	14	10.4	12.4	12.4	13.4	13.4	1.90	2.1	2.1	2.1	2.1	4.12	4.64	4.97	5.05	5.05	10.04	10.56	10.90	10.98	10.98	1.40	1.19	0.64	2.05	1.84			
Cairns	58	20.7	29.7	25.2	D/D	10/7	10.3	12.3	12.3	13.3	13.3	1.80	2.0	2.0	2.0	2.0	3.90	4.39	4.71	4.78	4.78	9.52	10.01	10.33	10.40	10.40	1.33	1.13	0.61	1.95	1.74			
Cairns	58	20.7	29.7	25.2	D/D	14/7	11.4	13.4	13.4	14.4	14.4	2.30	2.5	2.5	2.5	2.5	4.98	5.61	6.02	6.11	6.11	12.16	12.79	13.19	13.29	13.29	1.70	1.44	0.77	2.49	2.23			
Cairns	58	20.7	29.7	25.2	D/D	20/10	14.9	16.9	16.9	17.9	17.9	3.20	3.5	3.5	3.5	3.5	6.94	7.81	8.38	8.50	8.50	16.92	17.79	18.36	18.48	18.48	2.36	2.00	1.08	3.46	3.10			
Cooktown	58.8	22.1	29.7	25.9	S/S	7	10.0	12.0	12.0	13.0	13.0	0.90	1.0	1.0	1.0	1.0	1.95	2.20	2.36	2.39	2.39	5.13	5.38	5.54	5.57	5.57	0.66	0.56	0.30	0.97	0.87			
Cooktown	58.8	22.1	29.7	25.9	S/S	10	10.4	12.4	12.4	13.4	13.4	1.40	1.5	1.5	1.5	1.5	3.03	3.42	3.66	3.72	3.72	7.99	8.37	8.61	8.67	8.67	1.03	0.88	0.47	1.51	1.36			
Cooktown	58.8	22.1	29.7	25.9	S/S	14	11.1	13.1	13.1	14.1	14.1	1.90	2.1	2.1	2.1	2.1	4.12	4.64	4.97	5.05	5.05	10.84	11.36	11.69	11.77	11.77	1.40	1.19	0.64	2.05	1.84			
Cooktown	58.8	22.1	29.7	25.9	D/D	10/7	11.0	13.0	13.0	14.0	14.0	1.80	2.0	2.0	2.0	2.0	3.90	4.39	4.71	4.78	4.78	11.82	12.32	12.63	12.70	12.70	1.33	1.13	0.61	1.95	1.74			
Cooktown	58.8	22.1	29.7	25.9	D/D	14/7	12.1	14.1	14.1	15.1	15.1	2.30	2.5	2.5	2.5	2.5	4.98	5.61	6.02	6.11	6.11	15.11	15.74	16.14	16.23	16.23	1.70	1.44	0.77	2.49	2.23			
Cooktown	58.8	22.1	29.7	25.9	D/D	20/10	15.6	17.6	17.6	18.6	18.6	3.20	3.5	3.5	3.5	3.5	6.94	7.81	8.38	8.50	8.50	21.02	21.89	22.46	22.59	22.59	2.36	2.00	1.08	3.46	3.10			
Croydon	64	20.5	33.8	27.15	S/S	7	7.7	9.7	9.7	10.7	10.7	0.90	1.0	1.0	1.0	1.0	1.95	2.20	2.36	2.39	2.39	4.76	5.00	5.16	5.20	5.20	0.66	0.56	0.30	0.97	0.87			
Croydon	64	20.5	33.8	27.15	S/S	10	8.0	10.0	10.0	11.0	11.0	1.40	1.5	1.5	1.5	1.5	3.03	3.42	3.66	3.72	3.72	7.40	7.78	8.03	8.09	8.09	1.03	0.88	0.47	1.51	1.36			
Croydon	64	20.5	33.8	27.15	S/S	14	8.5	10.5	10.5	11.5	11.5	1.90	2.1	2.1	2.1	2.1	4.12	4.64	4.97	5.05	5.05	10.04	10.56	10.90	10.98	10.98	1.40	1.19	0.64	2.05	1.84			
Croydon	64	20.5	33.8	27.15	D/D	10/7	8.4	10.4	10.4	11.4	11.4	1.80	2.0	2.0	2.0	2.0	3.90	4.39	4.71	4.78	4.78	9.52	10.01	10.33	10.40	10.40	1.33	1.13	0.61	1.95	1.74			
Croydon	64	20.5	33.8	27.15	D/D	14/7	9.2	11.2	11.2	12.2	12.2	2.30	2.5	2.5	2.5	2.5	4.98	5.61	6.02	6.11	6.11	12.16	12.79	13.19	13.29	13.29	1.70	1.44	0.77	2.49	2.23			
Croydon	64	20.5	33.8	27.15	D/D	20/10	11.7	13.7	13.7	14.7	14.7	3.20	3.5	3.5	3.5	3.5	6.94	7.81	8.38	8.50	8.50	16.92	17.79	18.36	18.48	18.48	2.36	2.00	1.08	3.46	3.10			
Ingham	59.5	18.9	29.2	24.05	S/S	7	8.7	10.7	10.7	11.7	11.7	0.90	1.0	1.0	1.0	1.0	1.95	2.20	2.36	2.39	2.39	4.76	5.00	5.16	5.20	5.20	0.66	0.56	0.30	0.97	0.87			
Ingham	59.5	18.9	29.2	24.05	S/S	10	9.1	11.1	11.1	12.1	12.1	1.40	1.5	1.5	1.5	1.5	3.03	3.42	3.66	3.72	3.72	7.40	7.78	8.03	8.09	8.09	1.03	0.88	0.47	1.51	1.36			
Ingham	59.5	18.9	29.2	24.05	S/S	14	9.8	11.8	11.8	12.8	12.8	1.90	2.1	2.1	2.1	2.1	4.12	4.64	4.97	5.05	5.05	10.04	10.56	10.90	10.98	10.98	1.40	1.19	0.64	2.05	1.84			
Ingham	59.5	18.9	29.2	24.05	D/D	10/7	9.7	11.7	11.7	12.7	12.7	1.80	2.0	2.0	2.0	2.0	3.90	4.39	4.71	4.78	4.78	9.52	10.01	10.33	10.40	10.40	1.33	1.13	0.61	1.95	1.74			
Ingham	59.5	18.9	29.2	24.05	D/D	14/7	10.7	12.7	12.7	13.7	13.7	2.30	2.5	2.5	2.5	2.5	4.98	5.61	6.02	6.11	6.11	12.16	12.79	13.19	13.29	13.29	1.70	1.44	0.77	2.49	2.23			
Ingham	59.5	18.9	29.2	24.05	D/D	20/10	14.3	16.3	16.3	17.3	17.3	3.20	3.5	3.5	3.5	3.5	6.94	7.81	8.38	8.50	8.50	16.92	17.79	18.36	18.48	18.48	2.36	2.00	1.08	3.46	3.10			
Mareeba	59.2	18.1	29	23.55	S/S	7	8.4	10.4	10.4	11.4	11.4	0.90	1.0	1.0	1.0	1.0	1.95	2.20	2.36	2.39	2.39	4.76	5.00	5.16	5.20	5.20	0.66	0.56	0.30	0.97	0.87			
Mareeba	59.2	18.1	29	23.55	S/S	10	8.7	10.7	10.7	11.7	11.7	1.40	1.5	1.5	1.5	1.5	3.03	3.42	3.66	3.72	3.72	7.40	7.78	8.03	8.09	8.09	1.03	0.88	0.47	1.51	1.36			
Mareeba	59.2	18.1	29	23.55	S/S	14	9.4	11.4	11.4	12.4	12.4	1.90	2.1	2.1	2.1	2.1	4.12	4.64	4.97	5.05	5.05	10.04	10.56	10.90	10.98	10.98	1.40	1.19	0.64	2.05	1.84			
Mareeba	59.2	18.1	29	23.55	D/D	10/7	9.3	11.3	11.3	12.3	12.3	1.80	2.0	2.0	2.0	2.0	3.90	4.39	4.71	4.78	4.78	9.52	10.01	10.33	10.40	10.40	1.33	1.13	0.61	1.95	1.74			
Mareeba	59.2	18.1	29	23.55	D/D	14/7	10.4	12.4	12.4	13.4	13.4	2.30	2.5	2.5	2.5	2.5	4.98	5.61	6.02	6.11	6.11	12.16	12.79	13.19	13.29	13.29	1.70	1.44	0.77	2.49	2.23			
Mareeba	59.2	18.1	29	23.55	D/D	20/10	13.9	15.9	15.9	16.9	16.9	3.20	3.5	3.5	3.5	3.5	6.94	7.81	8.38	8.50	8.50	16.92	17.79	18.36	18.48	18.48	2.36	2.00	1.08	3.46	3.10			

ATTACHMENT D – WoL Reseal Treatment Data

	Simple Network Average Whole-of-Life Costing - Bitumen Seal Network					April 2026 C170 Bitumen cost = \$2,085/Tonne																								
	Location/Council :		Croydon			Croydon					Croydon						Croydon					Croydon								
	Reseal Regime 1 - 10mm SS (C170, S15R, CBindS15R, S15E, CBindS15E)										Same Seal Regime 1 - Change of Binder Only										Same Seal Regime 1 - Change of Binder Only									
	Scenario 1 (C170 10mm SS Reseals)	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 2 (S15R 10mm SS Reseals) Crumbed Rubber	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 3 (CarbonBind S15R 10mm SS Reseals) Enviro Crumbed Rubber	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 4 (S15E 10mm SS Reseals) PMB	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 5 (CarbonBind S15E 10mm SS Reseals) Enviro PMB	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2					
Treatment 1	Prime-AMC00					Prime-AMC00					Prime-AMC00					Prime-AMC00					Prime-AMC00									
Treatment 1A	14mm C170 S/S Seal					14mm C170 S/S Seal					14mm C170 S/S Seal					14mm C170 S/S Seal					14mm C170 S/S Seal									
Treatment 2	(First early application) C170 10mm reseal SS reseal	8.0	0.0	7.40	1.03	(First early application) S15R 10mm reseal S/S Seal	10.0	0.0	7.78	0.88	(First early application) CBind-S15R 10mm SS reseal	10.0	0.0	8.03	0.47	(First early application) S15E 10mm SS reseal	11.0	0	8.09	1.51	Cbind-S15E 10mm SS reseal	11.0	0.0	8.09	1.36					
Treatment 3	C170 10mm reseal SS reseal	8.0	8.0	7.40	1.03	S15R 10mm reseal S/S Seal	10.0	10.0	7.78	0.88	CBind-S15R 10mm SS reseal	10.0	10.0	8.03	0.47	S15E 10mm SS reseal	11.0	11.0	8.09	1.51	Cbind-S15E 10mm SS reseal	11.0	11.0	8.09	1.36					
Treatment 4	C170 10mm reseal SS reseal	8.0	16.0	7.40	1.03	S15R 10mm reseal S/S Seal	10.0	20.0	7.78	0.88	CBind-S15R 10mm SS reseal	10.0	20.0	8.03	0.47	S15E 10mm SS reseal	11.0	22.0	8.09	1.51	Cbind-S15E 10mm SS reseal	11.0	22.0	8.09	1.36					
Treatment 5	C170 10mm reseal SS reseal	8.0	24.0	7.40	1.03	S15R 10mm reseal S/S Seal	10.0	30.0	7.78	0.88	CBind-S15R 10mm SS reseal	10.0	30.0	8.03	0.47	S15E 10mm SS reseal	11.0	33.0	8.09	1.51	Cbind-S15E 10mm SS reseal	11.0	33.0	8.09	1.36					
Treatment 6	C170 10mm reseal SS reseal	8.0	32.0	7.40	1.03																									
			AT 30 Years	35.15	4.91			AT 30 Years	31.14	3.50			AT 30 Years	32.12	1.88			AT 30 Years	30.14	5.64			AT 30 Years	30.14	5.05					
Carbon Price (2025)	\$70/tonne of CO2	70	\$/m2 of CO2	0.34				\$ of CO2	0.25				\$ of CO2	0.13			\$ of CO2	0.39			\$ of CO2	0.35		\$ of CO2	0.35					
			CO2 % Cost	1.0%						0.8%															1.2%					
Area of Sealed Road Network			m2	1,000,000	(per million m2, awaiting network sealed area data)					m2	1,000,000			m2	1,000,000				1,000,000			m2	1,000,000							
Life Time Surfacing			\$ Mill	35.2				\$ Mill	31.1				\$ Mill	32.1					30.1			\$ Mill	30.1							
			Tonnes CO2	4,908				Tonnes CO2	3,502				Tonnes CO2	1,884				Tonnes CO2	5,639				Tonnes CO2	5,051						
								Tonnes of S15R	6,329				Tonnes of S15R	6,329																
						Truck Tyres saved from Landfill 5 Tyres/1T S15R (#)					31,646	Truck Tyres saved from Landfill 5 Tyres/1T S15R (#)					31,646													
						Tonnes of Tyres Used in Cr Rubber (T)					1,266	Tonnes of Tyres Used in Cr Rubber (T)					1,266													
						Landfill cost Saved @ \$70/T (\$)					88,608	Landfill cost Saved @ \$70/T (\$)					88,608													
Average annual			\$ Mill	1.2				\$ Mill	1.0				\$ Mill	1.1					1.0			\$ Mill	1.0							
			Tonnes CO2	164				Tonnes CO2	117				Tonnes CO2	63				Tonnes CO2	188				Tonnes CO2	168						
Current Spend (2025 \$)	(Fictitious value for demonstration purposes - awaiting real life data)		\$ Mill	0.8					0.8					0.8					0.8					0.8						
Deficiency			\$ Mill	0.4						0.2					0.3					0.2					0.2					
Solutions range from \$1.0 Million per annum to \$1.6 Million per annum per 1 Million m2 (awaiting actual Road Area data) ;																														
The calculations above are an average analysis, well expecting that areas with poor condition, due to pavement performance issues, will require resealing undertaken earlier. No reseals should be undertaken later																														
	NOTES																													
	Cost are considered Pure Reseal Costs Only and do not include Prep Works Repairs; Repair allowance muts be derived from Network Level inspection / & Project Proofing over time; As seals condiiton improves, repairs should decrease - Monitor																													

ATTACHMENT D – WoL Reseal Treatment Data - *Continued...*

	Simple Network Average Whole-of-Life Costing - Bitumen Seal Network																													
	Location/Council : Croydon						Croydon						Croydon						Croydon											
	Reseal Regime 2 - 14/7 DD (C170, S15R, CBindS15R, S15E, CBindS15E)										Same Seal Regime 2 - Change of Binder Only										Same Seal Regime 2 - Change of Binder Only									
	Scenario 6 (C170 DD 14/7 Reseals)	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 7 (S15R DD 14/7 Reseals) Crumbed Rubber	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 8 (CarbonBind S15R DD 14/7 Reseals) Enviro Crumbed Rubber	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 9 (S15E DD 14/7 Reseals) PMB	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2	Scenario 10 (CarbonBind S15E DD 14/7 Reseals) Enviro PMB	Seal Life	Year	Cost (2025 \$) (\$/m2)	kgCO2/ m2					
Treatment 1	Prime AMCO0					Prime AMCO0					Prime AMCO0					Prime AMCO0					Prime AMCO0									
Treatment 1A	20/10mm C170 DD Seal					20/10mm C170 DD Seal					20/10mm C170 DD Seal					20/10mm C170 DD Seal					20/10mm C170 DD Seal									
Treatment 2	C170 14/7 DD Reseal	9.2	0	12.16	1.70	S15R 14/7 DD Reseal	11.2	0	12.79	1.44	CBind-S15R 14/7 DD reseal	11.2	0	13.19	0.77	S15E 14/7 DD Reseal	12.2	0	13.29	2.49	CBind-S15E 14/7 DD Reseal	12.2	0	13.29	2.23					
Treatment 3	C170 14/7 DD Reseal	9.2	9.2	12.16	1.70	S15R 14/7 DD Reseal	11.2	11.2	12.79	1.44	CBind-S15R 14/7 DD reseal	11.2	11.2	13.19	0.77	S15E 14/7 DD Reseal	12.2	12.2	13.29	2.49	CBind-S15E 14/7 DD Reseal	12.2	12.2	13.29	2.23					
Treatment 4	C170 14/7 DD Reseal	9.2	18.4	12.16	1.70	S15R 14/7 DD Reseal	11.2	22.4	12.79	1.44	CBind-S15R 14/7 DD reseal	11.2	22.4	13.19	0.77	S15E 14/7 DD Reseal	12.2	24.4	13.29	2.49	CBind-S15E 14/7 DD Reseal	12.2	24.4	13.29	2.23					
Treatment 5	C170 14/7 DD Reseal	9.2	27.6	12.16	1.70	S15R 14/7 DD Reseal	11.2	33.6	12.79	1.44	CBind-S15R 14/7 DD reseal	11.2	33.6	13.19	0.77	S15E 14/7 DD Reseal	12.2	36.6	13.29	2.49	CBind-S15E 14/7 DD Reseal	12.2	36.6	13.29	2.23					
Treatment 6	C170 14/7 DD Reseal	9.2	36.8	12.16	1.70																									
			AT 30 Years	51.81	7.23			AT 30 Years	47.04	5.29			AT 30 Years	48.53	2.85			AT 30 Years	45.96	8.60			AT 30 Years	45.96	7.70					
Carbon Price (2025)	\$70/tonne of CO2			\$/m2 of CO2	0.51				\$ of CO2	0.37				\$ of CO2	0.20				\$ of CO2	0.60				\$ of CO2	0.54					
				CO2 % Cost	1.0%					0.8%					0.4%					1.3%					1.2%					
Area of Sealed Road Network			m2	1,000,000				m2	1,000,000				m2	1,000,000				m2	1,000,000				m2	1,000,000						
Life Time Surfacing			\$ Mill	51.8				\$ Mill	47.0				\$ Mill	48.5				\$ Mill	46.0				\$ Mill	46.0						
			Tonnes CO2	7,233				Tonnes CO2	5,292				Tonnes CO2	2,847				Tonnes CO2	8,597				Tonnes CO2	7,700						
								Tonnes of S15R	7,911				Tonnes of S15R	7,911																
						Truck Tyres saved from Landfill 5 Tyres/1T S15R (#)					39,557	Truck Tyres saved from Landfill 5 Tyres/1T S15R (#)																		
						Tonnes of Tyres Used in Cr Rubber (T)					1,582	Tonnes of Tyres Used in Cr Rubber (T)																		
						Landfill cost Saved @ \$70/T (\$)					110,759	Landfill cost Saved @ \$70/T (\$)																		
Average annual			\$ Mill	1.7				\$ Mill	1.6				\$ Mill	1.6				\$ Mill	1.5				\$ Mill	1.5						
			Tonnes CO2	241				Tonnes CO2	176				Tonnes CO2	95				Tonnes CO2	287				Tonnes CO2	257						
Current Spend (2025 \$ Mill)	(Fictitious value for demonstration purposes - awaiting real life data)			0.8					0.8					0.8					0.8					0.8						
Deficiency (\$ Mill)				0.9					0.8					0.8					0.7					0.7						

FOR ALL SHIRES – Refer Spreadsheet provided

ATTACHMENT E – Reseal Life Graphs

