



ELEVATION

NOTES

1. Posts & rails to be Ø100, Ø125, Ø145 or Ø150 pine slab logs treated to Hazard Level H4. H5 if timber used in wet areas.
2. In sloping terrain posts shall remain vertical & rails shall be parallel with ground surface.
3. Alternate post and rail fixing details to be approved by Council.
4. All dimensions are in millimetres.
5. Recycled plastic materials are the preferred alternative to treated timber.
6. Alternative materials to be approved by Council prior to construction.
7. CCA treated timbers are not to be used for any element of construction shown on this drawing. ACQ, Copper Azole, LOSP or another Council approved alternative timber treatment will be considered, so long as each individual piece of timber is clearly marked to show the treatment type. In this instance, unless otherwise approved by Council, all above ground or exposed timbers shall be clearly marked by burn branding with text a minimum of 15mm in height so as to ensure the treatment type can be readily identified for the anticipated life of the timber.
8. Proprietary removable Galvanised Steel bollards with locking mechanism (powder coated or painted safety yellow with reflective tape) for park access to be approved by Local Authority and installed as per manufacturers specifications.



BARRIER FENCE



BOLLARDS

F	MINOR AMENDMENTS	23/10/17
E	VARIOUS AMENDMENTS	26/11/14
REVISIONS		DATE

DISCLAIMER
 The authors and sponsoring organisations shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, or consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.



BARRIER FENCING AND BOLLARDS

Standard Drawing	
S4300	
E	F