

VERGE FOOTPATH TREE PLANTING:


SET OUT:

Footpath tree planting for private works should be planted at 6.0 metre centres under power lines and 10.0–20.0m centres elsewhere. Variations to this may be made to accommodate driveways, avoid power poles etc. To ensure effective street lighting, plant trees no closer than 7.5m to a street light. The trees should be set back from the rear of the kerb at a distance of 800mm. At intersections, all trees should be planted at a minimum 10.0 metres back from the face of the kerb of the adjoining street. This minimum distance to be agreed by the Council, based on road layout and design speed. All footpath trees should have 600 high root control barrier to back of adjacent kerb.


SPECIES SELECTION:

Trees should be selected in place of shrubs or palms. Shrubs obscure sight lines for pedestrian and vehicle safety, and palms provide little shade and cannot be grown under power lines. Trees however, create shade and character, and enhance the visual quality of the City's streets. When planting under power lines, ensure the species selected will not grow above 4.0 metres.

Note: For footpath tree planting methods, refer to CRC Standard Drawing No. S4210



PLAN



PLAN

DISCLAIMER The Cairns Regional Council shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, or consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.



STANDARD DRAWING
VERGE LANDSCAPING GUIDELINES
TREE PLANTING SETOUT

DRAWING NUMBER	
S4200-CRC	
REV	A B

No.	Description	Date
B	MINOR AMENDMENTS	26/11/14
A	ORIGINAL ISSUE - SUPERSEDES S4200-CCC	NOV 08
Approved for use GM City Works & Services		