



# FNQROC Regional Development Manual

## Version Check

<b>Document Name</b>	<b>Issue No.</b>
User Guide	03.17
Definitions	05.23
AP1 Application Procedures	05.23
CP1 Construction Procedures	05.23
<i>CP1-A Construction Procedures – Appendices</i>	05.23
DP1 Development Principles	11.19
 <b>DESIGN GUIDELINES</b>	
D1 Road Geometry	05.23
D2 Site Regrading	05.23
D3 Road Pavements	05.23
D4 Stormwater Drainage	05.23
D5 Stormwater Quality	05.23
D6 Water Reticulation	05.23
D7 Sewerage System	05.23
D8 Utilities	05.23
D9 Landscaping	05.23
 <b>SPECIFICATIONS</b>	
S1 Earthworks	05.23
S2 Road Pavements	11.19
S3 Segmental Paving	11.19
S4 Stormwater Drainage	05.23
S5 Water Reticulation	05.23
S6 Sewerage Reticulation	05.23
S7 Concrete Works	05.23
S8 Landscaping	11.19
S9 Natural Area Restoration	11.19
 <b>LOCAL GOVERNMENT SPECIFIC</b>	
Cairns Regional Council	05.23
Cassowary Coast Regional Council	01.09
Cook Shire Council	01.09
Douglas Shire Council	03.14
Mareeba Shire Council	11.19
Tablelands Regional Council	03.14

## STANDARD DRAWINGS

## Version

<b>S1000</b>	<b>Concrete Kerb &amp; Channel</b>	<b>H</b>
<b>S1004</b>	<b>Typical Section for 4.5m Verge</b>	<b>A</b>
<b>S1005</b>	<b>Typical Road Cross Sections Type 1, Type 2, and Type 3</b>	<b>E</b>
<b>S1006</b>	<b>Typical Road Cross Sections Type 4, Type 5 and Type 6</b>	<b>D</b>
<b>S1007</b>	<b>Typical Road Cross Sections Type 7 and Type 8</b>	<b>D</b>
<b>S1008</b>	<b>Typical Road Cross Sections Type 9 and Type 10</b>	<b>D</b>
<b>S1009</b>	<b>Typical Road Cross Sections Type 11 and 12</b>	<b>C</b>
<b>S1010</b>	<b>Public Utilities on Road Verges</b>	<b>C</b>
<b>S1011</b>	<b>Road Crossing and Footpath Reinstatement for Trench Laid Services</b>	<b>A</b>
<b>S1015</b>	<b>Access Crossovers</b>	<b>F</b>
<b>S1016</b>	<b>Kerb Ramp</b>	<b>E</b>
<b>S1025</b>	<b>Handrail Tubular Steel Fence</b>	<b>A</b>
<b>S1026</b>	<b>Tramway Reserve Fence &amp; Weldmesh Fence</b>	<b>A</b>
<b>S1027</b>	<b>Security Fencing</b>	<b>A</b>
<b>S1033</b>	<b>Preferred Shared path terminal treatment</b>	<b>A</b>
<b>S1034</b>	<b>Typical bicycle treatment for single lane roundabouts</b>	<b>A</b>
<b>S1035</b>	<b>Pathways / Bikeways</b>	<b>E</b>
<b>S1036</b>	<b>Bikeway Slowdown Control Details</b>	<b>B</b>
<b>S1037</b>	<b>Bikeway Slowdown Control Reverse Curve</b>	<b>A</b>
<b>S1038</b>	<b>Bikeway Slowdown Control Offset Chicane</b>	<b>B</b>
<b>S1039</b>	<b>Bikeway Slowdown Control Z Chicane</b>	<b>B</b>
<b>S1040</b>	<b>Street Name Signs</b>	<b>G</b>
<b>S1041</b>	<b>Traffic Control Devices</b>	<b>B</b>
<b>S1045</b>	<b>Excavation, Bedding &amp; Backfilling of Precast Box Culverts</b>	<b>B</b>
<b>S1046</b>	<b>Excavation, Bedding &amp; Backfilling of Concrete Pipes</b>	<b>C</b>
<b>S1050</b>	<b>Grated Kerb Inlet Pit Pipe dia. Less than 600mm</b>	<b>D</b>
<b>S1055</b>	<b>Grated Kerb Inlet Pit Pipe dia. Greater than 600mm</b>	<b>F</b>
<b>S1060</b>	<b>Kerb Inlet Grate and Frame</b>	<b>D</b>
<b>S1065</b>	<b>Stormwater Manholes 1050 &amp; 1500</b>	<b>D</b>
<b>S1066</b>	<b>Access Chamber Rectangular Roof Slab</b>	<b>B</b>

<b>S1070</b>	<b>Field Inlet Pits</b>	<b>D</b>
<b>S1075</b>	<b>Concrete Pipe Headwall 375mm to 675mm</b>	<b>C</b>
<b>S1080</b>	<b>Box Culvert Headwall H150mm to 600mm</b>	<b>C</b>
<b>S1085</b>	<b>Concrete Headwall Wing Walls and Apron</b>	<b>D</b>
<b>S1090</b>	<b>Box Culvert Headwall Wingwalls and Apron</b>	<b>B</b>
<b>S1095</b>	<b>Subsurface Drainage Flushing Points Outlet</b>	<b>C</b>
<b>S1096</b>	<b>Line treatment with official bikepath and sealed shoulder (typical) non-signalised intersection</b>	<b>B</b>
<b>S1100</b>	<b>Stormwater Drainage Entry Gates</b>	<b>C</b>
<b>S1105</b>	<b>Rural Allotment Accesses</b>	<b>G</b>
<b>S1110</b>	<b>Concrete Driveway for Allotment Access</b>	<b>F</b>
<b>S2000</b>	<b>Valve Box Installation</b>	<b>E</b>
<b>S2001</b>	<b>Air Valve Pit Air Release</b>	<b>D</b>
<b>S2005</b>	<b>Hydrant Box Installation</b>	<b>D</b>
<b>S2010</b>	<b>Kerb &amp; Road Markers</b>	<b>F</b>
<b>S2011</b>	<b>Steel Marker Posts</b>	<b>C</b>
<b>S2012</b>	<b>Timber Marker Posts</b>	<b>C</b>
<b>S2015</b>	<b>Thrust Block Details</b>	<b>D</b>
<b>S2016</b>	<b>Water Reticulation Bedding Details</b>	<b>B</b>
<b>S2020</b>	<b>Main Connection details</b>	<b>C</b>
<b>S2025</b>	<b>Water Service Road Crossings Low Density Residential</b>	<b>C</b>
<b>S2038</b>	<b>Standard Arrangement of 20mm Water Service and Recycled Water installations</b>	<b>C</b>
<b>S2040</b>	<b>Water lift pump station (Layout plan)</b>	<b>A</b>
<b>S2041</b>	<b>Water Lift Pump station (Elevations, sections plans and details</b>	<b>B</b>
<b>S2050</b>	<b>Standard arrangement of &gt;80mm Water and Fire Installations</b>	<b>B</b>
<b>S3000</b>	<b>Sewerage Manholes</b>	<b>D</b>
<b>S3005</b>	<b>Property Connection Branches</b>	<b>F</b>
<b>S3015</b>	<b>Sewer Bedding – Trench Details</b>	<b>C</b>
<b>S3020</b>	<b>Sewerage Pump Station Cast Insitu</b>	<b>F</b>
<b>S3025</b>	<b>Sewerage Pump Station Precast Units</b>	<b>D</b>
<b>S3030</b>	<b>Sewerage Pump Station Details</b>	<b>C</b>
<b>S3035</b>	<b>Pump Station Overflow</b>	<b>A</b>

<b>S4100</b>	<b>Tree Guards</b>	<b>F</b>
<b>S4110</b>	<b>Traffic Island Medians</b>	<b>G</b>
<b>S4210</b>	<b>Street Tree Planting</b>	<b>F</b>
<b>S4220</b>	<b>Landscape Mounding</b>	<b>B</b>
<b>S4230</b>	<b>Buffer Mound</b>	<b>G</b>
<b>S4300</b>	<b>Log Barrier Fencing &amp; Timber Bollards</b>	<b>F</b>
<b>S4340</b>	<b>Typical Bench Seat</b>	<b>F</b>
<b>S4370</b>	<b>Typical Playground Edging</b>	<b>F</b>
<b>S4380</b>	<b>Garden Bed Edging</b>	<b>E</b>
<b>S4390</b>	<b>Advisory Signs</b>	<b>F</b>
<b>S9000</b>	<b>Aerial Pipe Crossings</b>	<b>B</b>
<b>S9001</b>	<b>Protection Grill for Aerial Pipe Crossings</b>	<b>A</b>
<b>S9005</b>	<b>Dual Module Electric Control Box</b>	<b>A</b>
<b>S9010</b>	<b>Park Access Gate</b>	<b>B</b>

## **LOCAL GOVERNMENT SPECIFIC DRAWINGS**

### **Cairns Regional Council**

#### **Roadwork's & Drainage**

<b>S1020A-CRC</b>	<b>Segmental Paving Units</b>
<b>S1035A-CRC</b>	<b>CBD Pathway Treatment</b>
<b>S1040B-CRC</b>	<b>Street Signage</b>

#### **Water**

<b>S9020A-CRC</b>	<b>Above Ground Pressure Relief Valve (PRV) 300mm DIA</b>
<b>S9021A-CRC</b>	<b>Above Ground Pressure Relief Valve (PRV) 150mm DIA</b>
<b>S9022A-CRC</b>	<b>District Meter</b>
<b>S9025A-CRC</b>	<b>Scour Valve and Dissipation Manhole</b>

## **Sewerage**

<b>S3035B-CRC</b>	<b>Pump Station Overflow</b>
<b>S3036B-CRC</b>	<b>Pump Station Overflow Pit Screen and Stop Board Details</b>
<b>S3037B-CRC</b>	<b>Pump Station Overflow Pit Double Flap Valve</b>
<b>S3038A-CRC</b>	<b>Pump Station Overflow Outlet Flap Valve</b>
<b>S3039A-CRC</b>	<b>Pump Station Overflow Outlet Cage</b>
<b>S9026A-CRC</b>	<b>Scour Valve Arrangement for Sewerage Applications</b>

## **Landscaping**

<b>S4010B-CRC</b>	<b>Typical Planting Plan &amp; Plant Schedule</b>
<b>S4020B-CRC</b>	<b>Typical Hard Landscape Plan</b>
<b>S4110A-CRC</b>	<b>Landscaping Guidelines - Tree Grate Type 1</b>
<b>S4120A-CRC</b>	<b>Landscaping Guidelines - Footpath Planter Type A</b>
<b>S4130A-CRC</b>	<b>Landscaping Guidelines - Footpath Planter Type B</b>
<b>S4140A-CRC</b>	<b>Landscaping Guidelines - Footpath Planter Type C</b>
<b>S4150A-CRC</b>	<b>Landscaping Guidelines - Footpath Planter Type D</b>
<b>S4160B-CRC</b>	<b>Landscaping Guidelines - Footpath Planter Type E</b>
<b>S4170A-CRC</b>	<b>Treatment to Boundaries – Treatment Type A &amp; B</b>
<b>S4171A-CRC</b>	<b>Treatment to Boundaries – Combination of Treatements</b>
<b>S4200B-CRC</b>	<b>Verge Landscaping Guidelines - Tree Planting: Setout</b>
<b>S4210ACRC</b>	<b>Street Tree Planting</b>
<b>S4211B-CRC</b>	<b>Urban Street Tree Planting</b>
<b>S4212A-CRC</b>	<b>Rural Residential Verge Landscaping treatment</b>
<b>S4220B-CRC</b>	<b>Car Park Tree Planting</b>
<b>S4310C-CRC</b>	<b>Landscaping Guidelines - Timber Bollard</b>
<b>S4320A-CRC</b>	<b>Post and Rail</b>
<b>S9050A-CRC</b>	<b>PWD Drinking Fountain</b>
<b>S9060A-CRC</b>	<b>Dogs Not Permitted in Playground Area Sign</b>
<b>S9070A-CRC</b>	<b>Rubbish Bin Enclosure</b>

## **Cassowary Coast Regional Council**

<b>09002-r1</b>	<b>Standard Above Ground Water Meter Plan &amp; Elevation</b>
<b>09039-r0</b>	<b>Standard Below Ground Water Meter Plan &amp; Elevation</b>
<b>09040-r0</b>	<b>Standard Water Details Water Services to Rural &amp; Residential Allotments</b>
<b>09041-0</b>	<b>Standard Detail Rollover Kerb &amp; Channel Elevation</b>
<b>09042-0</b>	<b>Public Utilities Allocation in Footpaths Residential &amp; Rural Residential</b>

## **Cook Shire Council**

**Nil**

## **Douglas Shire Council**

**Nil**

## **Mareeba Shire Council**

<b>S2000A-MSC</b>	<b>Valve Box Installation</b>
<b>S2005A-MSC</b>	<b>Hydrant Box Installation</b>
<b>S2015A-MSC</b>	<b>Thrust Block details</b>
<b>S2020D-MSC</b>	<b>Main Connection Details</b>
<b>S2060A-MSC</b>	<b>Domestic Water Service Connection Details</b>

## **Tablelands Regional Council**

<b>S2000E-TRC</b>	<b>Valve Box Installation</b>
<b>S2005E-TRC</b>	<b>Hydrant Box Installation</b>
<b>S2015E-TRC</b>	<b>Thrust Block Details</b>
<b>S2020E-TRC</b>	<b>Main Connection Details</b>
<b>S2060B- TRC</b>	<b>Domestic Water Service Connection details</b>

## **Wujal Wujal Aboriginal Shire Council**

**Nil**