



NOTES

1. Trees must be located in accordance with set back requirements from infrastructure and services.
2. Public open space tree planting, where not adjacent to a kerb or services, do not require root directors (CBD area) or root barriers (streetscape).
3. Root directors are required opposed to root barrier in the Cairns CBD area.
4. Waterwell shall be installed at planting and may be removed for re-use at the final works acceptance.



**WATER WELL/WATER SAVER FOR 25L TREES
(GREENWELL OR APPROVED EQUIVALENT)**



**WATER WELL/WATER SAVER FOR 75L TREES
(GREENWELL OR APPROVED EQUIVALENT)**

NOTES

1. For location and species of trees refer project drawings.
2. Prior to planting all weeds shall be killed by spraying a suitable glyphosate based herbicide. Sprayed area shall remain undisturbed for two weeks.
3. Excavated planting hole shall allow for a minimum 100mm clearance around the rootball. Base of hole to be ripped to 150mm depth to promote drainage.
4. Top of rootball to be finished flush with existing ground level.
5. Mulch to be 75mm thick in paved footpaths. 125mm thickness elsewhere.
6. Refer standard specification for maintenance and watering requirements.
7. All dimensions are in millimetres.
8. All trees must comply with Australia Standard AS2303:2015 - Tree Stock for Landscape Use and the FNQROC minimum container supply size.
9. Mulch to comprise of a well composted blend of forest and chip mulch, compliant with AS4454, extending 0.5m around the tree, finished clear of the trunk. Within planting areas adjacent to tree guards, traffic islands and mulched mass plantings such as natural areas, mulch installed to a depth of 150mm. Mulch to be 75mm thick in paved areas/streetscape.

		DISCLAIMER The Cairns Regional Council shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, or consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.			STANDARD DRAWING		DRAWING NUMBER	
					STREET TREE PLANTING		S4210-CRC	
Approved for use Director Cairns Infrastructure & Assets								
No.	Description	Date					REV	A B C
C	AMENDED WATER WELL, MULCH AND NOTES	05/12/23						
B	MINOR AMENDMENTS	26/11/14						
A	ORIGINAL ISSUE	NOV 08						